

Heimildaskrá

- Adewuya, A. O., Ola, B. A., Aloba, O. O. og Mapayi, B. M. (2006). Anxiety disorders among Nigerian women in late pregnancy: a controlled study. *Archives of Women's Mental Health*, 9, 325-328.
- Affonso, D. D., Liu-Chiang, C. Y. og Mayberry, L. J. (1999). Worry: Conceptual dimensions and relevance to childbearing women. *Health Care for Women International*, 20 (3), 227-236.
- Alehagen, S., Wijma, B. og Wijma, K. (2006). Fear of childbirth before, during, and after childbirth. *Acta Obstetricia & Gynecologica Scandinavica*, 85, 56-62.
- Anna Björg Aradóttir, Arnar Hauksson, Guðlaug Torfadóttir, Hildur Harðardóttir, Jón Jóhannes Jónsson, María Hreinsdóttir, Sigríður Síða Jónsdóttir, Sigurður Guðmundsson og Vigdís Stefánsdóttir (2008). *Fósturskimun og fósturgreining á meðgöngu [Bæklingur]*. Reykjavík: Landlæknisembættið.
- Anna Karólína Stefánsdóttir, Hjálmar Freysteinsson, Hulda Guðmundsdóttir, Björg Bjarnadóttir, Guðfinna Nývarðsdóttir, Magnús Skúlason, Pétur Pétursson, Sigfríður Inga Karlsdóttir og Sigmundur Sigfusson (2000). *Nýja barnið: þróunarverkefni Heilsugæslustöðvarinnar á Akureyri*. Reykjavík: Landlæknisembættið.
- Anna Sigríður Vernharðsdóttir (2005). *Meðgöngutímabilin þrjú*. Sótt 20. mars 2008, frá vefsíðu Ljósmaðrafélags Íslands; <http://www.ljosmodir.is/?Page=FAQ&ID=769&Cat=#769>.
- Ástríður Stefánsdóttir (2001). Siðferðislegar vangaveltur um fósturskimun og fósturgreiningar. *Læknablaðið*, 87, (fylgirit 42), 9-11.
- Bernazzani, O., Saucier, J. F., David, H. og Borgeat, F. (1997). Psychosocial factors related to emotional disturbances during pregnancy. *Journal of Psychosomatic Research*, 42, 391-402.

Björn Þorsteinsson (2008). „Hvað er fyrirbærafræði?“. Sótt 27. mars 2008 frá *Visindavef Háskóla Íslands*: <http://visindavefur.is/?id=7104>.

Bondas, T. og Eriksson K. (2001). Women's lived experiences of pregnancy: A tapestry of joy and suffering. *Qualitative Health Research*, 11, 824-840.

Boyd, C. O. (1993). Phenomenology: The method. Í P. L. Munhall og C. O. Boyd (ritstj.), *Nursing research: A qualitative perspective* (bls. 99-132). New York: National league for nursing press.

Brisch, K. H., Munz, D., Kächele, H., Terinde, R. og Kreienberger, R. (2005). Effects of previous pregnancy loss on level of maternal anxiety after prenatal ultrasound screening for fetal malformation. *Journal of Loss and Trauma*, 10 (2), 131-153.

Burns, N. og Grove, S. K. (1997). *The practice of nursing research: Conduct, critique and utilization* (3. útg.). Philadelphia: W.B. Saunders Company.

Copper, R. L., Goldenberg, R. L., Das, A., Elder, N., Swain, M., Norman, G., Ramsey, R., Cotroneo, P., Collins, B. A., Johnson, F., Jones, P. og Meier, A. (1996). The preterm prediction study: Maternal stress is associated with spontaneous preterm birth at less than thirty-five weeks' gestation. *American Journal of Obstetrics and Gynecology*, 175 (5), 1287-1291.

Dieter, J. N. I., Field, T., Herdnandez-Reif, M., Jones, N. A., Lecanuet, J. P., Salman, F. A. og Redzepi, M. (2001). Maternal depression and increased fetal activity. *Journal of Obstetrics and Gynecology*, 21 (5), 468-473.

Enkin, M. W. (1998). Maternity Care Today: Is our glass half empty or half full? *Birth*, 25 (1), 3-4.

Eriksson, C., Westman, G. og Hamberg, K. (2006). Content of Childbirth-Related Fear in Swedish Women and Men – Analysis of an Open-Ended Question. *Journal of Midwifery and Women's Health*, 51 (2), 112-118.

- Fontana, A. og Frey, J. H. (2000). The interview. From structured questions to negotiated text. Í N.K. Denzin og Y.S. Lincoln (ritstj.), *Handbook of qualitative research* (2.útg.) (bls.645-672). California: Sage.
- Gladstone, G. og Parker, G. (2003). What's the use of worrying? Its function and dysfunction. *Australian and New Zealand Journal of Psychiatry*, 37, 347-354.
- Green, J. M. og Baston, H. A. (2003). Feeling in control during labor: Concepts, correlates, and consequences. *Birth*, 30, 235-247.
- Guðný Jónsdóttir, Ragnheiður I. Bjarnadóttir, Reynir Tómas Geirsson og Alexander Smárason (2006). Eru tengsl á milli tíðni keisaraskurða og burðarmálsdauða á Íslandi undanfarin 15 ár? *Læknablaðið*, 91, 191-195.
- Guðrún Sigríður Ólafsdóttir (2003). Ótti tengdur meðgöngu og fæðingu. Lokaverkefni í ljósþróunarfræði. Háskóli Íslands: Hjúkrunarfræðideild.
- Hildur Kristjánsdóttir (2001). Af hverju fara þungaðar konur í ómskoðun? *Læknablaðið*, 87, (fylgirit 42), 47-50.
- Hofberg, K. og Ward, M. R. (2003). Fear of pregnancy and childbirth. *Postgraduate Medical Journal*, 79, 505-510.
- Huizink, A. C., Mulder, E. J. H., Medina, P. G. R., Visser, G. H. A. og Buitelaar, J. K. (2004). Is pregnancy anxiety a distinctive syndrome? *Early Human Development*, 79, 81-91.
- Inga Vala Jónsdóttir (2003). *Að þora að vona - Meðganga eftir missi*. Lokaverkefni í ljósþróunarfræði. Háskóli Íslands: Hjúkrunarfræðideild.
- James, D. C. (2001). Eating disorders, fertility, and pregnancy: relationship and complications. *Journal of Perinatal and Neonatal Nursing*, 15 (2), 36-48.
- Johnson, R. og Slade, P. (2002). Does fear of childbirth during pregnancy predict emergency caesarean section? *BJOG: An International Journal of Obstetrics and Gynaecology*, 109, 1213-1221.

- Kennedy, H. P. (2002). The midwife as an „instrument“ of care. *American Journal of Public Health, 11*, 1759-1760.
- Kristján Kristjánsson (2003). Hugtakagreining. Í Sigríður Halldórsdóttir og Kristján Kristjánsson. *Handbók í aðferðarfræði og rannsóknum í heilbrigðisvísvindum* (bls. 201-217). Akureyri: Háskólinn á Akureyri.
- Kvale, S. (1996). *Interviews: An introduction to qualitative research interviewing*. California: Sage.
- Lalor, J. og Begley, C. (2006). Fetal anomaly screening: What do women want to know? *Journal of Advanced Nursing, 55* (1), 11-19.
- Landlæknir.is (2006, 13. nóvember). *Meðgonguvernd heilbrigðra kvenna i eðlilegri meðgöngu*. Sótt 12. apríl 2008, frá http://www.landlaeknir.is/Uploads/FileGallery/Kliniskar%20leidbeiningar/Medgonguvernd_KL_nov.2006.pdf.
- Laursen, M., Hedegaard, M. og Johansen, C. (2008). Fear of childbirth: predictors and temporal changes among nulliparous women in the Danish National Birth Cohort. *BJOG: An International Journal of Obstetrics and Gynaecology, 115*, 354-360.
- Levin, J. S. (1991). The factor structure of the pregnancy anxiety scale. *Journal of Health and Social Behaviour, 32*, 369-381.
- María Hreinsdóttir og Þóra Fischer (2005). *Fósturgreining á meðgöngu [Bæklingur]*. Reykjavík: Landspítali háskólasjúkrahús.
- May, K. A. og Mahlmeister, L. R: (1990). *Comprehensive Maternity Nursing* (2. útg.). Philadelphia: J.B. Lippincott Company.
- Melender, H. L. (2002a). Experiences of fears associated with pregnancy and childbirth: A study of 329 pregnant women. *Birth, 29* (2), 101-111.

- Melender, H. L. (2002b). Fears and coping strategies associated with pregnancy and childbirth in Finland. *Journal of Midwifery and Women's Health*, 47 (4), 256-263.
- Melender, H. L. og Lauri, S. (1999). Fears associated with pregnancy and childbirth – experiences of pregnancy of women who have recently given birth. *Midwifery*, 15, 177–82.
- Misri, S. og Kendrick, K. (2007). Treatment of perinatal mood and anxiety disorders: a review. *The Canadian Journal of Psychiatry*, 52 (8), 489-498.
- Mulder, E. J. H., Robles de Medina, P. G., Huizink, A. C., Van der Bergh, B. R.H., Buitelaar, J. K. og Visser, G. H. A. (2002). Prenatal maternal stress: effects on pregnancy and the (unborn) child. *Early Human Development*, 70, 3-14.
- Mörður Árnason (ritstj.) (2002). Íslensk orðabók (3. útg.). Reykjavík: Edda útgáfa.
- Nerum, H., Halvorsen, L., Sørlie, T. og Øian, P. (2006). Maternal request for cesarean section due to fear of birth: can it be changed through crisis-oriented counseling? *Birth*, 33 (3), 221-228.
- Neugebauer, R. (2003). Depressive symptoms at two months after miscarriage: Interpreting study findings from an epidemiological versus clinical perspective. *Depression & Anxiety*, 17, 152-161.
- Pallesen, S., Nordhus, I. H., Carlstedt, B., Thayer, J. F. og Johansen, T. B. (2006). A nowegian adaptation of the Penn state worry questionnaire: Factor structure, reliability, validity and norms. *Scandinavian Journal of Psychology*, 47, 281-291.
- Press, N. og Browner, C. H. (1995). Risk, autonomy and responsibility: Informed consent for prenatal testing. *Special Supplement, Hastings Center Report*, 25 (3), 9-12.
- Rai, R. og Regan, L. (2006). Recurrent miscarriage. *The Lancet*, 18, 601-611.

- Ryding, E. L. (1993). Investigation of 33 women who demanded a cesarean section for personal reasons. *Acta Obstetricia et Gynecologica Scandinavica*, 72, 280–285.
- Ryding, E. L., Wijma, K., Wijma, B. og Rydstrom, H. (1998). Fear of childbirth during pregnancy may increase the risk of emergency cesarean section. *Acta Obstetricia et Gynecologica Scandinavica*, 77, 542 –547.
- Saisto, T. og Halmesmäki, E. (2003). Fear of childbirth: a neglected dilemma. *Acta Obstetricia et Gynecologica Scandinavica*, 82, 201-208.
- Saisto, T., Salmela-Aro, K., Nurmi, J. E. og Halmesmäki, E. (2001). Psychosocial characteristics of women and their partners fearing vaginal childbirth. *British Journal of Obstetrics and Gynaecology*, 108 (5), 492-498.
- Saisto, T., Salmela-Aro, K., Nurmi, J. E., Könönwn, T. og Halmesmäki, E. (2001). A Randomized Controlled Trial of Intervention in Fear of Childbirth. *Obstetrics and Gynecology*, 98, 820-826.
- Sigríður Halldórsdóttir (2000). The Vancouver school of doing phenomenology. Í B. Fridlund og C. Hildingh (ritstj.), *Qualitative research methods in the service of health* (bls. 47-81). Lund: Studentlitteratur.
- Sigríður Halldórsdóttir (2003). Vancouver-skólinn í fyrirbærafræði. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknum í heilbrigðisví sindum* (bls. 249-265). Akureyri: Háskólinn á Akureyri.
- Sigurður Kristinsson (2003). Siðfræði. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðarfræði og rannsóknum í heilbrigðisví sindum* (bls. 201-217). Akureyri: Háskólinn á Akureyri.
- Sigurlína Davíðsdóttir (2003). Eigindlegar eða megindlegar rannsóknaraðferðir? Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknum í heilbrigðisví sindum* (bls. 219-235). Akureyri: Háskólinn á Akureyri.

- Sjögren, B. (1997). Reasons for anxiety about childbirth in 100 pregnant women. *Journal of Psychosomatic Obstetrics and Gynecology*, 18, 266-272.
- Smith, F. J. og Salmon, D. K. (1994). As they grow-pregnancy. *Parents*, 57-58.
- Smith, F. S. (1994). Pregnancy fears. *Parents*, 69 (1), 56-58.
- Sorenson, D. L. S. (1990). Uncertainty in pregnancy. *NAACOGS: Clinical Issues in Perinatal & Womens Health Nursing*, 1, 289-296.
- Statham, H., Green, J. M. og Kafetsios, K. (1997). Who worries that something might be wrong with the baby? A prospective study of 1072 pregnant women. *Birth*, 24 (4), 223-233.
- Strauss, A. og Corbin, J. (1998). *Basics of qualitative research*. California: Sage.
- Thassri, J., Kala, N., Chusintong, L., Phongthanasarn, J., Boonsrirat, S. og Jirowong, S. (2000). The development and evaluation of a health education programme for pregnant women in a regional hospital, southern Thailand. *Journal of Advanced Nursing*, 32 (6), 1450-1458.
- Tsartsara, E. og Johnson, M. P. (2006). The impact of miscarriage on women's pregnancy-specific anxiety and feelings of prenatal maternal-fetal attachment during the course of a subsequent pregnancy: An exploratory follow-up study. *Journal of Psychosomatic Obstetrics and Gynecology*, 27 (3), 173-182.
- Whitehead, D., Wang, J., Wang, Y., Zhang, J. Syn, Z. og Xie, C. (2007). Health promotion and health education practice: nurses' perceptions. *Journal of Advanced Nursing*, 61 (2), 181-187.
- Wijma, K. (2003). Why focus on 'fear of childbirth'? *Journal of Psychosomatic Obstetrics and Gynecology*, 24 (3), 141-143.
- Wright, L. M. og Leahey, M. (2005). *Nurses and families: a guide to family assessment and intervention* (4. útg.). Philadelphia: F.A. Davis.

- Zar, M., Wijma, K. og Wijma, B. (2002). Relations between anxiety disorders and fear of childbirth during late pregnancy. *Clinical Psychology and Psychotherapy*, 9, 122-130.
- Öhman, S. G., Grunewald, C. og Waldenström, U. (2003). Women's worries during pregnancy: testing the Cambridge worry scale on 200 swedish women. *Scandinavian Journal of Caring Sciences*, 17, 148-152.
- Öhman, S. G., Saltdvedt, S., Grunewald, C. og Waldenström, U. (2004). Does fetal screening affect women's worries about the health of their baby? *Acta Obstetricia et Gynecologica Scandinavica*, 83, 634-640.