

## Heimildaskrá

- Ahmed, A., Rich, M. W., Love, T. E., Lloyd-Jones, D. M., Aban, I. B., Colucci, W. S. o.fl. (2006). Digoxin and reduction in mortality and hospitalization in heart failure: a comprehensive post hoc analysis of the DIG trial. *European Heart Journal*, 27, 178-186.
- Albert, N. M., Collier, S., Sumodi, V., Wilkinson, S., Hammel, J. P., Vopat, L. o.fl. (2002). Nurses's knowledge of heart failure education principles. *Heart and Lung*, 31, 102-112.
- American heart association (AHA) (2002). *Heart disease and stroke statistical update*. Sótt 17. mars 2008, frá [http://www.americanheart.org/downloadable/heart/HS\\_State\\_02.pdf](http://www.americanheart.org/downloadable/heart/HS_State_02.pdf)
- Ansari, M. og Massie, B.M. (2003). Heart failure: How big is the problem? Who are the patients? What does the future hold? *American Heart Journal*, 146, 1-4.
- Barnes, S., Gott, M., Payne, S., Parker, C., Seaman, D., Gariballa, S. o.fl. (2006). Prevalence of symptoms in a community-based sample of heart failure patients. *Journal of Pain and Symptom Management*, 32, 208-216.
- Belardinelli, R., Georgiou, D., Cianci, G. og Purcaro, A. (1999). Randomized, controlled trial of long-term moderate exercise training in chronic heart failure: effects on functional capacity, quality of life and clinical outcome. *Circulation*, 99, 1173-1182.
- Bennet, S. J., Oldridge, N. B., Eckert, G. J., Embree, L., Browning, S., Hou, N. o.fl. (2002). Discriminant properties of commonly used quality of life measures in heart failure. *Quality of Life Research*, 11, 349-359.
- Berry, C. og McMurray, J. (1999). A review of quality-of-life evaluations in patients with congestive heart failure. *Pharmaco Economics*, 16, 247-271.

- Binderman, C. D., Homel, P., Billings, J. A., Portenoy, R. K. og Tennstedt, S. L. (2008, 22. janúar). Symptom Distress and Quality of Life in Patients with Advanced Congestive Heart Failure. *Journal of Pain and Symptom Management*. Sótt 10. mars 2008 frá gagnasafninu Science Direct.
- Bleumink, G. S., Knetsch, A. M., Sturkenboom, M. C. J. M., Sabine, M. J. M. S., Hofman, A., Deckers, J. W., o.fl. (2004). Quantifying the heart failure epidemic: prevalence, incidence rate, lifetime risk and prognosis of heart failure. The Rotterdam study. *European Heart Journal*, 25, 1614-1619.
- Bloomfield, R., Bradbury, A., Grubb, N. R. og Newby, D. E. (2006). Cardiovascular disease. Í N. A. Boon, N. R. Colledge, B. R. Walker og J. A. A. Hunter (ritstj.), *Davidson's principles and practice of medicine* (bls. 519-646). Edinburgh: Churchill Livingstone/Elsevier.
- Burns, N. og Grove, S. K. (2001). *The Practice of Nursing Research: Conduct, Critique and Utilization*. St. Louis: Elsevier Saunders.
- Cabral, M. og Mitchell, J. (2003). New guidelines for heart failure focus on prevention. *Nurse Practitioner*, 28, 13-25.
- Carels, R. A., Musher-Eizenman, D., Cacciapaglia, H., Pérez-Benítez. C. I., Christie, S. og O'Brien, W. (2004). Psychosocial functioning and physical symptoms in heart failure patients: a within- individual approach. *Journal of Psychosomatic Research*, 56, 95-101.
- Cleland, J. G. F. (1998). Are symptoms the most important target for therapy in chronic heart failure? *Progress in Cardiovascular Diseases*, 41, 59-64.
- Cleland, J. G. F., Bristow, M. R., Erdmann, E., Remme, W. J., Swedberg, K. og Waagstein, F. (1996). Beta-blocking agents in heart failure – Should they be used and how? *European Heart Journal*, 17, 1629-1639.

- Colonna, P., Sorino, M., D'Agostino, C., Bovenzi, F., De Luca, L., Arrigo, F. o.fl. (2003). Nonpharmacologic care of heart failure: counseling, dietary restriction, rehabilitation, treatment of sleep apnea and ultrafiltration. *American Journal of Cardiology*, 91, 41-50.
- Davis, R. C., Hobbs, F. D. R. og Lip, G. Y. H. (2000). ABC of heart failure: History and epidemiology. *BMJ*, 320, 39-42.
- Department of Health (2003). *Developing services for heart failure*. Sótt 21. mars 2008, frá [http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH\\_4069457](http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4069457)
- Falk, K., Swedberg, K., Gaston-Johansson, F. og Ekman, I. (2007). Fatigue is a prevalent and severe symptom associated with uncertainty and sense of coherence in patients with chronic heart failure. *European Journal of Cardiovascular Nursing*, 6, 99-104.
- Fried, T. R., Bradley, E. H. og O'Leary, J. (2003). Prognosis communications in serious illness: Perceptions of older patients, caregivers, and clinicians. *Journal of the American Geriatrics Society*, 51, 1398-1403.
- Friedman, M. M. (1997). Older adults' symptoms and their duration before hospitalization for heart failure. *Heart and Lung*, 26, 169-176.
- Goldberg, R. J., Farmer, C., Spencer, F. A., Pezzella, S. og Meyer, T. E. (2006). Use of nonpharmacologic treatment approaches in patients with heart failure. *International Journal of Cardiology*, 110, 348-353.
- Goodlin, S. J., Quill, T. E. og Arnold, R. M. (2008). Communication and decision making about prognosis in heart failure care. *Journal of Cardiac Failure*, 14, 106-113.
- Gottdiener, J. S., Arnold, A. M., Aurigemma, G.P., Polak, J. F., Tracy, R. P., Kitzman, D. W. o.fl. (2000). Predictors of congestive heart failure in the elderly: the cardiovascular health study. *Journal of the American College of Cardiology*, 35, 1628-1637.

- Green, C. P., Porter C. B., Bresnahan, D. R. og Spertus, J. A. (2000). Development and Evaluation of the Kansas City Cardiomyopathy Questionnaire: A New Health Status Measure for Heart Failure. *Journal of the American College of Cardiology*, 35, 1245-1255.
- Guðrún Árnadóttir (2003). Þróun mælitækja: Stöðlun, réttmæti og áreiðanleiki. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Aðferðafræði rannsókna í heilbrigðisví sindum*, (bls. 411-445). Akureyri: Háskólinn á Akureyri.
- Guðrún Pálmadóttir (2003). Notkun matstækja í heilbrigðisrannsóknum. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Aðferðafræði rannsókna í heilbrigðisví sindum*, (bls. 445-461). Akureyri: Háskólinn á Akureyri.
- Haugh, K. H. og Reid, K. B. (2007). Heart failure, Valvular problems, and Inflammatory problems of the heart. Í F. D. Monahan, J. K. Sands, M. Neighbors, J. F. Market og C. J. Green (ritstj.), *Phipps' Medical-Surgical Nursing: Health and illness perspectives*( 8. útg) (bls. 809-815). Edinburgh: Elsevier Mosby.
- He, J., Ogden, L. G., Bazzano, L. A., Vupputuri, S., Loria, C. og Whelton, P. K. (2001). Risk factors for congestive heart failure in US men and women NHANES 1 epidemiologic follow up study. *Archives of Internal Medicine*, 161, 996-1002.
- Heidenreich, P. A., Ruggerio, C. M. og Massie, B. M. (1999). Effect of a home monitoring system on hospitalization and resource use for patients with heart failure. *American Heart Journal*, 138, 633-630.
- Heidenreich, P. A., Spertus, J. A., Jones, P. G., Weintraub, W. S., Rumsfeld, J. S., Rathore, S. S. o.fl. (2006). Health status identifies heart failure outpatients at risk for hospitalization or death. *Journal of American College of Cardiology*, 47, 752-756.
- Hjartavernd (e.d.). *Hefur hjartasjúklingum fjölgæð?* Sótt 14. mars 2008, frá [www.hjartarannsokn.is/index.aspx?GroupId=630](http://www.hjartarannsokn.is/index.aspx?GroupId=630)

HL-stöðin (e.d.) Sótt 15. apríl 2008, frá <http://www.hlstodin.is/>

Hou, N., Chui, M. A., Eckert, G. J., Oldridge, N. B., Murray, M. D. og Bennett, S. J. (2004).

Relationship of age and sex to health-related quality of life in patients with heart failure. *American Journal of Critical Care, 13*, 153 – 161.

Jaarsma, T., Abu-Saad, H. H., Dracup, K. og Halfens, R. (2000). Self-care behaviour of patients with heart failure. *Scandinavian Journal of Caring Sciences, 14*, 112-119.

Kjekshus, J., Pedersen, T. R., Olsson, A. G., Færgeman, O. og Pyörälä, K. (1997). The effects of simvastatin on the incidence of heart failure in patients with coronary heart disease. *Journal of Cardiac Failure, 3*, 249-254.

Koenig, H. G. (1998). Depression in hospitalized older patients with congestive heart failure. *General Hospital Psychiatry, 20*, 29-43.

Landlæknisembættið. (2007a). *Meðallegutími á sjúkrahúsum 2000-2005, eftir sjúkdómsgreiningum*. Sótt 5. janúar 2008, frá <http://www.landlaeknir.is/lisalib/getfile.aspx?itemid=3199>

Landlæknisembættið. (2007b). Sjúkdómsgreiningar á legudeildum sjúkrahúsa. *Meðallegutími á sjúkrahúsum 2000-2005. Legur*. Sótt 5. janúar 2008, frá <http://www.landlaeknir.is/lisalib/getfile.aspx?itemid=3198>

Landlæknisembættið. (2008, mars). *Leiðbeiningar um greiningu og meðferð langvinnrar hjartabilunar*. Sótt 5. apríl 2008 frá [http://www.landlaeknir.is/Uploads/FileGallery/Kliniskar%20leiðbeiningar/Hjartabilun\\_agrip.pdf](http://www.landlaeknir.is/Uploads/FileGallery/Kliniskar%20leiðbeiningar/Hjartabilun_agrip.pdf)

Lavie, C. J. og Milani, R. V. (1997). Effects of cardiac rehabilitation, exercise training, and weight reduction on exercise capacity, coronary risk factors, behavioral characteristics and quality of life in obese coronary patients. *American Journal of Cardiology, 79*, 397-401.

---

Lyfjastofnun (e.d.). *Lyfjaupplýsingar: ATC yfirlit*. Sótt 8. apríl 2008 frá

[www.lyfjastofnun.is/Lyfjaupplýsingar\\_\(Serlyfjaskra\\_og\\_fleira\)/ATC\\_yfirlit\\_](http://www.lyfjastofnun.is/Lyfjaupplýsingar_(Serlyfjaskra_og_fleira)/ATC_yfirlit_)

Metha, P. A. og Cowie, M. R. (2006). Epidemiology and pathophysiology of heart failure.

*Medicine*, 34, 210-214.

Nightingale, F. (1970). *Notes of Nursing: what it is, and what it is not*. London: Duckworth.

Parshall, M. B., Welsh, J. D., Brockopp, D. Y., Heiser, R. M., Schooler, M. P. og Cassidy, K.

B. (2001). Dyspnea duration, distress, and intensity in emergency departments visits.

*Heart and Lung*, 30, 47-56.

Potter, P. A. og Perry A. G. (2004). *Fundamentals of Nursing*. St. Louis, Mo.: Elsevier Mosby

Rankin, S. H. og Stallings, K. D. (2001). *Patient Education, Principles and Practice*.

Philadelphia: Lippincott Williams and Wilkins.

Rector, T. S. (2005). A conceptual model of quality of life in relation to heart failure.

*Journal of Cardiac failure*, 11, 173-176.

Redman, B. K. (2001). *The Practice of Patients Education*. Missouri: Mosby.

Remme, W. J. og Swedberg, K. (2001) Guidelines for the diagnosis and treatment of chronic

heart failure. *European Heart Journal*, 22, 1527-1560.

Riedinger, M. S., Dracup, K. A. og Brecht, M. L. (2002). Quality of life in women with heart

failure, normative groups, and patients with other chronic conditions. *American*

*Journal of Critical Care*, 11, 211-219.

Roe, B. H. og Webb, C. (1998). *Research and Development in Clinical Nursing Practice*.

London: Whurr Publishers.

Rogers, A., Addington-Hall, J. M., McCoy, A. S .M., Edmonds, P. M., Abery, A. J.,

Coats, A. J. S. o.fl. (2002). A qualitative study of chronic heart failure patients'

understanding of their symptoms and drug therapy. *The European Journal of Heart*

*Failure*, 4, 283-287.

---

Scottish Intercollegiate Guidelines Network (2007, febrúar). *Management of chronic heart failure: A national clinical guideline*. Sótt 6. mars 2008, frá <http://www.sign.ac.uk/pdf/sign95.pdf>

Shah, N. B., Der, E., Ruggerio, C., Heidenreich, P. A. og Massie, B. M. (1998). Prevention of hospitalizations for heart failure with an interactive home monitoring program. *American Heart Journal*, 135, 373-378.

Sigurður Kristinsson (2003). Siðfræði rannsókna og siðanefndir. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Aðferðaræði rannsókna í heilbrigðisvísvindum*, (bls. 161-181). Akureyri: Háskólinn á Akureyri.

Soler-Soler, J. og Permanyer-Miralda, G. (1994). How do changes in lifestyle complement medical treatment in heart failure? *British Heart Journal*, 72, 87-91.

Spertus, J., Peterson, E., Conard, M. W., Heidenreich, P. A., Krumholz, H.M., Jones, P. o.fl. (2005). Monitoring clinical changes in patients with heart failure: A comparison of methods. *American Heart Journal*, 150, 707-715.

Stanek, E. J., Oates, M. B., McGhan, W. F., Denofrio, D, og Loh, E. (2000). Preferences for treatment outcomes in patients with heart failure: symptoms versus survival. *Journal of Cardiac Failure*, 6, 225-232.

Steptoe, A., Mohabir, A., Mahon, N. G. og McKenna, W. J. (2000). Health related quality of life and psychological wellbeing in patients with dilated cardiomyopathy. *Heart*, 83, 645-650.

Stewart, S., MacIntyre, K. Hole, D. J., Capewell, S. og McMurray, J. V. J. (2001). More ‘malignant’ than cancer? Five-year survival following a first admission for heart failure. *European Journal of Heart Failure*, 3, 315-322.

- Swedberg, K. (2005). Guidelines for the diagnosis of treatment of chronic heart failure: full text (update 2005): The task Force for the diagnosis and treatment of CHF of the European Society of Cardiology. *European Heart Journal*, 26, 1115-1140.
- Todero, C. M., LaFramboise, L. M. og Zimmerman, L. M. (2002). Symptom status and quality of life outcomes of home-based disease management program for heart failure patients. *Outcomes Management*, 6, 161-168.
- Turvey, C.L., Schultz, K., Arndt, S., Wallace, R.B. og Herzog, R. (2004). Prevalance and correlates of depressive symptoms in a community sample of people suffering from heart failure. *Journal of the American Geriatrics Society*. 50, 2003-2008.
- Vilborg Þ. Sigurðardóttir (2008, febrúar). *Svæsin hjartabilun – stigun og meðferðarúrræði*. Fyrirlestur fluttur á ráðstefnu hjá Samtökum um líknandi meðferð, Reykjavík, Ísland.
- Þorlákur Karlsson (2003). Spurningakannanir: uppbygging, orðalag og hættur. Í Sigriður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Aðferðaræði rannsókna í heilbrigðisvísendum*, (bls. 331-335). Akureyri: Háskólinn á Akureyri.
- Webel, A. R., Frazier, S. K., Moser, D. K. og Lennie, T. A. (2007). Daily variability in dyspnea, edema and body weight in heart failure patients. *European Journal of Cardiovascular Nursing*, 6, 60-65.
- Weeks, J. C., Cook, E. F., O'Day, S. J., Peterson, L. M., Wenger, N., Reding, D. o.fl. (1998). Relationship between cancer patients' predictions of prognosis and their treatment preferences. *JAMA*, 279, 1709-1714.
- Wheby, D. og Brenner, P. S. (1999). Perceived learning needs of patients with heart failure. *Heart and Lung*, 28, 31-40.
- World Health Organization (WHO) (2006, október). *Constitution of the World Health Organization*. Sótt 14. mars 2008, frá [http://www.who.int/governance/eb/who\\_constitution\\_en.pdf](http://www.who.int/governance/eb/who_constitution_en.pdf)

- Zambroski, C. H., Moser, D. K., Bhat, G. og Ziegler, C. (2005). Impact of symptom prevalence and symptom burden on quality of life in patients with heart failure. *European Journal of Cardiovascular Nursing*, 4, 198-206.
- Zlotnick, C., Shea, M. T., Pilkonis, P. A., Elkin, I. og Ryan, C. (1996). Gender, type of treatment, dysfunctional attitudes, social support, life events, and depressive symptoms over naturalistic follow-up. *The American Journal of Psychiatry*, 153, 1021-1027.