

## HEIMILDASKRÁ

Ang, D.C. og Kroenke, K. (2003). Depression in osteoarthritis. Í K.D. Brandt, M. Doherty og

L.S. Lohmander (ritstj.), *Osteoarthritis* (2. útg.). (bls. 333-339). New York: Oxford

University Press.

Anna L. Filipsdóttir, Þorvaldur Ingvarsson og Signý Jónsdóttir (2002). *Gerviliður í hné*.

*Fræðsla og undirbúningur fyrir aðgerð [Bæklingur]*. Akureyri: Fjórðungssjúkrahúsið á Akureyri.

Boutron, I., Poiraudieu, S., Ravaud, J.F., Baron, G., Revel, M., Nizard, R. Dougados, M. og

Ravaud, P. (2003). Disability in adults with hip and knee arthroplasty. A French

national community based survey. *Annals of the rheumatic diseases*, 62, 748-754.

Brandt, K., Doherty, M. og Lohmander, L.S. (2003). Introduction: The comprehensive

approach. Í K.D. Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2.

útg.). (bls. 235-259). New York: Oxford University Press.

Burns, N. og Grove, S.K. (2001). *The practice of nursing research: Conduct, critique and*

*utilization* (4.útg.). Philadelphia: Saunders.

Davis, A.M., Badley, E.M., Beaton, D.E., Kopec, J., Wright, J.G., Young, N.L. o.fl. (2003). Rasch

analysis of the Western Ontario McMaster (WOMAC) Osteoarthritis Index: Results

from community and arthroplasty samples. *Journal of Clinical Epidemiology*, 56,

1076–1083.

Dennison, E. og Cooper, C. (2003). The natural history and prognosis of osteoarthritis. Í K.D.

Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2. útg.). (bls. 227-234).

New York: Oxford University Press.

Dieppe, P.A. og Lohmander, L.S. (2005). Pathogenesis and management of pain in

osteoarthritis. *The Lancet*, 365, 965-973.

---

- Doherty, M., Lanyon, P. og Ralston, S.H. (2006). Musculoskeletal disorders. Í N.A. Boon, N.R. Colledge, B.R. Walker og J.A.A. Hunter (ritstj.), *Davidson's principles and practice of medicine* (bls. 1065-1144). Edinburgh: Churchill Livingstone/Elsevier.
- Escobar, A., Quintana, J.M., Bilbao, A., Aróstegui, I., Lafuente, I. og Vidaurreta, I. (2007). Responsiveness and clinically important differences for the WOMAC and SF-36 after total knee replacement. *Osteoarthritis and Cartilage*, 15, 273-280.
- Ethgen, O., Bruyére, O., Richy, F., Dardennes, C. og Reginster, J.Y. (2004). Health related quality of life in total hip and total knee arthroplasty. *The Journal of Bone and Joint Surgery*, 86, 963-974.
- Feinglass, J., Amir, H., Taylor, P., Lurie, I., Manheim, L.M. og Chang, R.W. (2004). How safe is primary knee replacement surgery? Perioperative complication rates in Northern Illinois, 1993-1999. *Arthritis and Rheumatism*, 51, 110-116.
- Flores, R.H. og Hochberg, M.C. (2003). Definition and classification of osteoarthritis. Í K.D. Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2. útg.). (bls. 1-9). New York: Oxford University Press.
- Fortin, P.R., Clarke, A.E., Joseph, L., Liang, M.H., Tanzen, M., Ferland, D. o.fl. (1999). Outcomes of total hip and knee replacement: Preoperative functional status predicts outcomes at six months after surgery. *Arthritis and Rheumatism*, 42, 1722-1728.
- Fortin, P.R., Penrod, J.R., Clarke, A.E., St-Pierre, Y., Joseph, L., Bélisle, P. o.fl. (2002). Timing of total joint replacement affects clinical outcomes among patients with osteoarthritis of the hip and knee. *Arthritis and Rheumatism*, 46, 3327-3330.
- Givon, U., Ginsberg, G.M., Horoszowski, H. og Shemer, J. (1998). Cost utility analysis of

total hip arthroplasties. Technology assessment of surgical procedures by mailed questionnaires. *International Journal of Technology Assessment in Health Care*, 14, 735-742.

Guðrún Pálma Þóttir (2003). Notkun matstækja í heilbrigðisrannsóknum. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknum í heilbrigðisvíssindum* (bls. 445-460). Akureyri: Háskólinn á Akureyri.

Harris, W.H. og Sledge, C.B. (1990). Total hip and total knee replacement. *The New England Journal of Medicine*, 323, 801-807.

Hartley, R.C., Barton-Hanson, N.G., Finley, R. og Parkinson, R.W. (2002). Early patient outcomes after primary and revision total knee arthroplasty, a prospective study. *Journal of Bone and Joint Surgery*, 84, 994-999.

Hawker, G., Wright, J., Coyte, P., Paul, J., Dittus, R., Croxford, R., o.fl. (1998). Health-related quality of life after knee replacement. *The Journal of Bone and Joint Surgery*, 80, 163-73.

Heinegård, D., Bayliss, M. og Lorenzo, P. (2003). Pathogenesis of structural changes in the osteoartritic joint. Í K.D. Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2.útg.). (bls. 1-9). New York: Oxford University Press.

Huang, M.H., Chen, C.H., Chen, T.W., Weng, M.C., Wang, W.T. og Wang, Y.L. (2000). The effects of weight reduction on the rehabilitation of patients with knee osteoarthritis obesity. *Arthritis Care and Research*, 13, 398-485.

IASP (1986). International association for the study of pain: Description of chronic pain syndromes and definitions of pain terms. *Pain*. (Supplement 3) S5 :46-48.

Janse, A.J., Gemke, R.J.B.J., Uiterwaal, C.S.P.M., van der Tweel, I., Kimpen, J.L.L. og

---

- Sinnema, G. (2004). Quality of life: Patients and doctors don't always agree: A meta-analysis. *Journal of Clinical Epidemiology*, 57, 653–61.
- Jinks, C., Lewis, M. og Croft, P. (2003). Health status after hip or knee arthroplasty. *Annals of Rheumatic Diseases*, 62, 700-701.
- Jones, C.A., Voaklander, D.C. og Suarez-Almazor, M.E. (2003). Determinants of function after total knee arthroplasty. *Physical Therapy*, 83, 696-706.
- Jón Þorvarðarson (2000). *Tölfraði* (5.útg.). Reykjavík: Mál og Menning.
- Jónas Hvannberg, Grétar O. Róbertsson, Júlíus Gestsson og Þorvaldur Ingvarsson (2005). Árangur af gerviliðaaðgerðum á hnjam, framkvæmdum á Fjórðungssjúkrahúsini á Akureyri 1983-2003. *Læknablaðið*, 91, 739-746.
- Juni, P., Reichenbach, S. og Dieppe, P. (2006). Osteoarthritis: rational approach to treating the individual. *Best Practice and Research of Clinical Rheumatology*, 20, 721-740.
- Kidd, B. (2003). Pathogenesis of joint pain in osteoarthritis. Í K.D. Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2. útg.). (bls. 185-189). New York: Oxford University Press.
- Landlæknisembættið (2007a, 23.07). *Valdar aðgerðir framkvæmdar á sjúkrahúsum 2000–2005, fjöldi á hverja 100.000 íbúa*. Sótt 13.02.2008, frá <http://www.landlaeknir.is/lisalib/getfile.aspx?itemid=3298>
- Landlæknisembættið (2007b, 28.12). *Greinargerð með samantekt á biðlistum eftir völdum skurðaðgerðum á sjúkrahúsum í júní og október 2007*. Sótt 13.02.2008, frá <http://www.landlaeknir.is/Pages/1055?NewsID=1735>
- Lawrence, J.S., Bremner, J.M. og Bier, F. (1966). Osteoarthritis. Prevalance in the population and relationship between symptoms and x-ray changes. *Annals of the Rheumatic Diseases*, 25 (1), 1-24.

Lingard, E.A., Wright, E.A., Sledge, C.B. og The Kinemax Outcomes Group (2001).

Pitfalls of using patient recall to derive preoperative status in outcome studies of total knee arthroplasty [Vefútgáfa]. *The Journal of Bone and Joint Surgery Online* 83, 1149-56.

Mantyselka, P., Kumpusalo, E., Ahonen, R. og Takala, J. (2001). Patients versus general practitioners assessments of pain intensity in primary care patients with non-cancer pain. *British Journal of General Practice*, 51, 995-7.

Marek, J.F. (2007). Osteoarthritis and rheumatoid arthritis. Í F.D Monahan, J.K. Sands, M. Neighbors, J. Marek, og C.J. Green (ritstj.), *Pipps' Medical Surgical Nursing* (bls. 1618-1655). Edinburgh: Elsevier Mosby.

Núñez, M., Núñez, E., Luis del Val, J., Ortega, R., Segur, J., Hernández, M., o.fl. (2007). Health related quality of life in patients with osteoarthritis after total knee replacement: Factors influencing outcomes at 36 months of follow-up. *Osteoarthritis and Cartilage*, 15, 1001-1007.

O'Boyle, C.A. (1992). Assessment of quality of life in surgery. *British Journal of Surgery*, 79, 395-398.

O'Reilly, S. og Doherty, M. (2003). Signs, symptoms, and laboratory tests. Í K.D. Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2. útg.) (bls. 195-211). New York: Oxford University Press.

O'Reilly, S.C., Muir, K.R., Doherty, M. (1998). Knee pain and disability in the Nottingham community: Association with poor health status and psychological distress. *British Journal of Rheumatology*, 37, 870-873.

Palmer, S.H. og Cross, M.J. (2004, 13. júlí). Total knee arthroplasty. *eMedicine*. Sótt 13. Mars 2008, frá <http://www.emedicine.com/orthoped/topic347.htm>

---

- Pennington, J.M., Jones, D.P.G. og McIntyre, S. (2003). Clinical pathways in total knee arthroplasty: A New Zealand experience. *Journal of Arthopedic Surgery*, 11 (2) 166-173.
- Potter, P.A. og Perry, A.G. (2005). *Fundamentals of nursing*. St. Louis: Elsevier Mosby.
- Quintana, J.M., Escobar, A., Arostegui, I., Bilbao, A., Azkarate, J., Goenaga, J.I. og Arenaza, J.C. (2006). Health related quality of life and appropriateness of knee or hip joint replacement. *Archives of Internal Medicine*, 166, 220-226.
- Rastogi, R., Davis, A.M. og Chesworth, B.M. (2007, 1. ágúst). A cross-sectional look at patient concerns in the first six weeks following primary total knee arthroplasty. *Health and Quality of Life Outcomes*, 5 (48), Grein 10.1186/1477-7525-5-48. Sótt 18. mars 2008, frá <http://www.hqlo.com/content/5/1/48>
- Ríkarður Sigfússon (2001). Slitgigt og gerviliðir. *Listin að lifa*, 4 (3), 42-44.
- Shakespeare, D. og Kinzel, V. (2005) Rehabilitation after total knee replacement: Time to go home? *The Knee*, 12, 185-189.
- Shields, R.K., Enloe, L.J. og Leo, K.C. (1999). Health related quality of life in patients with total hip or knee replacement. *Archives of Physical Medicine and Rehabilitation*, 80, 572-579.
- Sigurður Kristinsson (2001). Siðfræði rannsókna og siðanefndir. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknum í heilbrigðisvíśindum* (bls. 69-85). Akureyri: Háskólinn á Akureyri.
- The ALS CARE program (e.d). *Interpretation Guides to Standardized Questionnaires Employed in the ALS CARE Database*. Sótt 7. Febrúar 2008, frá <http://www.outcomes-umassmed.org/ALS%5Csf12.cfm#short>
- van Essen, G.J., Chipchase, L.S., O'Connor, D. og Krishnan, J. (1998). Primary total knee

- replacement: Short-term outcomes in an Australian population. *Journal of Quality In Clinical Practice*, 18, 135-142.
- Walsh, N. og Hurley, M. (2003). Other physical therapies. Í K.D. Brandt, M. Doherty og L.S. Lohmander (ritstj.), *Osteoarthritis* (2.útg.). (bls. 305-311). New York: Oxford University Press.
- Woolhead, G.M., Donovan, J.L. og Dieppe, P.A. (2005). Outcomes of total knee replacement: A qualitative study. *Rheumatology*, 44, 1032-1037.
- Wright, R.J., Sledge, C.B., Poss, R., Ewald, F.C., Walsh, M.E. og Lingard, E.A. (2004). Patient-reported outcome and survivorship after kinemax total knee arthroplasty. *The Journal of Bone and Joint Surgery*, 86, 2464-2470.
- Yelin, E., Lubeck, D., Holman, H. og Epstein, W. (1987). The impact of rheumatoid arthritis and osteoarthritis: The activities of patient with rheumatoid arthritis and osteoarthritis compared to controls. *Journal of Rheumatology*, 14, 710-717.
- Þorlákur Karlsson (2003). Spurningakannanir: Uppbygging, orðalag og hættur. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknum í heilbrigðisvíśindum* (bls. 331-357). Akureyri: Háskólinn á Akureyri.
- Þorvaldur Ingvarsson (2001). Þörf fyrir gerviliðaaðgerðir næstu 30 árin á Íslandi. *Læknablaðið*, 87 (4). 312