

Heimildaskrá

- Allen, J. og Szanton, S. (2005). Gender, ethnicity, and cardiovascular disease. *Journal of cardiovascular nursing*, 20 (1), bls. 1-6.
- Alm-Roijer, C., Stagmo, M., Udén, G. og Erhardt, L. (2004). Better knowledge improves adherence to lifestyle changes and medication in patients with coronary heart disease. [Vefútgáfa]. *European journal of cardiovascular nursing*, 3, 321-330.
- Al-Safi, S.A., Alkofahi, A.S. og El-Eid, H.S. (2005). Public response to chest pain in Jordan. *European journal of cardiovascular nursing*. (4), 139-144.
- Amalía Björnsdóttir (2003). Útskýringar á helstu tölfræði hugtökum. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðarfræði og rannsóknum í heilbrigðisvísindum* (bls. 115-130). Háskólinn á Akureyri; Akureyri.
- Ambler, S.K og Brown, R.D. (1999). Genetic determinants of blood pressure regulation. *The journal of cardiovascular nursing*, 13 (4), 59-77.
- American heart association (2004). *ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction*. Sótt 12. janúar 2006, frá <http://www.americanheartassociation.com>.
- American heart association, (2005a). *Overweight and obesity*. Sótt 15. janúar 2006, frá <http://www.americanheartassociation.com>
- American heart association, (2005b). *Risk factors and coronary heart disease*. Sótt 28. janúar 2006, frá <http://www.americanheartassociation.com>
- Andersson, P. og Leppert, J. (2001). Men of low socio-economic and educational level possess pronounced deficient knowledge about the risk factors related to coronary heart disease. *Journal of cardiovascular risk*, 8, 371-377.

- Barnason, S. (2003). Cardiovascular Emergencies. Í L. Newberry (ritstj.), *Sheehy's emergency Nursing* (bls. 450-504). St Louis: Mosby.
- Becker, M. og Maiman, L. (1975). Sociobehavioral determinants of compliance with health and medical care recommendations. *Medical care*, 33, (1), 1021.
- Berra, K. og Klieman, L. (2003). National cholesterol education program. *Journal of cardiovascular nursing*, 18, (2), 85-92.
- Björn Einarsson, (1997). Aðaláhættuþættir kransæðasjúkdóma og annarra æðkølkunarsjúkdóma. *Hjartavernd*, 34, (?)
- Bolego, C. Poli, A. og Paoletti, R. (2002). Smoking and gender. *Cardiovascular research*, 53, 568-576.
- Bolli Þórsson (2004). Eðli áhættuþátta. *Hjartavernd*, 39, 26-27.
- Bolli Þórsson, Vilmundur Guðnason, Guðrún Þorvaldsdóttir og Gunnar Sigurðsson (2001). Arfbundin kólesterólhækkun. *Læknablaðið*, 87, 513-518.
- Boon, N.A., Fox, K.A.A., Blommfield, P. og Bradbury, A. (2002). Cardiovascular disease. Í C. Haslett, E. R. Chilvers, N. A. Boon, N. R. Colledge og J. A. A. Hunter (ritstj.), *Principles and Practice of Medicine* (bls.357-481). Edinborg og Cambridge: Churchill Livingstone.
- Braunstein, J., Cheng, A., Cohn, G., Aggarwal, M., Nass, C.M. og Blumenthal, R.S. (2001). Lipid disorders: Justification of methods and goals of treatment. *Chest*, 120, 979-988.
- Brieger, K., Eagle, K. A., Goodman, S. G., Steg, P. G., Budaj, A., White, K. og Montalescot, G. (2004). Acute coronary syndromes without chest pain, an underdiagnosed and undertreated high-risk group. *Chest*, 126 (2), 461-469.
- Brosnan, R. (2003). Oral treatments for type II diabetes in patients with cardiovascular disease. *Cardiologic in review*, 35, (11) 35-40.

- Brown, A.L., Mann, C., Daya, M., Goldberg, R., Meischke, H., Taylor, J., Smith, K. Osganian, S. og Cooper, L. (2000). Demographic, belief, and situational factors influencing the decision to utilize emergency medical services among chest pain patients. *Circulation*, 102, 173-178.
- Bunker, S.J., Colquhoun, D.M., Esler, M.D., Hickie, I.B., Hunt, D., Jelinek, V.M., Oldenburg, B.F., Peach, H.G., Ruth, D., Tennant, C.C. og Tonkin, A.M. (2003). "Stress" and coronary heart disease: psychosocial risk factors. *Medical journal of Australia*, 178, 272-276.
- Burke, L.E.(2003). Primary prevention in patients with a strong family history of coronary heart disease. *Journal of cardiovascular nursing*, 18, (2), 139-143.
- Burns, N. og Grove, S.K. (2001). *The practice of nursing research: Conduct, critique og utilization*, (4. útg.). Philadelphia: Saunders.
- Bylgja Valtýsdóttir (2006, 10. mars), upplýsingafulltrúi Hjartaverndar. *Algengi kransæðastíflu*. Gegnum tölvupóst.
- Caelli, K., Caelli, T. og Downie, J. (2003). Towards a decision support system for health promotion in nursing. *Journal of advanced nursing*, 43(2), 170-172.
- Chouinard, M. og Robichaud-Ekstrand, S. (2005). The effectiveness of a nursing inpatient smoking cessation program in individuals with cardiovascular disease. *Nursing research*, 54, 243-254.
- Capewell, C.J.A. (2003). Mortality risk reduction associated with smoking cessation in patients with coronary heart disease. *Journal of american medical association*, 290, 86-97.

- Ciruzzi, M., Schargrotsky, H., Rozlosnik, J., Pramparo, P., Delmonte, H., Rudich, V., Chait, A., Eckel, R.H., Howard, B.V., Mitch, W., Smith, S., Sowers, J.R. (1997). Frequency of family history of acute myocardial infarction on patients with acute myocardial infarction. FRICAS (Factores de Riesco Coronario en America del Sur) Investigators. *American journal of cardiology*, 80, 122-127.
- Davíð O. Arnar (2000). Viðbrögð við brjóstverk. *Hjartavernd*, 37, 21-22.
- Davíð O. Arnar, Sigfús Gizurarson og Jón Baldursson. (2001). Viðhorf Íslendinga til framkvæmdar endurlífgunar utan sjúkrahúss. *Læknablaðið*, 87, 777-780.
- Davíð O. Arnar, Karl Andersen og Guðmundur Þorgeirsson (2002). Kransæðastífla fyrstu viðbrögð skipta höfuðmáli [Bæklingur]. Reykjavík: Oddi hf.
- DeVon, H. A. og Ryan, C. J. (2005). Chest pain and associated symptoms of acute coronary syndromes. *Journal of cardiovascular nursing*, 20 (4), 232-238.
- Doerfler, L.A. og Paraskos, J.A.(2004) Anxiety, posttraumatic stress disorder and depression in patients with coronary heart disease. *Journal of cardiopulmonary rehabilitation*, 24, 412-421.
- Dracup, K., Moser, D.K., McKinley, S., Ball, C., Yamasaki, K., Kim, Cho-Ja., Doering, L. V. og Caldwell, M.A. (2003). An international perspective on the time to treatment for acute myocardial infarction. *Journal of nursing scholarship*, 35, 317-323.
- Eastwood, J.A. og Doering, L.V. (2005). Gender differences in coronary artery disease. *Journal of cardiovascular nursing*, 20 (5), 340-351.
- Einar Guðmundsson (2005). *Gagnavinnsla í SPSS*. Reykjavík: Háskólaútgáfan
- Einar Þór Þórarinnsson, Þórður Harðarson, Rúnar Vilhjálmsson, Helgi Sigvaldason og Nikulás Sigfússon. (2000). Leit að þáttum er skýra samband menntunar og dánartíðni. *Læknablaðið*, 86 (2), 91-101.

- Emil L. Sigurðsson, Kristín Pálsdóttir, Bragi Sigurðsson, Sigríður Jónsdóttir og Vilmundur Guðnason (2003). Áhættuþættir hjarta- og æðasjúkdóma meðal fimmtugra á Akureyri og í Hafnafirði. *Læknablaðið*, 89, 859-864.
- Fiore, M.C., Bailey, W.C., Cohen, S.J., Dorfman, S.F., Goldstein, M.G., Gritz, E.R., Heyman, R.B., Jaén, C.R., Kottke, T.E., Lando, H.A., Mecklenburg, R.E., Dolan Mullen, P., Nett, L.M., Robinson, L., Stitzer, M.L., Tommasello, A.C., Villejo, L. og Wewers, M.E. (2000). *AHCPR supported clinical practice guidelines*. Bandaríkin: National library of medicine.
- Fukuoka, Y., Dracup, K., Ohno, M., Kobayashi, F. og Hirayama, H. (2005). Symptom severity as a predictor of reported differences of prehospital delay between medical records and structured interviews among patients with AMI. *European journal of cardiovascular nursing*, 4, 171-176.
- Gillespie, M. og Melby, V. (2003). Assessing acute myocardial infarction. *Emergency Nurse*, 11, 26-29.
- Goff, D.C., Sellers, D.E., McGovern, P.G., Meische, H., Goldberg, R.J., Bittner, V., Hedges, J.R., Scott Allender, P. og Nichaman, M.Z. (1998). Knowledge of heart attack symptoms in a population survey in the United States: The REACT trial. *Archives of internal medicine*, 158, 2329-2338.
- Goff, D.C., Mitchell, P., Finnegan, J., Pandey, D., Bittner, V., Feldman, H., Meischke, H., Goldberg, R.J., Luepker, R.V., Raczynski, J.M., Cooper, L. og Mann, C. (2004). Knowledge of heart attack symptoms in 20 US communities. Results from the rapid early action for coronary treatment community trial. *Preventive medicine*, 38, 85-93.

Greenlund, K.J., Keenan, N.L., Giles, W.H., Zheng, Z.J., Neff, L.J., Croft, J.B. og Mensah, G.A. (2004). Public recognition of major signs and symptoms of heart attack: Seventeen states and the US Virgin Islands, 2001. *American heart journal*, 147, 1010-1016.

Grundy S.M., Benjamin, I.J., Burke, G.L., Chait, A., Eckel, R.H., Howard, B.V., Mitch, W., Smith, S. og Sowers, J.R. (1999). Diabetes and cardiovascular disease: A statement for healthcare professionals from the American heart association. *Circulation*, 100, 1134-1146.

Guðmundur Þorgeirsson (2003). Áhættuþættir og forvarnarstarf. *Læknablaðið*, 89, 831-832.

Guðmundur Þorgeirsson (2005). Er þörf á nýjum tóbaksvarnarlögum? *Læknablaðið*, 91, 231-232.

Guðmundur Þorgeirsson, Davíð Davíðsson, Helgi Sigvaldason og Nikulás Sigfússon, (2005).

Áhættuþættir kransæðasjúkdóms meðal karla og kvenna á Íslandi: Niðurstöður úr hóprannsókn Hjartaverndar 1967-1985. *Læknablaðið*, 91, 107-114.

Guðrún Árnadóttir (2003). Þróun mælitækja: stöðlun, réttmæti og ásreiðanleiki. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (131-159). Akureyri: Háskólinn á Akureyri.

Guðrún Pálmadóttir (2003). Notkun á mælitækja í heilbrigðisrannsóknnum. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðarfræði og rannsóknnum í heilbrigðisvísindum* (bls. 445-460). Akureyri: Háskólinn á Akureyri.

Gyða Baldursdóttir, Hörn Guðjónsdóttir og Davíð O. Arnar (2004). *Viðbrögð við brjóstverk og þekking á einkennum kransæðastíflu meðal sjúklinga sem leita á bráðamóttöku.*

Fyrirlestur fluttur á ráðstefnu Lyflæknaþing, Reykjavík, Ísland.

Hagstofa.is (e.d.). Sótt 2. maí 2006 frá <http://www.hagstofa.is>

- Haugh, K.H. og Keeling, A. (2003). Coronary artery disease and dysrhythmias. Í W.J. Phipps, F.D. Monahan, J.K. Sands, J.F. Marek og M. Neighbors (ritstj.), *Medical surgical nursing* (bls.645-706). St.Lois: Mosby.
- Heilbrigðis- og tryggingamálaráðuneytið (2001, maí). *Íslensk heilbrigðisáætlun til 2010*. Sótt 7. apríl 2006, frá <http://www.heilbrigdisraduneyti.is>
- Heilbrigðis- og tryggingamálaráðuneytið (2004, 12. júlí). *Málþing reykingar- konur og karlar: Þarf kynbundna nálgun í forvörnum og reykleysismeðferð*. Sótt 30. apríl 2006, frá <http://www.heilbrigdisraduneyti.is>
- Helga Jónsdóttir (2006). Að sinna sjúklingum á þeirra forsendum: Reykleysismeðferð í hjúkrunarfræðilegu samhengi. *Tímarit hjúkrunarfræðinga, 1*, 13-19.
- Helga Jónsdóttir, Kristlaug Sigríður Sveinsdóttir, Þóra Geirsdóttir, Edda Steingrímsdóttir og Þórunn Sigurðardóttir (2001). Að tala við fólk um reykingar. *Tímarit hjúkrunarfræðinga, 77*, 161-166.
- Helga Lára Helgadóttir (2003). Afturvirkar rannsóknir byggðar á upplýsingum úr sjúkraskrá. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (131-159). Akureyri: Háskólinn á Akureyri.
- Hermann Óskarsson (2000). *Aðferðarfræði félagsvísinda*. Iðnmennt/Iðnú; Reykjavík
- HL stöðin (2003, 17.janúar). *Hollráð við blóðþrýstingi*. Sótt 29. apríl 2006, frá <http://www.hlstodin.is>
- Hólmfríður Þorgeirsdóttir, Laufey Steingrímsdóttir, Örn Ólafsson og Vilmundur Guðnason, (2001). Þróun ofþyngdar og offitu meðal 45-64 ára Reykvíkinga á árunum 1975-1994. *Læknablaðið, 87*, 699-703.
- Hjartavernd (2006a, 9. janúar). *Á þriðja þúsund manns koma árlega í áhættumat*. Sótt 7. apríl 2006, frá <http://www.hjarta.is>

Hjartavernd (2006b, 14. febrúar). *Hjartavernd felst í lífsstíl*. Sótt 3. apríl 2006, frá

<http://www.hjarta.is>

Hjartavernd (2006c, 19. febrúar). *Konur og hjarta-og æðasjúkdómar*. Sótt 2. apríl 2006 frá

<http://www.hjarta.is>

Hjartavernd (e.d.a) *Hefur hjartasjúklingum fjölgað ?* Sótt 7. apríl 2006, frá <http://www.hjarta.is>

Hjartavernd (e.d.b) *Monica rannsókn*. Sótt 13.apríl 2006, frá <http://www.hjarta.is>

Huffstutler, S.Y. (2003). Assessment of the cardiovascular system. Í W.J. Phipps, F.D.Monahan, J.K. Sands, J.F. Marek og M. Neighbors (ritstj.), *Medical-surgical nursing* (bls 611-644). St. Louis: Mosby.

Johansson, I., Strömberg, A. og Swahn, E. (2004). Ambulance use in patients with acute myocardial infarction. *Journal of cardiovascular nursing*, 19 (1), 5-12.

Karl Andersen (2004). Stærstur hluti hans er hulinn undir yfirborðinu. *Hjartavernd*, 39, 26-27.

Kjartan Ólafsson (2003). Grunn atriði í SPSS. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (131-159). Akureyri: Háskólinn á Akureyri.

Lakhani, S.R., Dilly, S.A, Finlayson, C.J. og Dogan, A. (2003). *Basicpathology*. London: Arnold.

Landlæknisembættið (2005a, apríl). *Léttu hjartanu lífið*. Sótt 31. mars 2006, frá

<http://www.landlaeknir.is>

Landlæknisembættið (2005b, apríl). *Hugsaðu um hjartað*. Sótt 25. apríl 2006, frá

<http://www.landlaeknir.is>

Landlæknisembættið (2006a, 14. mars). *Klínískar leiðbeiningar um áhættumat og forvarnir hjarta-og æðasjúkdóma*. Sótt 1. apríl, 2006, frá <http://www.landlaeknir.is>

<http://www.landlaeknir.is>

- Landlæknisembættið (2006b, 5. apríl). Klínískar leiðbeiningar um blóðþrýstingsmælingar. Sótt 30. apríl, 2006, frá <http://www.landlaeknir.is>
- Langille, D.B., MacLean, D.R., Kirkland, S.A., Joffres, M.R., Pantelis, A. og MacPherson, K.M. (1999). Knowledge and awareness of risk factors for cardiovascular disease in Canadians 55 to 74 years of age: results from the Canadian heart health surveys, 1986-1992. *Canadian medical association journal*, 161, 10-25.
- Leon, A.S., Franklin, B.A., Balady, G.J., Berra, K.A., Stewart, K.J., Thompson, P.D., Williams, M.A. og Lauer, M.S. (2005). Cardiac rehabilitation and secondary prevention of coronary heart disease. *Circulation*, 111, 369-376.
- Leslie, W.S., Urie, A., Hopper, J. Morrison, C.E. (2000). Delay in calling for help during myocardial infarction: reasons for the delay and subsequent pattern of accessing care. *Heart*, 84 (2), 137-141.
- Lilja S. Jónsdóttir, Nikulás Sigfússon, Vilmundur Guðnason, Helgi Sigvaldason og Guðmundur Þorgeirsson. (2002). Do lipids, blood pressure, diabetes, and smoking confer equal risk of myocardial infarction in women as in men? The Reykjavík study. *Journal of cardiovascular risk*, 9, 67-76.
- Luepker, R.V., Raczynski, J.M., Osganian, S., Goldberg, R.J., Finnegan, J.R., Hedges, J.R., Goff, D.C., Eisenberg, M.S., Zapka, J.G., Feldman, H.A., Labarthe, D.R., McGovern, P.G., Cornell, C.E., Prochan, M.A. og Simons-Morton, D.G. (2000). Effect of a community intervention on patient delay and emergency medical service use in acute coronary heart disease: The rapid early action for coronary treatment (REACT) trial. *Journal of american medical association*, 284, (1), 60-67.
- Lýðheilsustöð (2005a). *IMG Gallup. Umfang reykinga. Samantekt 2005*. Sótt 7. apríl 2006, frá <http://www.lydheilsustod.is>

- Lýðheilsustöð (2005b). *Notkun tóbaks, áfengis og annarra vímuefna meðal ungmenna í framhaldsskólum: Rannsókn meðal framhaldsskólanema á Íslandi 2004*. Sótt 6. apríl 2006 frá <http://www.lydheilsustod.is>
- Mainie, P.M., Moore, G., Riddell, J.W. og Adgey, J. (2005). To examine the effectiveness of a hospital-based nurse-led secondary prevention clinic. *European journal of cardiovascular nursing*, 4, 308-313.
- Margrét B. Andrésdóttir, Gunnar Sigurðsson, Helgi Sigvaldason, Nikulás Sigfússon, Uggi Agnarsson og Vilmundur Guðnason (2000). Kransæðastífla hjá foreldrum er ákvarðandi fyrir áhættuþætti hjarta- og æðasjúkdóma í afkomendum. *Hjartavernd*, 37, 11-17.
- Mazzone, T. (2005). Reducing cardiovascular disease in patients with diabetes mellitus. *Current opinion in cardiology*, 20, 245-249.
- Mcinnis, K.J. (2003). Diet, exercise, and the challenge of combating obesity in primary care. *The journal of cardiovascular nursing*, 18, (2), 93-102.
- Momthan, K., Berkman, J., Sellick, J., Kearns, S.A. og Lauzon, N. (2004). *Journal of cardiovascular nursing*, 19,(1), 13-20
- Morgan, D. (2005). Effect of incongruence of acute myocardial symptoms on the decision to seek treatment in a rural population. *Journal of cardiovascular nursing*, 20 (5), 365-371.
- Mulhall, A. (1998). *Methods of data collection for quantitative research*. Í B. Roe og C. Webb (ritsj.), *Research and development in clinical nursing practice*, 135-139. London: Whurr Publishers Ltd.
- Mörður Árnason (2000). Íslensk orðabók [CD ROM]. *Íslensk orðabók tölvuútgáfa*. Reykjavík: Edda miðlun.
- Nikulás Sigfússon (1999). Breytingar á tíðni kransæðasjúkdóma á Íslandi. *Hjartavernd*, 36, 13-14.

Nikulás Sigfússon, Gunnar Sigurðsson, Helgi Sigvaldason og Vilmundur Guðnason. (2003).

Breytingar á reykingavenjum miðaldra og eldri Íslendinga síðastliðin þrjátíu ár og ástæður þeirra. *Læknablaðið*, 89, 489-498.

O'Toole, M.T. (2003). *Encyclopedia and dictionary of medicine, nursing and allied health*.

United States of America: Elsevier Science.

Patel, H., Rosengren, A. og Ekman, I. (2004). Symptoms in acute coronary syndromes: Does sex make a difference? *American heart journal*, 148 (1), 27-33.

Pearson, T.A., Bazzarre, T.L., Daniels, S.R., Fair, J., Fortman, S.P., Franklin, B.A., Goldstein, L.B., Hong, Y., Mensah, G.A., Sallis, J.F., Smith, S., Stone, N.J. og Taubert, K.A. (2003). American heart association guide for improving cardiovascular health at the community level: A statement for public health practitioners, healthcare providers, and health policy makers from the American heart association expert panel on population prevention. *Circulation*, 107, 645-651.

Poirier, P., Giles, T.D., Bray, G.A., Hong, Y., Stern, J.S., Pi-Sunyer, F.X. og Eckel, R.H. (2006). Obesity and cardiovascular disease: Pathophysiology, evaluation, and effect of weight loss. An update of the 1997 American Heart Association committee of the council on nutrition, physical activity, and metabolism. *Circulation*, 113, 898-918.

Polit, D.F., Beck, C.T. og Hungler, B.P. (2001). *Essentials of nursing research, methods, appraisal, and utilization*. (5. útg.). Philadelphia: Lippincott.

Potter, P.A. og Perry, A.C. (2001). *Fundamentals of nursing*. St. Lois: Mosby

Potvin, L., Richard, L. og Edwards, A.C. (2000). Knowledge of cardiovascular disease risk factors among the Canadian population: relationship with indicators of socioeconomic status. *Canadian medical association journal*, 162, 55-61.

- Pradka, L.R. (2000). Lipids-how low do you go: Plaque regression and passivation. *The journal of cardiovascular nursing*, 15 (1), 43-53.
- Quinn, T. (2005). The role of nursing in improving emergency care. *Nursing standard*, 19, 41-48.
- Ragnar Daníelsson og Kristján Eyjólfsson (2004). Frumárangur kransæðavíkkana hjá sjúklingum með sykursýki á Íslandi. *Læknablaðið*, 90, 227-232.
- Rauði kross Íslands (2006, 30. janúar). *Könnun á þáttum tengdum skyndihjálp*. Sótt 3. maí 2006, frá <http://www.raudikrossinn.is>
- Rimm, E.B., Williams, P., Fosher, K., Criqui, M., Stampfer, M.K. (1999). Moderate alcohol intake and lower risk of coronary heart disease: Meta-analysis of effects on lipids and haemostatic factors. *British medical journal*, 319, 1523-1528.
- Roe, B. og Webb, C. (1998). *Research and development in clinical nursing practice*. London: Whurr.
- Roeters van Lennep, J.E., Westerveld, H.T., Erkelens, D.W. og Van der Wall, E.E. (2002). Risk factors for coronary heart disease: implications of gender. *Cardiovascular research*, 53, 538-549.
- Rosenstock, I. (1974). Historical origin of the health belief model, *Health education monograph*, 2, 334.
- Ruston, A., Clayton, J. og Calnan, M. (1998). Patients actions during their cardiac events: qualitative study exploring difference and modifiable factors. *British Medical Journal*, 316 (7137), 1060-1064.
- Ryan, C. J., DeVon, H. A. og Zerwic, J. J. (2005). Typical and atypical symptoms. *American journals of nursing*, 105 (2), 34-36.

- Salomaa, V.V., Lundberg, V., Agnarsson, U., Radisauskas, R., Kirchhoff, M. og Wilhelmsen, L. (1997). Fatalities from myocardial infarction in Nordic Countries and Lithuania. *European heart journal*, 18, 91-98.
- Scholte op Reimer, W.J.M., Jansen, C.H., de Swart, E.A.M, Boersma, E., Somoons, M.L. og Deckers, J.W. (2002). Contribution of nursing risk factor management as perceived by patients with established coronary heart disease. *European journal of cardiovascular nursing*, 1, 87-94.
- Scholte op Reimer, W., de Swart, E., Bacquer, D., Pyörälä, K., Keil, U., Heidrich, J., Deckers, J.W., Kotseva, K., Wood, D. og Boersma, E. (2006). Smoking behaviour in European patients with established coronary heart disease. *European heart journal*, 27, 35-41.
- Sigurður Kristinsson (2003). Siðfræði rannsókna og siðanefndir. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (161-181). Akureyri: Háskólinn á Akureyri.
- Sigurlína Davíðsdóttir (2003). Eigindlegar eða meigindlegar rannsóknaaðferðir ? Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (219-236). Akureyri: Háskólinn á Akureyri.
- Sigríður Lára Guðmundsdóttir, Díana Óskarsdóttir, Leifur Franzson, Ólafur Skúli Indriðason og Gunnar Sigurðsson (2004). Samband líkamlegrar þjálfunar við þyngdarstuðul, fitumassa og gripstyrk í íslensku þýði. *Læknablaðið*, 90, 479-485.
- Smith, K.L., Cameron, P.A., Meyer, A. og McNeil, J.J. (2002). Knowledge of heart attack symptoms in a community survey in Victoria. *Emergency medicine*, 14, 255-260.
- Smith, M.M., Hicks, V.L. og Heyward, V.H. (1991). Coronary heart disease knowledge test: developing a valid and reliable tool. *Nursing practitioner*, 16, (4), 28-38.

- Sommaruga, M., Vidotto, G., Berrolotti, G., Pedretti, R.F.E. og Tramarin, R. (2003). A self administered tool for the evaluation of the efficacy of health educational interventions in cardiac patients. *Monaldi arch chest dis*, 60 (1), 7-15.
- Sowers, J.R., Epstein, M. og Frohlich, E.D. (2001). Diabetes, hypertension and cardiovascular disease. *Hypertension*, 37, 1053-1059.
- Stanhope, M. og Lancaster, J. (2004). *Community & public health nursing*. St.Louis: Mosby.
- Stenström, U., Nilsson, A.K., Stridh, C., Nijm, J., Nyrinder, I., Jonsson, Á., Karlsson, J.E. og Jonasso, L. (2005). Denial in patients with a first-time myocardial infarction: relations to pre-hospital delay and attendance to a cardiac rehabilitation programme. *European journal of cardiovascular prevention and rehabilitation*, 12, 568-571.
- Vander, A., Sherman, J. og Luciano, D. (2001). *Human Physiology*. New York: McGraw-Hill.
- Van de Werf, F., Chair, Ardissini, D., Betriu, A., Cokkinos, D.V., Falk, E., Fox, K.A.A., Julian, D., Lengyel, M., Neuman, F.J., Rucylo, W., Thygesen, C., Underwood, S.R., Vahanian, A., Verhaugt, F.W.A. og Wijns, W. (2002). Management of acute myocardial infarction in patients presenting with ST-segment elevation. *European heart journal*, 24, 28-66.
- Vilhjálmur Árnason (1997). *Siðfræði lífs og dauða*. Reykjavík: Háskólaútgáfan.
- Vilmundur Guðnason, (1999). Erfðir og hjartasjúkdómar. *Hjartavernd*, 36, 11-12.
- Wagner, J., Lacey, K., Chyun, D. og Abbott, G. (2005). Development of a questionnaire to measure heart disease risk knowledge in people with diabetes: the heart disease fact questionnaire. *Patient education and counseling*, 58, 82-87.
- Whelton, P.K. (1999). Passive cigarette smoking increases risk of coronary heart disease. *European heart journal*, 20, 1764-1765.
- White, A.K. og Johnson, M. (2000). Men making sense of their chest pain - niggles, doubts and denials. *Journal of clinical nursing*, 9 (4), 534-531.

- World Health Organization (2003). *MONICA: Monograph and ,multimedia sourcebook*. Sótt 30. október 2005, frá <http://www.who.int>
- World Health Organization (2006, e.d.). *Cardiovascular disease: prevention and control*. Sótt 1. mars 2006, frá <http://www.who.int>
- Woods, A. (2004). Loosening the grip of hypertension. *Nursing*, 34 (12), 36-43.
- Yan, R.T., Yan, A.T., Tan, M., Chow, C., Fitchett, D.H., Ervin, F.L., Cha, J.Y.M., Langer, A. og Goodman, S.G. (2006). Age-related difference in the management and outcome of patients with acute coronary syndromes. *American heart journal*, 151, 352-359
- Yusuf, S., Hawken, S., Óunpuu, S. og Bautista, L. (2005). Obesity and the risk of myocardial infarction in 27.000 participants from 52 countries: a case-control study. *The Lancet*, 366, 1640-1740.
- Zerwic, J.J., King, K.B. og Wlasowicz, G.S. (1997). Perceptions of patients with cardiovascular disease about the causes of coronary heart disease. *Heart, lung and circulation*, 26, 92-98.
- Þorlákur Karlsson (2003). Spurningakannanir: uppbygging, orðalag og hættur. Í Sigríður Halldórsdóttir og Kristján Kristjánsson (ritstj.), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (331-355). Akureyri: Háskólinn á Akureyri.
- Þorlákur Karlsson og Þórólfur Þórlindsson (2003). Um úrtök og úrtaksaðferðir. Í Sigríður Halldórsdóttir og Kristján Kristjánsson), *Handbók í aðferðafræði og rannsóknir í heilbrigðisvísindum* (51-66). Akureyri: Háskólinn á Akureyri.