

References

- Anthony, J.A., Roby, D.D. and Turco, K.R. 2000. Lipid content and energy density of forage fishes from the northern Gulf of Alaska. *Journal of Experimental Marine Biology and Ecology*, **248**: 53–78.
- Benoit-Bird, K.J. 2004. Prey caloric value and predator energy needs: foraging predictions for wild spinner dolphins. *Marine Biology*, **145**: 435–444.
- Bertulli, C.G. 2010. Minke Whale (*Balaenoptera acutorostrata*) and white-beaked dolphin (*Lagenorhynchus albirostris*) feeding behaviour in Faxaflói bay, south-west Iceland. Unpublished Master thesis. Institute of Biology, University of Iceland, Reykjavík, Iceland, pp. 217.
- Bogason, V. 2001. Rannsóknir á síli á Íslands miðum. *Hafrannsóknir* **56**: 48-51.
- Bogason, V. and Lilliendahl, K. 2009. An initiation of sandeel monitoring in Iceland. Environmental conditions in Icelandic waters 2008. *Hafrannsóknir*, **145**: 36-40.
- Bogason, V., Lilliendahl, K., Sveinbjörnsson, S. and Sigurðsson, Þ. 2013. Stofnmæling (vöktun) á sandsíli við Ísland. *Hafrannsóknunarstofnun*, pp. 26.
- Borchers, D.L., Pike, D.G., Gunnlaugsson, T. and Víkingsson, G.A. 2009. Minke whale abundance estimation from the NASS 1987 and 2001 aerial cue-counting surveys taking appropriate account of distance estimation errors. *NAMMCO Scientific Publications*, **7**: 95-110.
- Canning, S.J., Begona Santos, M., Reid, R.J., Evans, P.G.H., Sabin, R.C., Bailey, N. and Pierce, G.J. 2008. Seasonal distribution of white-beaked dolphins (*Lagenorhynchus albirostris*) in UK waters with new information on diet and habitat use. *Journal of the Marine Biological Association of the United Kingdom*, **88**(6): 1159-1166.
- Christiansen, F., Vikingsson, G.A., Rasmussen, M. and Lusseau, D. 2013. Minke whales maximise energy storage on their feeding grounds. *Journal of Experimental Biology*, **216**: 427-436.

Cope, E.D. 1890. The Cetacea. *The American Naturalist*, **24**(283): 599-616.

Costa, D.P. 1993. The relationship between reproductive and foraging energetics and the evolution of the Pinnipedia. *Symposia of the Zoological Society of London*, **66**: 293–314.

Eliassen, K. 2008. Sandeel On The Fareo Shelf. Faroese Fisheries Laboratory Technical Report, 08-02, pp. 28.

Engelhard, G. H., Peck, M. A., Rindorf, A., Smout, S. C., van Deurs, M., Raab, K., Andersen, K. H., Garthe, S., Lauerburg, R. A. M., Scott, F., Brunel, T., Aarts, G., van Kooten, T. and Dickey-Collas, M. 2013. Forage fish, their fisheries, and their predators: who drives whom? *ICES Journal of Marine Science*, **71**: 90-104.

Friedlaender, A.S., Halpin, P.N., Qian, S.S., Lawson, G.L., Wiebe, P.H., Thiele, D. and Read, A.J. 2006. Whale distribution in relation to prey abundance and oceanographic processes in shelf waters of the Western Antarctic Peninsula. *Marine Ecology Progress Series*, **317**: 297-310.

Gunnarsson, B., Ragnarsson, S.Á. and Bogason, V. 2008. Efnistaka í Faxaflóa, lífríki botns, nytjastofnar og hrygning. Marine Research Institute, pp. 3-10

Hassel, A., Knutsen, T., Dalen, J., Løkkeborg, S., Skaar, K., Østensen, Ø., E.K. Haugland, E.K., Fonn, M., Høines Å. and Misund, O.A. 2003. Reaction of sandeel to seismic shooting: A field experiment and fishery statistics study. Institute of Marine Research, Bergen, Norway, pp. 58

Jónsson, G. and Pálsson, J. 2006. Íslenskir fiskar. Vaka-Helgafell, Reykjavík, pp. 409.

Lindstrøm, U., Haug, T. and Nilssen, K.T. 1997. Diet studies based on contents from two separate stomach compartments of northeast Atlantic minke whales *Balaenoptera acutorostrata*. *Sarsia*, **82**: 63-68.

MacArthur, R.H. and Pianka, E.R. 1966. On Optimal Use of a Patchy Environment. *The American Naturalist*, **100**(916): 603-609.

Mackinson, S., Blanchard, J. L., Pinnegar, J. K. and Scott, R. 2003. Consequences of alternative functional response formulations in models exploring whale–fishery interactions. *Marine Mammal Science*, **19**: 661-681.

Macleod, C.D., Santos, M.B., López, A. and Pierce, G.J. 2006. Relative prey size consumption in toothed whales: implications for prey selection and level of specialisation. *Marine Ecology Progress Series*, **326**: 295-307.

Magnúsdóttir, E.E. 2007. Year-round distribution and abundance of white-beaked dolphins (*Lagenorhynchus albirostris*) off the southwest coast of Iceland. Master paed. Institute of Biology, University of Iceland, Reykjavik, Iceland, pp. 119

Smith, J.M. and Slatkin, M. 1973. The Stability of Predator-Prey Systems. *Ecology*, **54**(2): 384-391.

Norris, K.S. and Mohl, B. 1983. Can Odontocetes Debilitate Prey with Sound? *The American Naturalist*, **122**(1): 85-104.

Perrin, W.F. and Brownell, R.L. 2002. Minke whales. From *Encyclopaedia of Marine Mammals*, 2002, Academic Press, pp. 1189–1192.

Piatt, J.F., Methven, D.A., Burger, A.E., McLagan, R.L., Mercer, V. and Creelman, E. 1989. Baleen whales and their prey in a coastal environment. *Canadian Journal of Zoology*, **67**: 1523-1530.

Pike, D.G., Gunnlaugsson, T., Elvarsson, B.P. and Víkingsson, G.A. 2011. Correcting perception bias for Icelandic aerial surveys, 2007 and 2009. SC/18/AESP/08.

Pike, D.G., Paxton, C.G.M., Gunnlaugsson, Th. and Víkingsson, G.A. 2009. Trends in the distribution and abundance of cetaceans from aerial surveys in Icelandic coastal waters, 1986-2001. NAMMCO *Scientific Publications*, **7**:117-142.

Rasmussen, M. H. 1999. Hvidnesens lydproduktion, adfærd samt udbredelse. Unpublished Master thesis. Centre for Sound Communication, Institute of Biology, SDU-Odense, Denmark.

Rasmussen, M.H., Akamatsu, T., Teilmann, J., Vikingsson, G. and Miller, L.A. 2013. Biosonar, diving and movements of two tagged white-beaked dolphin in Icelandic waters. *Deep-Sea Research II*, **88-89**: 97-105.

Sigurjónsson, J. and Víkingsson, G. 1997. Seasonal Abundance of and Estimated Food Consumption by Cetaceans in Icelandic and Adjacent Waters. *Journal of Northwest Atlantic Fishery Science*, **22**: 271–287.

Sjödin, H., Bränström, Å., Söderquist, M. and Englund, G. 2013. Population-level consequences of heterospecific density-dependent movements in predator-prey systems. *Journal of Theoretical Biology*, **342**: 93-106.

Skaug, H.J., Øien, N. and Bøthun, G. 2004. Abundance of minke whales (*Balaenoptera acutorostrata*) in the Northeast Atlantic: variability in time and space. *Canadian Journal of Fisheries and Aquatic Sciences*, **61**: 870-886.

Stefánsson, U. and Guðmundsson, G. 1978. The Freshwater Regime of Faxaflói, Southwest Iceland, and its Relationship to Meteorological Variables. *Estuarine and Coastal Marine Science*, **6**: 535-551.

Thors, K. 1977. Skýrsla um rannsóknir hafssbotns í sunnanverðum Faxaflóa sumarið 1975. Hafrannsóknastofnunin, pp. 24.

Trites, A.W. 2009. Predator-prey relationships. In B.Wursig W.F. Perrin (ed.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego. Pp. 933-936.

Víkingsson, G. and Elvarsson, B.P. 2011. Diet composition of minke whales (*Balaenoptera acutorostrata*) in Icelandic waters. Marine Research Institute, pp. 15.

Víkingsson, G. and Ólafsdóttir, D. 2004. Hnýðingur (white-beaked dolphins). In: Íslensk spendýr, edited by Hersteinsson, P., Vaka-Helgafell. Reykjavík. Pp. 154–157.

Víkingsson, G.A., Elvarsson, B.P., Ólafsdóttir, D., Sigurjónsson, J., Chosson, V. and Galan, A. 2014. Recent changes in the diet composition of common minke whales (*Balaenoptera acutorostrata*) in Icelandic waters. A consequence of climate change? *Marine Biology Research*, **10**(2): 138-152

Wanless, S., Harris, M. P., Redman, P., and Speakman, J. R. 2005. Low energy values of fish as a probable cause of a major seabird breeding failure in the North Sea. *Marine Ecology Progress Series*, **294**: 1-8.

