

Heimildaskrá

Aguagen. (e.d.). Selective Breeding Progress. Sótt af

<http://aquagen.no/en/2013/06/12/selective-breeding-progress/>

Ali, M., Nicieza, A og Woottton, R. J. (2003). Compensatory growth in fishes: A response to growth depression. *Fish and Fisheries*, 4(2), 147-190. doi:10.1046/j.1467-2979.2003.00120.x

Brett, J.R. (1979) Environmental factors and growth. Í W.S.Hoar, D.J. Randall og J.R. Brett (ritstjórar), *Fish physiology* (bls. 599-667). London: Academic Pres.

Busacker, G. P., Adelman I. R. og Goolish. E. M. (1990). Growth, bls 363–387. Í C. B. Schreck and P. B. Moyle, editors. Methods for fish biology. American Fisheries Society, Bethesda, Maryland

Bæverfjord, G., Åsgård, T., Lein, I., Rye, M., Vassvik, V. og Storset, A. (1998). Høg temperature i rognperioden induserer misdannelser hos laks. *Norsk Fiskeoppdrett*, 3, 28-30.

Cho, C.Y. og Bureau, D.P. (1998). Development of bioenergetic models and the Fish-PrFEQ software to estimate production, feeding ration and waste output in aquaculture. *Aquatic Living Resources*, 11(4), 199 – 210.

Cho, C.Y. (1990). Fish nutrition, feeds and feeding: With special emphasis on salmonid aquaculture. *Feed Review International*, 6 (3), 333 – 357.

Dwyer, W. og Piper, R. (1987). Atlantic salmon growth efficiency as affected by temperature.
Progressive Fish-Culturist, 49(1), 57-59. doi:10.1577/1548-
8640(1987)49<57:ASGEAA>2.0.CO;2

EFSA. (2006). Animal welfare aspects of husbandry systems for farmed Atlantic salmon -
Scientific Opinion of the Panel on Animal Health and Welfare, Question number: EFSA-
Q-2006-033. Sótt af http://www.efsa.europa.eu/EFSA/efsa_locale-1178620753812_1211902014109.htm

FAO. (2013). Statistical Yearbook Worlds Food and Agriculture. Sótt af
<http://www.fao.org/docrep/018/i3107e/i3107e00.htm>

Farmer, G.J., Ashfield, D. og Goff, T.R. (1983). A feeding guide for juvenile Atlantic salmon.
Canadian Manuscript Report of Fisheries and Aquatic Sciences nr. 1718, 13pp

Fiskeoppdrett. (e.d). *Aquaculture*. Sótt af <http://snl.no/fiskeoppdrett>

Fiskeri- og kystdepartementet. (2011). *Effektiv og bærekraftig arealbruk i havbruksnæringen*.
Sótt af
http://www.regjeringen.no/upload/FKD/Vedlegg/Rapporter/2011/Effektiv_og_baerekraftig_arealbruk_i_havbruksnaeringen.pdf

Forsberg, O. I. (1995). Empirical investigations on growth of post-smolt Atlantic salmon
(*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence.
Aquaculture, 133 (3-4), 235-248.

Handeland, S. O., Imsland, A. K. og Stefansson, S. O. (2008). The effect of temperature and
fish size on growth, feed intake, food conversion efficiency and stomach evacuation rate

of Atlantic salmon post-smolts. *Aquaculture*, 283(1–4), 36-42.

Doi:10.1016/j.aquaculture.2008.06.042

Handeland, S. O., Berge, Å., Björnsson, B. T., Lie, Ø. og Stefansson, S. O. (2000). Seawater adaptation by out-of-season Atlantic salmon (*Salmo salar* L.) smolts at different temperatures. *Aquaculture*, 181(3–4), 377-396. doi:10.1016/S0044-8486(99)00241-0

Handeland, S. O., Berge, Å., Björnsson, B. T. og Stefansson, S. O. (1998). Effects of temperature and salinity on osmoregulation and growth of Atlantic salmon (*Salmo salar* L.) smolts in seawater. *Aquaculture*, 168(1–4), 289-302. doi: 10.1016/S0044-8486(98)00356-1

Handeland, S. O. og Stefansson, S. O. (2002). Effects of salinity acclimation on pre-smolt growth, smolting and post-smolt performance in off-season atlantic salmon smolts (*Salmo salar* L.). *Aquaculture*, 209(1–4), 125-137. doi:10.1016/S0044-8486(01)00735-9

Hansen, T., Stefansson, S.O. og Taranger, G.L. (1992). Growth and sexual maturation in Atlantic salmon, *Salmo salar* L., reared in sea cages at two different light regimes. *Aquaculture and Fishery Management*, 23(3), 275–280.

Harmon, P. R., Glebe, B. D., Peterson, R. H. (2003). The effect of photoperiod on growth and maturation of Atlantic salmon (*Salmo salar*) in the Bay of Fundy: Project of the Aquaculture Collaborative Research and Development Program. St. Andrews, N.B: Fisheries and Oceans Canada.

Helfman, S. Gene., Collette, B. Bruce., Facey, E. Douglas og Bowen, W. Brian. (2009). *The Diversity of Fishes*. Bretland: Wiley-Blackwell

Heen, K., Monahan, R. L. Og Utter, Fred. (1993). *Salmon Aquaculture*. Bretland: Blackwell Scientific Publications Ltd.

Hermansen, O., Troell, M. (2012). *Aquaculture in the Arctic*. Sótt af <http://www.nofima.no/filearchive/Rapport%2036-2012.pdf>

Hopkins, K. D. (1992). Reporting Fish Growth: A Review of the Basics. *Journal of the World Aquaculture Society*, 23: 173–179. doi: 10.1111/j.1749-7345.1992.tb00766.x

Jobling, M. og Johansen, S. J. S. (1999). The lipostat, hyperphagia and catch-up growth. *Aquaculture Research*, 30(7), 473-478. doi:10.1046/j.1365-2109.1999.00358.x

Jobling, M. (1994). *Fish Bioenergetics*. London: Chapman and Hall.

Jobling, M., Koskela, J. og Pirhonen, J. (1997). Feed intake, growth rate and body composition of juvenile Baltic salmon exposed to different constant temperatures. *Aquaculture*, 5(4), 351-360. doi:10.1023/A:1018316224253

Jobling, M., Koskela, J. og Pirhonen, J. (1998). Feeding time, feed intake and growth of Baltic Salmon, *Salmo salar*, and Brown Trout, *Salmo trutta*, reared in monoculture and duoculture at constant low temperature. *Aquaculture*, 163(1–2), 73-84.
doi:10.1016/S0044-8486(98)00224-5

Jobling, M. (2003). The thermal growth coefficient (TGC) model of fish growth: A cautionary note. *Aquaculture Research*, 34(7), 581-584. doi:10.1046/j.1365-2109.2003.00859.x

Jordal, A. - O., Lie, Ø. og Torstensen, B. E. (2007). Complete replacement of dietary fish oil with a vegetable oil blend affect liver lipid and plasma lipoprotein levels in Atlantic salmon (*Salmo salar* L.). *Aquaculture Nutrition*, 13(2), 114-130. doi:10.1111/j.1365-2095.2007.00455.x

Karalazos, V., Bendiksen, E. Å., Dick, J. R. og Bell, J. G. (2007). Effects of dietary protein, and fat level and rapeseed oil on growth and tissue fatty acid composition and metabolism in atlantic salmon (*Salmo salar* L.) reared at low water temperatures. *Aquaculture Nutrition*, 13(4), 256-265. doi:10.1111/j.1365-2095.2007.00471.x

Kråkenes, R., Hansen, T., Stefansson, S.O. og Taranger, G.L. (1991). Continuous light increases growth rate of Atlantic salmon (*Salmo salar* L.) postsmolts in sea cages. *Aquaculture*, 95, 281–287.

Oppedal, F., Berg, A., Olsen, R. E., Taranger, G. L. og Hansen, T. (2006). Photoperiod in seawater influence seasonal growth and chemical composition in autumn sea-transferred atlantic salmon (*Salmo salar* L.) given two vaccines. *Aquaculture*, 254(1–4), 396-410. doi: 10.1016/j.aquaculture.2005.10.026

Ricker, W.E. (1979). Growth rates and models. Í Hoar, W.S., Randall, D.J., Brett, J.R. (ritstjórar), *Fish Physiology. Bioenergetics and growth*, (vol. VIII). Academic Press, New York, 677–743.

Schulz RW, Andersson E, og Taranger GL. (2006). Photoperiod manipulation can stimulate or inhibit testis maturation in Atlantic salmon (*Salmo salar*). *Animal Reproduction*, 3(2), 121-126.

Sjávarútvegsráðuneyti Noregs, (2013). *Smolt production, salmon and rainbow trout*. Sótt af <http://www.fiskeridir.no/statistikk/akvakultur/loennsomhet/settefiskproduksjon-laks-og-regnbueørret>

Smith, P., Metcalfe, N.B., Huntingford, F. og Kadri, S. (1993). Daily and seasonal patterns in the feeding behaviour of Atlantic salmon (*Salmo salar* L.) in a sea cage. *Aquaculture*, 117(1–2), 165–178.

Steingrímur Jónsson 2004. Sjávarhiti, straumar og súrefni í sjónum við strendur Íslands. Í Björn Björnsson & Valdimar Ingi Gunnarsson (ritstjórar), *Porskeldi á Íslandi*. Hafrannsóknastofnunin. Fjöldit 111: 9-20.

Taranger, G.L. (1993). *Sexual maturation in Atlantic salmon, Salmo salar L.: aspects of environmental and hormonal control*. (Dr. scient. thesis, Department of Fisheries and Marine Biology). University of Bergen, Norway.

Thorarensen, H., og Farrell, A. P. (2011). The biological requirements for post-smolt Atlantic salmon in closed-containment systems. *Aquaculture*, 312(1–4), 1-14.
doi:<http://dx.doi.org/10.1016/j.aquaculture.2010.11.043>

Torstensen, B. E., Frøyland, L. og Lie, Ø. (2004). Replacing dietary fish oil with increasing levels of rapeseed oil and olive oil - effects on atlantic salmon (*Salmo salar* L.) tissue and lipoprotein lipid composition and lipogenic enzyme activities. *Aquaculture Nutrition*, 10(3), 175-192. doi:10.1111/j.1365-2095.2004.00289.x

Willoughby, S. (1999). *Manual of Salmonid farming*. Oxford: Blackwell Science Ltd

Wootton, R.J. (1990) *Ecology of Teleost Fish*. Doi:10.1007/978-94-009-0829-1_6