

## References

- Alcazar, O., Cousins, S. W., Striker, G. E. & Marin-Castano, M. E. (2009). (Pro)renin receptor is expressed in human retinal pigment epithelium and participates in extracellular matrix remodeling. *Experimental Eye Research*, 89(5), 638-647. DOI: 10.1016/j.exer.2009.06.014
- Almasieh, M., MacIntyre, J. N., Pouliot, M., Casanova, C., Vaucher, E., Kelly, M. E. M. & Di Polo, A. (2013). Acetylcholinesterase Inhibition Promotes Retinal Vasoprotection and Increases Ocular Blood Flow in Experimental Glaucoma. *Investigative Ophthalmology & Visual Science*, 54(5), 3171-3183. DOI: 10.1167/iovs.12-11481
- Anand-Apte, B. & Hollyfield, J. G. (2010). Developmental anatomy of the retinal and choroidal vasculature. In Besharse, J. C. & Bok, D. (eds), *The Retina and its Disorders*. Academic Press, Elsevier, Oxford, 179-185.
- Beevers, G., Lip, G. Y. H. & O'Brien, E. (2001). ABC of hypertension. The pathophysiology of hypertension. *British Medical Journal*, 322(7291), 912-916. DOI: 10.1136/bmj.322.7291.912
- Boltz, A., Told, R., Napora, K. J., Palkovits, S., Werkmeister, R. M., Schmidl, D., Popa-Cherecheanu, A., Garhofer, G. & Schmetterer, L. (2013). Optic Nerve Head Blood Flow Autoregulation during Changes in Arterial Blood Pressure in Healthy Young Subjects. *Plos One*, 8(12). 1-7. DOI: 10.1371/journal.pone.0082351
- Chan-Ling, T. (2010). Development of the Retinal Vasculature. In Besharse, J. C. & Bok, D. (eds), *The Retina and its Disorders*. Academic Press, Elsevier, Oxford, 186-195.
- Cunha-Vaz, J., Bernardes, R. & Lobo, C. (2011). Blood-retinal barrier. *European Journal of Ophthalmology*, 21, s3-s9. DOI: 10.5301/EJO.2010.6049
- Danish Myo Technology (n.d.). Dual Wire Myograph System. Model 410A. User Manual. *Danish Myo Technology*. Aarhus: Denmark.

Delaey, C. & Van de Voorde, J. (1998). Retinal Arterial Tone Is Controlled by a Retinal-Derived Relaxing Factor. *Circulation Research*, 83(7), 714-720. DOI: 10.1161/01.RES.83.7.714

Donoghue, M., Hsieh, F., Baronas, E., Godbout, K., Gosselin, M., Stagliano, N., Donovan, M., Woolf, B., Robison, K., Jeyaseelan, R., Breitbart, R. E. & Acton, S. (2000). A Novel angiotensin-converting enzyme-related carboxypeptidase (ACE2) converts angiotensin I to angiotensin 1-9. *Circulation Research*, 87(5), E1-E9.

Dorrell, M. I., Friedlander, M., Smith, L. E. H. (2007). Retinal vascular development. In: Joussen, A. M., Gardner, T. W., Kirchhof, B., Ryan, S. J. (Eds.), *Retinal Vascular Disease*. Springer Berlin Heidelberg, 24-37. DOI: 10.1007/978-3-540-29542-6\_2

Ebrahimian, T. G., Tamarat, R., Clergue, M., Duriez, M., Levy, B. I. & Silvestre, J. S. (2005). Dual effect of angiotensin-converting enzyme inhibition on angiogenesis in type 1 diabetic mice. *Arteriosclerosis Thrombosis and Vascular Biology*, 25(1), 65-70. DOI: 10.1161/01.ATV.0000149377.90852.d8

Edvinsson, L., Ahnstedt, H., Larsen, R. & Sheykhzade, M. (2014). Differential localization and characterization of functional calcitonin gene-related peptide receptors in human subcutaneous arteries. *Acta Physiologica*, 210(4), 811-822. DOI: 10.1111/apha.12213

Ferrari-Dileo, G., Davis, E. B. & Anderson, D. R. (1987). Angiotensin Binding Sites in Bovine and Human Retinal Blood Vessels. *Investigative Ophthalmology & Visual Science*, 28(11), 1747-1751.

Ferreira, A. J. & Raizada, M. K. (2008). Are we poised to target ACE2 for the next generation of antihypertensives? *Journal of Molecular Medicine*, 86(6), 685-690. DOI: 10.1007/s00109-008-0339-x

Fletcher, E. L., Phipps, J. A., Ward, M. M., Vessey, K. A. & Wilkinson-Berka, J. L. (2010). The renin-angiotensin system in retinal health and disease: Its influence on neurons, glia and the vasculature. *Progress in Retinal and Eye Research*, 29(4), 284-311. DOI: 10.1016/j.preteyeres.2010.03.003

Foureaux, G., Nogueira, J. C., Nogueira, B. S., Fulgencio, G. O., Menezes, G. B., Fernandes, S. O. A., Cardoso, V. N., Fernandes, R. S., Oliveira, G. P., Franca, J. R., Faraco, A. A. G., Raizada, M. K. & Ferreira, A. J.

(2013). Antiglaucomatous Effects of the Activation of Intrinsic Angiotensin-Converting Enzyme 2. *Investigative Ophthalmology & Visual Science*, 54(6), 4296-4306. DOI: 10.1167/iovs.12-11427

Freddo, T. F. (2013). A contemporary concept of the blood-aqueous barrier. *Progress in retinal and eye research*, 32, 181-195. DOI: 10.1016/j.preteyeres.2012.10.004

Geiser, M. H., Riva, C. E., Dorner, G. T., Diermann, U., Luksch, A. & Schmetterer, L. (2000). Response of choroidal blood flow in the foveal region to hyperoxia and hyperoxia-hypercapnia. *Current Eye Research*, 21(2), 669-676. DOI: 10.1076/0271-3683(200008)21:2;1-V;FT669

Gisladottir, S. (2006). Adrenergic receptors and control of blood flow in retinal arterioles. Unpublished MSc-thesis. University of Iceland, School of Health Sciences, Reykjavík.

Hard, A. L., Wennerholm, U. B., Niklasson, A. & Hellstrom, A. (2008). Severe ROP in twins after blockage of the renin-angiotensin system during gestation. *Acta Paediatrica*, 97(8), 1142-1144. DOI: 10.1111/j.1651-2227.2008.00851.x

Higgins, R. D., Hendricks-Munoz, K. D., Caines, V. V., Gerrets, R. P. & Rifkin, D. B. (1998). Hyperoxia stimulates endothelin-1 secretion from endothelial cells; modulation by captopril and nifedipine. *Current Eye Research*, 17(5), 487-493. DOI: 10.1076/ceyr.17.5.487.5190

Holmgaard, K., Aalkjær, C., Lambert, J. D. C., Hessellund, A. & Bek, T. (2008). The relaxing effect of perivascular tissue on porcine retinal arterioles in vitro is mimicked by N-methyl-D-aspartate and blocked by prostaglandin synthesis inhibition. *Acta Ophthalmologica*, 86(1), 26-33. DOI: 10.1111/j.1600-0420.2007.01010.x

Hommer, A., Sperl, P., Resch, H., Popa-Cherecheanu, A., Qiao, C., Schmetterer, L. & Garhofer, G. (2012). A Double-Masked Randomized Crossover Study Comparing the Effect of Latanoprost/Timolol and Brimonidine/Timolol Fixed Combination on Intraocular Pressure and Ocular Blood Flow in Patients with Primary Open-Angle Glaucoma or Ocular Hypertension. *Journal of Ocular Pharmacology and Therapeutics*, 28(6), 569-575. DOI: 10.1089/jop.2011.0165

- Ikemura, T., Miyaji, A., Kashima, H., Yamaguchi, Y. & Hayashi, N. (2013). Ocular blood flow decreases during passive heat stress in resting humans. *Journal of Physiological Anthropology*, 32, 1-4. DOI: 10.1186/1880-6805-32-23
- Jacobi, P. C., Osswald, H., Jurklies, B. & Zrenner, E. (1994). Neuromodulatory Effects of the Renin-Angiotensin System on the Cat Electroretinogram. *Investigative Ophthalmology & Visual science*, 35(3), 973-980.
- Kaciok, N., Krohne, T. U., Poulaki, V. & Joussen, A. M. (2007). Geldanamycin treatment reduces neovascularization in a mouse model of retinopathy of prematurity. *Graffes Archive for Clinical and Experimental Ophthalmology*, 245(2), 258-266. DOI: 10.1007/s00417-006-0355-x
- Kanda, A., Noda, K., Saito, W. & Ishida, S. (2012). (Pro)renin receptor is associated with angiogenic activity in proliferative diabetic retinopathy. *Diabetologia*, 55(11), 3104-3113. DOI: 10.1007/s00125-012-2702-2
- Kitaba, A., Martin, D. P., Gopalakrishnan, S. & Tobias, J. D. (2013). Perioperative visual loss after nonocular surgery. *Journal of Anesthesia*, 27(6), 919-926. DOI: 10.1007/s00540-013-1648-y
- Kulkarni, P. S., Hamid, H., Barati, M. & Butulija, D. (1999). Angiotensin II-induced constrictions are masked by bovine retinal vessels. *Investigative Ophthalmology & Visual Science*, 40(3).
- Kompella, U. B., Amrite, A. C., Ravi, R. P. & Durazo, S. A. (2013). Nanomedicines for back of the eye drug delivery, gene delivery and imaging. *Progress in Retinal and Eye Research*, 36, 172-198. DOI: 10.1016/j.preteyeres.2013.04.001
- Kur, J., Newman, E. A. & Chan-Ling, T. (2012). Cellular and physiological mechanisms underlying blood flow regulation in the retina and choroid in health and disease. *Progress in Retinal and Eye Research*, 31(5), 377-406. DOI: 10.1016/j.preteyeres.2012.04.004
- Mackenzie, P. J. & Cioffi, G. A. (2008). Vascular anatomy of the optic nerve head. *Canadian Journal of Ophthalmology*, 43(3), 308-312. DOI: 10.3129/i08-042

- Madej, A., Gierek-Ciaciura, S., Haberka, M., Lekston-Madej, J., Basiak, M., Domanska, O. & Okopien, B. (2010). Effects of bisoprolol and cilazapril on the central retinal artery blood flow in patients with essential hypertension-preliminary results. *Upsala Journal of Medical Science*, 115(4), 249-252. DOI: 10.3109/03009734.2010.487951
- Mayama, C. & Araie, M. (2013). Effects of antiglaucoma drugs on blood flow of optic nerve heads and related structures. *Japanese Journal of Ophthalmology*, 57(2), 133-149. DOI: 10.1007/s10384-012-0220-x
- McCarthy, C. A., Widdop, R. E., Deliyanti, D. & Wilkinson-Berka, J. L. (2013). Brain and retinal microglia in health and disease: An unrecognized target of the renin-angiotensin system. *Clinical and Experimental Pharmacology and Physiology*, 40(8), 571-579. DOI: 10.1111/1440-1681.12099
- Mehlsen, J., Jeppesen, P., Erlandsen, M., Poulsen, P. L. & Bek, T. (2011). Lack of effect of short-term treatment with Amlodipine and Lisinopril on retinal autoregulation in normotensive patients with type 1 diabetes and mild diabetic retinopathy. *Acta Ophthalmologica*, 89(8), 764-768. DOI: 10.1111/j.1755-3768.2009.01847.x
- Misfeldt, M. W., Pedersen, S. M. M. & Bek, T. (2013). Perivascular Cells With Pericyte Characteristics Are Involved int ATP- and PGE<sub>2</sub>- Induced Relaxation of Porcine Retinal Arterioles In Vitro. *Investigative Ophthalmology & Visual Science*, 54(5), 3258-3264. DOI: 10.1167/iovs.13-11685
- Moravski, C. J., Kelly, D. J., Cooper, M. E., Gilbert, R. E., Bertram, J. F., Shahinfar, S., Skinner, S. L. & Wilkinson-Berka, J. L. (2000). Retinal neovascularization is prevented by blockade of the renin-angiotensin system. *Hypertension*, 36(6), 1099-1104.
- Mulvany, M. J. (2004). Procedures for Investigation of small vessels using small vessel myograph. *Danish Myo Technology*. Aarhus: Denmark.
- Nagai, N., Oike, Y., Izumi-Nagai, K., Urano, T., Kubota, Y., Noda, K., Ozawa, Y., Inoue, M., Tsubota, K., Suda, T. & Ishida, S. (2006). Angiotensin II type 1 receptor-mediated inflammation is required for choroidal neovascularization. *Arteriosclerosis Thrombosis and Vascular Biology*, 26(10), 2252-2259. DOI: 10.1161/01.ATV.0000240050.15321.fe

- O'Brien, C. & Harris, A. (2004). Optic nerve blood flow measurement. In: Yanoff, M. & Duker, S. J. (eds). *Ophthalmology*, 2nd. Mosby, Spain, 1470-1473.
- Osborne, N. N., Casson, R. J., Wood, J. P. M., Chidlow, G., Graham, M. & Melena, J. (2004). Retinal ischemia: mechanisms of damage and potential therapeutic strategies. *Progress in Retinal and Eye Research*, 23(1), 91-147. DOI: 10.1016/j.preteyeres.2003.12.001
- Raghuveer, T. S. & Bloom, B. T. (2011). A Paradigm Shift in the Prevention of Retinopathy of Prematurity. *Neonatology*, 100(2), 116-129. DOI: 10.1159/000322848
- Rice, G. I., Thomas, D. A., Grant, P. J., Turner, A. J. & Hooper, N. M. (2004). Evaluation of angiotensin-converting enzyme (ACE), its homologue ACE2 and neprilysin in angiotensin peptide metabolism. *Biochemical Journal*, 383, 45-51. DOI: 10.1042/BJ20040634
- Rigatto, K., Casali, K. R., Shenoy, V., Katovich, M. J. & Raizada, M. K. (2013). Diminazene aceteturate improves autonomic modulation in pulmonary hypertension. *European Journal of Pharmacology*, 713(1-3), 89-93. DOI: 10.1016/j.ejphar.2013.04.017
- Robles, N. R., Cerezo, I. & Hernandez-Gallego, R. (2014). Renin-Angiotensin System Blocking Drugs. *Journal of Cardiovascular Pharmacology and Therapeutics*, 19(1), 14-33. DOI: 10.1177/1074248413501018
- Rockwood, E. J., Fantes, F., Davis, E. B. & Anderson, D. R. (1987). The response of retinal vasculature to angiotensin. *Investigative Ophthalmology & Visual Science*, 28(4), 676-682.
- Senanayake, P. D., Drazba, J., Shadrach, K., Milsted, A., Rungger-Brandle, E., Nishiyama, K., Miura, S. I., Karnik, S., Sears, J. E. & Hollyfield, J. G. (2007). Angiotensin II and its receptor subtypes in the human retina. *Investigative Ophthalmology & Visual Science*, 48(7), 3301-3311. DOI: 10.1167/iovs.06-1024
- Suzuma, I., Hata, Y., Clermont, A., Pokras, F., Rook, S. L., Suzuma, K., Feener, E. P. & Aiello, L. P. (2001). Cyclic stretch and hypertension induce retinal expression of vascular endothelial growth factor and vascular endothelial growth factor receptor-2 - Potential mechanisms for exacerbation of diabetic retinopathy by hypertension. *Diabetes*, 50(2), 444-454. DOI: 10.2337/diabetes.50.2.444

- Takir, S., Uydes-Dogan, B. S. & Ozdemir, O. (2011). Retina evokes biphasic relaxations in retinal artery unrelated to endothelium,  $K_v$ ,  $K_{ATP}$ ,  $K_{Ca}$  channels and methyl palmitate. *Microvascular Research*, 81(3), 295-302. DOI: 10.1016/j.mvr.2011.02.007
- Ucer, B., Kayikcioglu, O., Seymenoglu, G., Var, A. & Cam, S. (2011). The Relationship Between Angiotensin Converting Enzyme Insertion/deletion Polymorphism and Age-related Macular Degeneration. *Ophthalmic Genetics*, 32(3), 158-161. DOI: 10.3109/13816810.2011.560060
- Vaajanen, A. & Vapaatalo, H. (2011). Local Ocular Renin-Angiotensin System – A Target for Glaucoma Therapy? *Basic & Clinical Pharmacology & Toxicology*, 109(4), 217-224. DOI: 10.1111/j.1742-7843.2011.00729.x
- Vickers, C., Hales, P., Kaushik, V., Dick, L., Gavin, J., Tang, J., Godbout, K., Parsons, T., Baronas, E., Hsieh, F., Acton, S., Patane, M., Nichols, A. & Tummino, P. (2002). Hydrolysis of biological peptides by human angiotensin-converting enzyme-related carboxypeptidase. *The Journal of Biological Chemistry*, 277(17), 14838-14843. DOI: 10.1074/jbc.M200581200
- Wang, N., Zheng, Z., Jin, H. Y. & Xu, X. (2012). Treatment effects of captopril on non-proliferative diabetic retinopathy. *Chinese Medical Journal*, 125(2), 287-292. DOI: 10.3760/cma.j.issn.0366-6999.2012.02.023
- Wheeler-Schilling, T. H., Sautter, M., Guenther, E. & Kohler, K. (2001). Expression of angiotensin-converting enzyme (ACE) in the developing chicken retina. *Experimental Eye Research*, 72(2), 173-182. DOI: 10.1006/exer.2000.0944
- Wilkinson-Berka, J. L., Agrotis, A. & Deliyanti, D. (2012). The retinal renin-angiotensin system: Roles of angiotensin II and aldosterone. *Peptides*, 36(1), 142-150. DOI: 10.1016/j.peptides.2012.04.008
- Wilkinson-Berka, J. L., Rana, I., Armani, R. & Agrotis, A. (2013). Reactive oxygen species, Nox and angiotensin II in angiogenesis: implication for retinopathy. *Clinical Science*, 124(9-10), 597-615. DOI: 10.1042/CS20120212
- Willoughby, C. E., Ponzin, D., Ferrari, S., Lobo, A., Landau, K. & Omidi, Y. (2010). Anatomy and physiology of the human eye: effects of

mucopolysaccharidoses disease on structure and function - a review.  
*Clinical and Experimental Ophthalmology*, 38, 2-11. doi:  
10.1111/j.1442-9071.2010.02363.x

Yu, P. K., Balaratnasingam, C., Morgan, W. H., Cringle, S. J., McAllister, I. L. & Yu, D. Y. (2010). The Structural Relationship between the Microvasculature, Neurons, and Glia in the Human Retina.  
*Investigative Ophthalmology & Visual Science*, 51(1), 447-458. DOI:  
10.1167/iovs.09-3978