

Heimildaskrá

- Anderson, R.C. og Grunert,B.K. (1997). A cognitive behavioral approach to the treatment of post traumatic stress disorder after work-related trauma. *Professional Safety*, 22 (11), 39-43.
- Bledsoe, B. E., (2003). Critical incident stress management (CISM): Benefit or risk for emergency services? *Prehospital Emergency Care*, 7 (2), 272-279.
- Blumenfield, M. og Byrne, D. W. (1995). *Development of posttraumatic stress disorder in urban emergency medical service workerservice workers*. Sótt 23.2.2004 frá:
<http://www.bindle.com/fdnyems/ptsd.html>
- Burns, N. og Grove, S. K. (2001). The practice of nursing research: Conduct, critique and utilization, (4. útg.). Philadelphia: Saunders Company.
- Caine, R. M. og Ter-Bagdsarian, L. (2003). Early identification and management of critical incident stress. *Critical care nursing*, 23 59-65. Sótt 16.nóvember 2003, frá gagnasafninu ProQuest medical library.
- Campfield, K. M. og Hills, A. M. (2001). Effect of timing of critical incident stress debriefing (CISD) on posttraumatic symptoms. *Journal of Traumatic Stress*, 14 (2), 327-339.
- Dyregrov, A. (1997). The process in pshycological debriefing. *Journal of traumatic stress*, 10 (4), 589-605.
- Grinage, B. D. (2003). Diagnosis and management of post- traumatic stress disorder. *American Family Physician*, 68 (12).
- Gylfi Ásmundsson og Águst Oddsson (2000). Áfallaröskun eftir snjóflóðin á Vestfjörðum. *Sálfraðiritið-Tímarit sálfraðingafélags Íslands*, 6 (9),-26.
- Hildur Helgadóttir, Rudolf Adolsson, Erna Einarsdóttir, Kristín Gunnarsdóttir og Erna Hrefna Sveinsdóttir (1995). Áfallahjálparþjónusta Borgarspítalans. *Tímarit hjúkrunarfræðinga*, 71 (2-3), 60-64.

International critical incident stress foundation. *A primer on critical incident stress management*

(CISM). Sótt 15.11.2003 frá: <http://www.icist.org/about/cismprimer.pdf>

Kenardy, J. (2000). The current status of psychological debriefing. *British medical journal*, 321 (7268), 1032-1033.

Kristinn Tómasson, (2001). Áfallastreita í kjölfar hörmunga. *Lyfjatíðindi*, 5 (8), 29-34.

Kroll, J. (2003) Posttraumatic symptoms and the complexity of response to trauma. *Journal of American Medical Association*, 29 (5), 667-680.

Lange, J. T., Lange, C. L. og Cabaltica, R. B. G. (2000). Primary care treatment of post-traumatic stress disorder. [Vefútgáfa]. *American Physician*, 62 (5).

Margrét Arnljótsdóttir (2000). *Áfallaröskun/áfallastreita*. Sótt 14.11.2003 frá: http://www.persona.is/ht/raskanir/forsidur/flokkar/afoll/afoll/afoll_allt.htm

Mitchell, J. T. og Everly, G. S. (2000). Critical incident stress management and critical incident stress debriefing: evolutions, effects and outcome. Í B. Raphael og J.P. Wilson (ritstj.), *Psychological debriefing: theory, practice and evidence* (71-90). Cambridge: Cambridge university press.

Ploeg, E. og Kleber, R. J. (2003). Acute and chronic job stressors among ambulance personnel: predictors of health symptoms. *Occupational and Environmental Medicine*, 60 (1), 140-146..

Regehr, C., Goldberg, G. og Hughes, J. (2003). Exposure to human tragedy, empathy and trauma in ambulance paramedics. *American Journal of Orthopsychiatry*, 72 (4), 500-513.

Salazar, M. K. og Beaton, R. (2000). Ecological model of occupational stress: application for urban firefighters. *American Association of Occupational Health Nursing*, 48 (10), 470-479

Vettor, S. M. og Kosinski, F. A. (2000). Work-stress burnout in emergency medical technicians and the use of early recollection. *Journal of Employment Counseling*, 37 (4), 216-228.

Wagner, D., Heinrichs, M. og Ehlert, U. (1998). Prevalence of symptoms of posttraumatic stress disorder in German professional firefighters. *The American Journal of Psychiatry, 155* (12), 1727-1732.