

Heimildir

Akkerman D., Cleland L., Croft G., Eskuchen K., Heim C., Levine A., Setterlund L., Stark C.,

Vickers J. og Westby E. (2012, júlí). Institute for Clinical Systems Improvement.

Routine Prenatal Care (15. útgáfa). Sótt af:

[https://www.icsi.org/guidelines more/catalog_guidelines_and_more/catalog_guidelines/catalog_womens_health_guidelines/prenatal/](https://www.icsi.org/guidelines_more/catalog_guidelines_and_more/catalog_guidelines/catalog_womens_health_guidelines/prenatal/)

Bergink, V., Bouvy, P.F., Vervoort, J.S.P., Koorengevel, K.M., Steegers, E.A.P. og Kushner, S.A.

(2012). Prevention of Postpartum Psychosis and Mania in Women at High Risk. *The American Journal of Psychiatry*, 169(6), 609-615. doi:

10.1176/appi.ajp.2012.11071047

Bergink, V., Burgerhout, K.M., Weigelt, K., Pop, V.J., de Wit, H., Drexhage, R.C., Kushner, S.A.

og Drexhage, H.A. (2013). Immune System Dysregulation in First-Onset Postpartum

Psychosis. *Biological Psychiatry*, 73(10), 1000-1007. doi:

10.1016/j.biopsych.2012.11.006

Bernloehr A., Smith P. og Vydelingum V. (2006). National guidelines on antenatal care: a

survey and comparison of the 25 member states of the European Union. *European Clinics in Obstetrics and Gynaecology*, 2(4):213-222. doi: 10.1007/s11296-006-0052-7

Bloch, S. og Singh, B.S. (1999). *Understanding Troubled Minds: A Guide to Mental Illness and*

Its Treatment. New York: New York University Press.

Boonstra, N., Sterk, B., Wunderink, L., Sytema, S., De Haan, L. og Wiersma, D. (2012).

Association of treatment delay, migration and urbanicity in psychosis. *European Psychiatry*, 27(7), 500-505.

Buultjens, M. og Liamputtong, P. (2007). When giving life starts to take the life out of you: women's experiences of depression after childbirth. *Midwifery*, 23(1), 77-91. doi: 10.1016/j.midw.2006.04.002

Cantwell, R. og Cox, J.L. (2006). Psychiatric disorders in pregnancy and the puerperium. *Current Obstetrics & Gynaecology*, 16(1), 14-20.

Doucet, S., Letourneau, N. og Blackmore, E. R. (2012). Support Needs of Mothers Who Experience Postpartum Psychosis and Their Partners. *Journal of Obstetric, Gynecologic and Neonatal Nursing*, 41(2), 236-245. doi: 10.1111/j.1552-6909.2011.01329.x

Engqvist, I., Ferszt, G., Åhlin, A. og Nilsson, K. (2011). Women's Experience of Postpartum Psychotic Episodes—Analyses of Narratives From the Internet. *Archives of Psychiatric Nursing*, 25(5), 376-387. doi: 10.1016/j.apnu.2010.12.003

Engqvist, I., Ferszt, G. og Nilsson, K. (2010). Swedish registered psychiatric nurses' descriptions of presence when caring for women with post-partum psychosis: An interview study. *International Journal of Mental Health Nursing*, 19(5), 313-321. doi: 10.1111/j.1447-0349.2010.00691.x

Engqvist, I., Nilsson, A., Nilsson, K. og Sjöström, B. (2007). Strategies in caring for women with postpartum psychosis – an interview study with psychiatric nurses. *Journal of Clinical Nursing*, 16(7), 1333-1342. doi: 10.1111/j.1365-2702.2006.01717.x

Engqvist, I. og Nilsson, K. (2013). Experiences of the First Days of Postpartum Psychosis: An Interview Study with Women and Next of Kin in Sweden. *Issues in Mental Health Nursing*, 34(2), 82-89. doi: 10.3109/01612840.2012.723301

Erla Hlynsdóttir. (2013, 4. október). Verst settu mæður landsins. *Fréttatíminn*. Sótt af:

http://www.frettatiminn.is/daegurmal/verst_settu_maedur_landsins/

Everingham, C. R., Heading, G. og Connor, L. (2006). Couples' experiences of postnatal depression: A framing analysis of cultural identity, gender and communication. *Social Science and Medicine*, 62(7), 1745-1756. doi: [10.1016/j.socscimed.2005.08.039](https://doi.org/10.1016/j.socscimed.2005.08.039)

Fauman, M.A. (2002). *Study Guide to DSM-IV-TR*. Washington: American Psychiatric Publishing.

Göngudeild geðdeilda LSH Ferli- og bráðasvið (2011). *Foreldrar-meðganga-barn FMB*. Sótt af: <http://www.landspitali.is/lisalib/getfile.aspx?itemid=27197>

Hagstofa Íslands (2014, 10. júlí). *Frjósemi lækkaði árið 2013*. Sótt af:

<http://hagstofa.is/?PageID=95&NewsID=10929>

Hagstofa Íslands (e.d.). *Lifandi og andvana fæddir eftir kyni 1951-2012*. Sótt af:

<http://www.hagstofa.is/?PageID=2593&src=https://rannsokn.hagstofa.is/pxis/Dialog/varval.asp?ma=MAN05100%26ti=Lifandi+og+andvana+f%E6ddir+eftir+kyni+1951%2>

<D2012++++++%26path=..%2FDatabase%2Fmannfjoldi%2FFaeddir%26lang=3%26units=Fj%26ldi>

Hanley, J. og Long, B. (2006). A study of Welsh mothers' experiences of postnatal depression. *Midwifery*, 22(2), 147-157. doi: 10.1016/j.midw.2005.08.004

Heilsugæslan (apríl 2010). *Klinískar leiðbeiningar um meðgönguvernd*. (Upphaflega gefið út apríl 2008). Sótt af:

<http://www.landlaeknir.is/servlet/file/store93/item2548/4407.pdf>

Hendrick, V. (2006). General Considerations in Treating Psychiatric Disorders During Pregnancy and Following Delivery. Í Hendrick, V. (ritstjóri), *Psychiatric Disorders in Pregnancy and the Postpartum: Principles and Treatment*. (1. útgáfa) (bls. 1-12). New Jersey: Humana Press.

Henshaw, C. (2003). Mood disturbance in the early puerperium: a review. *Archives of Women's Mental Health*, 6(2), 33-42.

Landspítali (e.d. a). *Rannsóknin geðheilsa kvenna og barneignir*. Sótt af:

<http://www.landspitali.is/?PageID=14955>

Landspítali (e.d. b). *Foreldrar meðganga barn – FMB teymið*. Sótt af:

<http://www.landspitali.is/?PageID=16572>

Linda Bára Lýðsdóttir, Halldóra Ólafsdóttir og Jón Friðrik Sigurðsson. (2008). Fæðingarþunglyndi: Algengi, afleiðingar og helstu áhættuþættir. *Sálfræðiritið*, 13(1), 171-185.

Marga Thome. (1998). Þunglyndiseinkenni og foreldrastreita hjá íslenskum mæðrum með óvær ungbörn. *Læknablaðið*, 84(11), 838-845.

Murphy, J., Shevlin, M., Houston, J. og Adamson, G. (2012). Sexual Abuse, Paranoia, and Psychosis: A Population-Based Mediation Analysis. *Traumatology*, 18(1), 37-44. doi: 10.1177/1534765610396725

Murray, L., Fiori-Cowley, A., Hooper, R. og Cooper, P. (1996). The Impact of Postnatal Depression and Associated Adversity og Early Mother-Infant Interactions and Later Infant Outcome. *Child Development*, 76(5), 2512-2526. doi: 10.1111/1467-8624.ep9706060181

Salokangas, R.K.R., Patterson, P., Heinimaa, M., Svirskis, T., From, T., Vaskelainen, L., ... Birchwood, M. (2012). Perceived negative attitude of others predicts transition to psychosis in patients at risk of psychosis. *European Psychiatry*, 27(4), 264-266.

Sigfríður Inga Karlsdóttir, Hjálmar Freysteinsson, Sigríður Síð Jónsdóttir og Margrét Guðjónsdóttir. (2007). Andleg líðan kvenna á Akureyri eftir fæðingu: þunglyndiseinkenni og foreldrastreita við þriggja mánaða aldur barns. *Ljósmaðrablaðið*, 85(1), 6-15.

Sit, D., Rothschild, A.J. og Wisner, K.L. (2006). A Review of Postpartum Psychosis. *Journal of Women's Health*, 15(4), 352-368. doi: 10.1089/jwh.2006.15.352

Spinelli, M.G. (2009). Postpartum Psychosis: Detection of Risk and Management. *American Journal of Psychiatry*, 166(4), 405-408. doi: 10.1176/appi.ajp.2008.08121899