

Heimildir

- Abley, C., Manthorpe, J., Bond, J., Keady, J., Samsi, K., Campbell, S., . . . Robinson, L. (2013). Patients' and carers' views on communication and information provision when undergoing assessments in memory services. *Journal of Health Services Research & Policy*, 18(3), 167-173. doi:10.1177/1355819613479945
- Akpınar, B., Küçükgüçlü, Ö. og Yener, G. (2011). Effects of gender on burden among caregivers of alzheimer's patients. *Journal of Nursing Scholarship*, 43(3), 248-254.
- Algase, D. L., Beck, C., Kolanowski, A., Whall, A., Berent, S., Richards, K. og Beattie, E. (1996). Need-driven dementia-compromised behavior: An alternative view of disruptive behavior. *American Journal of Alzheimer's Disease*, Nov/Des, 10-19.
- Alzheimer's Association. (2014). 2014 Alzheimer's disease facts and figures. *Alzheimer's & Dementia*, 10(2), 47-92. doi:10.1016/j.jalz.2014.02.001
- Alzheimer's Association. (e.d.-a). What is Alzheimer's? Sótt af http://www.alz.org/alzheimers_disease_what_is_alzheimers.asp
- Alzheimer's Association. (e.d-b). What is dementia? Sótt af <http://www.alz.org/what-is-dementia.asp>
- Alzheimer's Association. (e.d.-c). Diagnosis of Alzheimer's disease and dementia. Sótt af http://www.alz.org/alzheimers_disease_diagnosis.asp
- Alzheimer's Disease International. (e.d.). Alzheimer's disease. Sótt af www.alz.co.uk/info/alzheimers-disease
- Ancoli-Israel, S. og Ayalon, L. (2006). Diagnosis and treatment of sleep disorders in older adults. *The American Journal of Geriatric Psychiatry*, 14(2), 95-103.

- Ancoli-Israel, S. og Martin, J. L. (2006). Insomnia and daytime napping in older adults. *J Clin Sleep Med*, 2(3), 333-342.
- Ancoli-Israel, S., Palmer, B. W., Cooke, J. R., Corey-Bloom, J., Fiorentino, L., Natarajan, L., . . . Loredo, J. S. (2008). Cognitive effects of treating obstructive sleep apnea in Alzheimer's disease: A randomized controlled study. *Journal of the American Geriatrics Society*, 56(11), 2076-2081.
- Ancoli-Israel, S. og Vitiello, M. V. (2006). Sleep in dementia. *The American Journal of Geriatric Psychiatry*, 14(2), 91-94.
- Austrom, M. C., Lu, Y. Y., Perkins, A. J., Boustani, M., Callahan, C. M. og Hendrie, H. C. (2014). Impact of noncaregiving-related stressors on informal caregiver outcomes. *American Journal of Alzheimer's Disease and Other Dementias*, 29(5), 426-432.
doi:10.1177/1533317513518652
- Beaudreau, S. A., Spira, A. P., Gray, H. L., Depp, C. A., Long, J., Rothkopf, M. og Gallagher-Thompson, D. (2008). The relationship between objectively measured sleep disturbance and dementia family caregiver distress and burden. *Journal of Geriatric Psychiatry and Neurology*, 21(3), 159-165. doi:10.1177/0891988708316857
- Björn Einarsson. (2007). Heilabilun. Sótt af
www.landlaeknir.is/servlet/file/store93/item2522/version4/3168pdf
- Bliwise, D. L., Foley, D. J., Vitiello, M. V., Ansari, F. P., Ancoli-Israel, S. og Walsh, J. K. (2009). Nocturia and disturbed sleep in the elderly. *Sleep Medicine*, 10(5), 540-548.
- Bonanni, E., Maestri, M., Tognoni, G., Fabbrini, M., Nucciarone, B., Manca, M. L., . . . Murri, L. (2005). Daytime sleepiness in mild and moderate Alzheimer's disease and its relationship with cognitive impairment. *Journal of Sleep Research*, 14(3), 311-317.

- Brown, J. W., Chen, S., Mitchell, C. og Province, A. (2007). Help-seeking by older husbands caring for wives with dementia. *Journal of Advanced Nursing*, 59(4), 352-360.
- Campbell, P., Wright, J., Oyebode, J., Job, D., Crome, P., Bentham, P., . . . Lendon, C. (2008). Determinants of burden in those who care for someone with dementia. *International Journal of Geriatric Psychiatry*, 23(10), 1078-1085.
- Cipriani, G., Lucetti, C., Danti, S. og Nuti, A. (2015). Sleep disturbances and dementia. *Psychogeriatrics*, 15, 65-74. doi:10.1111/psych/12069
- Creese, J., Bédard, M., Brazil, K. og Chambers, L. (2008). Sleep disturbances in spousal caregivers of individuals with Alzheimer's disease. *International Psychogeriatrics*, 20(01), 149-161.
- Crowley, K. (2011). Sleep and sleep disorders in older adults. *Neuropsychology Review*, 21(1), 41-53.
- Dauvilliers, Y. (2007). Insomnia in patients with neurodegenerative conditions. *Sleep Med.*, 4, 27-34.
- David, R., Zeitzer, J., Friedman, L., Noda, A., O'Hara, R., Robert, P. og Yesavage, J. A. (2010). Non-pharmacologic management of sleep disturbance in Alzheimer's disease. *The Journal of Nutrition, Health & Aging*, 14(3), 203-206.
- Dóra Hafsteinsdóttir og Sigríður Harðardóttir (ritstj.). (1990). *Íslenska alfræðiorðabókin*. Reykjavík: Örn og Örlygur.
- Emek-Savas, D. D., Baklan, B. og Yener, G. G. (2014). Sleep disturbances in patients with Alzheimer disease and dementia with Lewy bodies. *Journal of Neurological Sciences-Turkish*, 31(1), 144-154.
- Eshkoor, S. A., Hamid, T. A., Nudin, S. S. og Mun, C. Y. (2013). The effects of social support and having a partner on sleep quality in dementia. *American Journal of Alzheimer's Disease and Other Dementias*, 28(3), 253-257. doi:10.1177/1533317513481098

- Femia, E. E., Zarit, S. H., Stephens, M. A. og Greene, R. (2007). Impact of adult day services on behavioral and psychological symptoms of dementia. *The Gerontologist*, 47(6), 775-788.
- Foley, D., Ancoli-Israel, S., Britz, P. og Walsh, J. (2004). Sleep disturbances and chronic disease in older adults: Results of the 2003 national sleep foundation sleep in America survey. *Journal of Psychosomatic Research*, 56(5), 497-502. doi:10.1016/j.jpsychores.2004.02.010
- Folstein, M. F., Folstein, S. E. og McHugh, P. R. (1975). "Mini-mental state": A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189-198. doi:10.1016/0022-3956(75)90026-6
- Garcés, J., Carretero, S., Ródenas, F. og Alemán, C. (2010). A review of programs to alleviate the burden of informal caregivers of dependent persons. *Archives of Gerontology and Geriatrics*, 50(3), 254-259.
- Gauthier, S., Cummings, J., Ballard, C., Brodaty, H., Grossberg, G., Robert, P. og Lyketsos, C. (2010). Management of behavioral problems in alzheimer's disease. *International Psychogeriatrics*, 22(03), 346-372.
- Gislason, T., Reynisdottir, H., Kristbjarnarson, H. og Benediktsdottir, B. (1993). Sleep habits and sleep disturbances among the elderly—an epidemiological survey. *Journal of Internal Medicine*, 234(1), 31-39.
- Gitlin, L. N., Kales, H. C. og Lyketsos, C. G. (2012). Nonpharmacologic management of behavioral symptoms in dementia. *Jama*, 308(19), 2020-2029.
- Gitlin, L. N., Winter, L., Dennis, M. P., Hodgson, N. og Hauck, W. W. (2010). Targeting and managing behavioral symptoms in individuals with dementia: A randomized trial of a nonpharmacological intervention. *Journal of the American Geriatrics Society*, 58(8), 1465-1474.

Haberstroh, J., Hampel, H. og Pantel, J. (2010). Optimal management of Alzheimer's disease patients: Clinical guidelines and family advice. *Neuropsychiatric Disease and Treatment*, 6, 243-253.

Hagstofa Íslands (e.d.-a). Spá um mannfjölda eftir kyni og aldri 2014-2065.

Sótt af

<http://hagstofan.is/?PageID=2593&src=https://rannsokn.hagstofa.is/pxis/Dialog/varval.asp?ma=MAN09010%26ti=Sp%E1+um+mannfj%F6lda+eftir+kyni+og+aldri+2014%2D2065++++%26path=../Database/mannfjoldi/mannfjoldaspa2010/%26lang=3%26units=Fj%F6ldi>

Hagstofa Íslands. (e.d.-b) Spá um mannfjölda eftir helstu þáttum 2014-2065.

Sótt af

<http://hagstofan.is/?PageID=2593&src=https://rannsokn.hagstofa.is/pxis/Dialog/varval.asp?ma=MAN09012%26ti=Sp%E1+um+mannfj%F6lda+eftir+helstu+%FE%E1ttum+2014%2D2065++%26path=../Database/mannfjoldi/mannfjoldaspa2010/%26lang=3%26units=F%F3lk>

Hall, G. og Buckwalter, K. (1987). Progressively lowered stress threshold: A conceptual model for care of adults with Alzheimer's disease. *Arch. Psychiatric Nursing*, 1, 399-406.

Herbert, L. E., Scherr, P. A., McCann, J. J., Beckett, L. A. og Evans, D. A. (2001). Is the risk of developing Alzheimer's disease greater for women than for men? *American Journal of Epidemiology*, 153, 132-136. doi:10.1093/aje/153.2.132

Holtzman, D. M., Morris, J. C. og Goate, A. M. (2011). Alzheimer's disease: The challenge of the second century. *Science Translational Medicine*, 3(77), 77sr1. doi:10.1126/scitranslmed.3002369

Hooyman, N. R. og Kiyak, H. A. (2011). *Social gerontology, a multidisciplinary perspective* (9. útg.). Boston: Pearson.

Hope, T., Keene, J., Gedling, K., Fairburn, C. G. og Jacoby, R. (1998). Predictors of institutionalization for people with dementia living at home with a carer. *International Journal of Geriatric Psychiatry*, 13(10), 682-690.

- Ingibjörg Hjaltadóttir, Sigrún Bjartmarz, Díana Dröfn Heiðarsdóttir, Steinunn Arna Þorsteinsóttir. (2010). Mat á líkamlegri, andlegri og félagslegrí færni og þarfir aldraðra sem biðu hvíldarinnlagnar á öldrunarsviði landspítala. *Tímarit Hjúkrunarfræðinga*, 86(3), 52-59.
- Jón Snædal. (2004). Alzheimers-sjúkdómur. *Öldrun*, 22(2), 24-29.
- Jón Snædal. (2013). *Alzheimers sjúkdómur*. Sótt af www.alzheimer.is/gogn/grein_alzheimer_sju_kdo_mur_gk_ii.pdf
- Kitwood, T. (2007). *Ný sýn á heilabilun - einstaklingurinn í öndvegi* (Svava Aradóttir þýddi). Reykjavík: JPV útgáfa. (Upphaflega gefið út 1997).
- Landspítali háskólasjúkrahús. (e.d). Minnismóttaka. Sótt af www.landspitali.is/sjuklingar-adstandendur/klinisk-svid-og-deildir/flaedisvid/oldrunarthjonusta/gongudeild-11/minnismottaka/
- Larson, E. B., Shadler, M., Wang, L., McCormick, W. C., Bowen, J. D., Teri, L. og Kukull, W. A. (2004). Survival after initial diagnosis of Alzheimer's disease. *Annals of Internal Medicine*, 140, 501-509. doi:10.7326/0003-4819-140-7-200404060-00008
- Lee, D. R. og Thomas, A. J. (2011). Sleep in dementia and caregiving—assessment and treatment implications: A review. *International Psychogeriatrics*, 23(02), 190-201.
- Lee, D., Morgan, K. og Lindesay, J. (2007). Effect of institutional respite care on the sleep of people with dementia and their primary caregivers. *Journal of the American Geriatrics Society*, 55(2), 252-258.
- Lee, D., Heo, S. H., Yoon, S., Chang, D., Lee, S., Rhee, H., . . . Park, K. (2014). Sleep disturbances and predictive factors in caregivers of patients with mild cognitive impairment and dementia. *Journal of Clinical Neurology*, 10(4), 304-313. doi:10.3988/jcn.2014.10.4.304
- Lyketsos, C. G., Lopez, O., Jones, B., Fitzpatrick, A. L., Breitner, J. og DeKosky, S. (2002). Prevalence of neuropsychiatric symptoms in

dementia and mild cognitive impairment: Results from the cardiovascular health study. *Jama*, 288(12), 1475-1483.

Lyketsos, C. G., Carrillo, M. C., Ryan, J. M., Khachaturian, A. S., Trzepacz, P., Amatniek, J., . . . Miller, D. S. (2011). Neuropsychiatric symptoms in Alzheimer's disease. *Alzheimer's & Dementia*, 7(5), 532-539.
doi:10.1016/j.jalz.2011.05.2410

Lyketsos, C. G., Steinberg, M., Tschanz, J. T., Norton, M. C. o.fl. (2000). Mental and behavioral disturbances in dementia: Findings from the Cache county study on memory in aging. *The American Journal of Psychiatry*, 157(5), 708-14.

Lög um málefni aldraðra nr. 125/1999.

Malthouse, R. og Fox, F. (2014). Exploring experiences of physical activity among people with Alzheimer's disease and their spouse carers: A qualitative study. *Physiotherapy*, 100, 169-175.
doi:10.1016/j.physio.2013.10.002

Mastel-Smith, B. og Stanley-Hermanns, M. (2012). "It's like we're grasping at anything": Caregivers' education needs and preferred learning methods. *Qualitative Health Research*, 22(7), 1007-1015.
doi:10.1177/1049732312443739

Måvall, L. og Malmberg, B. (2007). Day care for persons with dementia an alternative for whom? *Dementia*, 6(1), 27-43.

McCleery, J., Cohen, D. A. og Sharpley, A. L. (2014). Pharmacotherapies for sleep disturbances in Alzheimer's disease. *Cochrane Database Syst Rev*. doi:10.1002/14651858.CD009178.pub2

McCurry, S. M., Gibbons, L. E., Logsdon, R. G., Vitiello, M. og Teri, L. (2003). Training caregivers to change the sleep hygiene practices of patients with dementia: The NITE-AD project. *Journal of the American Geriatrics Society*, 51(10), 1455-1460.

- McCurry, S. M., Gibbons, L. E., Logsdon, R. G., Vitiello, M. V. og Teri, L. (2005). Nighttime insomnia treatment and education for Alzheimer's disease: A randomized, controlled trial. *Journal of the American Geriatrics Society*, 53(5), 793-802.
- McCurry, S. M., Gibbons, L. E., Logsdon, R. G., Vitiello, M. V. og Teri, L. (2009). Insomnia in caregivers of persons with dementia; who is at risk and what can be done about it? *Sleep Medicine Clinicals*, 4(4), 519-526.
- McCurry, S. M., LaFazia, D. M., Pike, K. C., Logsdon, R. G. og Teri, L. (2012). Development and evaluation of a sleep education program for older adults with dementia living in adult family homes. *The American Journal of Geriatric Psychiatry*, 20(6), 494-504.
- McCurry, S. M., Logsdon, R. G., Teri, L., Gibbons, L. E., Kukull, W. A., Bowen, J. D., . . . Larson, E. B. (1999). Characteristics of sleep disturbance in community-dwelling Alzheimer's disease patients. *Journal of Geriatric Psychiatry and Neurology*, 12(2), 53-59.
- McCurry, S. M., Logsdon, R. G., Teri, L. og Vitiello, M. V. (2007). Sleep disturbances in caregivers of persons with dementia: Contributing factors and treatment implications. *Sleep Medicine Reviews*, 11(2), 143-153. doi:<http://dx.doi.org/10.1016/j.smrv.2006.09.002>
- McCurry, S. M., Logsdon, R. G., Vitiello, M. V. og Teri, L. (2004). Treatment of sleep and nighttime disturbances in Alzheimer's disease: A behavior management approach. *Sleep Medicine*, 5(4), 373-377.
- McCurry, S. M., Pike, K. C., Vitiello, M. V., Logsdon, R. G., Larson, E. B. og Teri, L. (2011). Increasing walking and bright light exposure to improve sleep in community-dwelling persons with Alzheimer's disease: Results of a randomized, controlled trial. *Journal of the American Geriatrics Society*, 59(8), 1393-1402.
- McCurry, S. M., Pike, K. C., Vitiello, M. V., Logsdon, R. G. og Teri, L. (2008). Factors associated with concordance and variability of sleep

- quality in persons with Alzheimer's disease and their caregivers. *Sleep*, 31(5), 741-748.
- McCurry, S. M., Reynolds III, C. F., Ancoli-Israel, S., Teri, L. og Vitiello, M. V. (2000). Treatment of sleep disturbance in Alzheimer's disease. *Sleep Medicine Reviews*, 4(6), 603-628.
- McCurry, S. M., Vitiello, M. V., Gibbons, L. E., Logsdon, R. G. og Teri, L. (2006). Factors associated with caregiver reports of sleep disturbances in persons with dementia. *The American Journal of Geriatric Psychiatry*, 14(2), 112-120.
- McKhann, G. M., Knopman, D. S., Chertkow, H., Hyman, B. T., Jack Jr., C. R., Kawas, C. H., . . . Phelps, C. H. (2011). The diagnosis of dementia due to Alzheimer's disease: Recommendations from the national institute on aging-Alzheimer's association workgroups on diagnostic guidelines for alzheimer's disease. *Alzheimer's & Dementia*, 7(3), 263-269. doi:10.1016/j.jalz.2011.03.005
- McKibbin, C. L., Ancoli-Israel, S., Dimsdale, J., Archuleta, C., von Kanel, R., Mills, P., . . . Grant, I. (2005). Sleep in spousal caregivers of people with Alzheimer's disease. *Sleep-New York then Westchester-*, 28(10), 1245.
- Merlino, G., Piani, A., Gigli, G., Cancelli, I., Rinaldi, A., Baroselli, A., . . . Valente, M. (2010). Daytime sleepiness is associated with dementia and cognitive decline in older italy adults: A population-based study. *Sleep Medicine*, 11(4), 372-377.
- Mills, P. J., Ancoli-Israel, S., Känel, R. v., Mausbach, B. T., Aschbacher, K., Patterson, T. L., . . . Grant, I. (2009). Effects of gender and dementia severity on Alzheimer's disease caregivers' sleep and biomarkers of coagulation and inflammation. *Brain, Behavior, and Immunity*, 23(5), 605-610. doi:10.1016/j.bbi.2008.09.014
- Mohamed, S., Rosenbeck, R., Lyketsos, C. G. og Schneider, L. S. (2010). Caregiver burden in Alzheimer disease: Cross-sectional and

longitudinal patient correlates. *The American Journal of Geriatric Psychiatry*, 18(10), 917-27.

Moore, K., Ozanne, E., Ames, D. og Dow, B. (2013). How do family carers respond to behavioral and psychological symptoms of dementia? *International Psychogeriatrics*, 25(05), 743-753.

Moran, M., Lynch, C. A., Walsh, C., Coen, R., Coakley, D. og Lawlor, B. A. (2005). Sleep disturbance in mild to moderate Alzheimer's disease. *Sleep Medicine*, 6(4), 347-352. doi:10.1016/j.sleep.2004.12.005

Most, E. I. S., Aboudan, S., Scheltens, P. og Van Someren, E. J. W. (2012). Discrepancy between subjective and objective sleep disturbances in early- and moderate-stage Alzheimer disease. *The American Journal of Geriatric Psychiatry*, 20(6), 460-467.
doi:10.1097/JGP.0b013e318252e3ff

Musiek, E. S. (2015). Circadian clock disruption in neurodegenerative diseases: cause and effect? *Frontiers in pharmacology*, 6.
doi:10.3389/fphar.2015.00029

Musiek, E. S., Xiong, D. D. og Holtzman, D. M. (2015). Sleep, circadian rhythms, and the pathogenesis of Alzheimer disease. *Experimental & Molecular Medicine*, 47(3), 148. doi:10.1038/emm.2014121

National Alliance for Caregiving og American Association of Retired Persons. NAC og AARP. (2009). *Caregiving in the U.S.* Sótt af http://www.caregiving.org/data/Caregiving_in_the_US_2009_full_report.pdf

National Institute for Health and Care Excellence, NICE. (2006). Dementia: Supporting people with dementia and their carers in health and social care. Guidance. Sótt af <https://www.nice.org.uk/guidance/cg42/chapter/1-Guidance>

National Sleep Foundation. (e.d.-a). Aging and sleep. Sótt af <http://sleepfoundation.org/sleep-topics/aging-and-sleep>

National Sleep Foundation. (e.d.-b). Sleep disorders problems. Sótt af
<http://sleepfoundation.org/sleep-disorders-problems>

Ohayon, M. M., Carskadon, M. A., Guilleminault, C. og Vitiello, M. V. (2004). Meta-analysis of quantitative sleep parameters from childhood to old age in healthy individuals: Developing normative sleep values across the human lifespan. *Sleep-New York then Westchester-*, 27, 1255-1274.

Ohayon, M. M., Zulley, J., Guilleminault, C., Smirne, S. og Priest, R. G. (2001). How age and daytime activities are related to insomnia in the general population: Consequences for older people. *Journal of the American Geriatrics Society*, 49(4), 360-366.

Ólafsdóttir, M., Einarsson, B., Hjaltason, H., Einarsdóttir, R., Helgason, S. og Gíslason, P. (2007). *Heilabilun, greining og meðferð. Klínískar leiðbeiningar. Landlaeknisembætti*. Sótt af www.landlaeknir.is/servlet/file/store93/item2523/3189.pdf

Ólafur Samúelsson, Helga Zoëga, Aðalsteinn Guðmundsson og Matthías Halldórsson. (2009). Algengi geðlyfjanotkunar eldri Íslendinga utan stofnana. *Læknablaðið*, 95, 11-17.

Osborn, G. G. og Saunders, A. V. (2010). Current treatments for patients with Alzheimer disease. *The Journal of the American Osteopathic Association*, 110(9), 16-26. doi:110/9_suppl_8/S16

Papastavrou, E., Kalokerinou, A., Papacostas, S. S., Tsangari, H. og Sourtzi, P. (2007). Caring for a relative with dementia: Family caregiver burden. *Journal of Advanced Nursing*, 58(5), 446-457.

Peng, H. og Chang, Y. (2013). Sleep disturbance in family caregivers of individuals with dementia: A review of the literature. *Perspectives in Psychiatric Care*, 49(2), 135-146.

Peter-Derex, L., Yammine, P., Bastuji, H. og Croisile, B. (2014). Sleep and Alzheimer's disease. *Sleep Medicine Reviews*, 19(0), 29-38. doi:10.1016/j.smrv.2014.03.007

Pinquart, M. og Sørensen, S. (2006). Helping caregivers of persons with dementia: Which interventions work and how large are their effects? *International Psychogeriatrics / IPA*, 18(4), 577-595.

Pöysti, M. M., Laakkonen, M., Strandberg, T., Savikko, N., Tilvis, R. S., Eloniemi-Sulkava, U. og Pitkälä, K. H. (2012). Gender differences in dementia spousal caregiving. *International Journal of Alzheimer's Disease*, 2012. doi:10.1155/2012/162960

Prince, M., Albanese, E., Guerchet, M. og Prina, M. (2014). *World Alzheimer report 2014: Dementia and risk reduction. An analysis of protective and modifiable factors*. Alzheimer's Disease International.

Prince, M., Bryce, R. og Ferri, C. (2011). *World Alzheimer report 2011: The benefits of early diagnosis and intervention*. Alzheimer's Disease International.

Ragnheiður Harpa Arnardóttir. (2013). Megindlegar rannsóknir: Gerð rannsóknaráætlunar og yfirlit yfir helstu rannsóknarsnið. Í Sigríður Halldórsdóttir (ritstj.), *Handbók í aðferðafræði rannsókna* (1.útg.) (bls. 377-392). Akureyri: Háskólinn á Akureyri.

Robinson, K. M., Buckwalter, K. C. og Reed, D. (2005). Predictors of use of services among dementia caregivers. *Western Journal of Nursing Research*, 27(2), 126-40.

Roepke, S. K. og Ancoli-Israel, S. (2010). Sleep disorders in the elderly. *Indian Journal Med Res*, 131, 302-310.

Rongve, A., Boeve, B. F. og Aarsland, D. (2010). Frequency and correlates of Caregiver-Reported sleep disturbances in a sample of persons with early dementia. *Journal of the American Geriatrics Society*, 58(3), 480-486.

Rosa, E., Lussignoli, G., Sabbatini, F., Chiappa, A., Di Cesare, S., Lamanna, L. og Zanetti, O. (2010). Needs of caregivers of the patients with dementia. *Archives of Gerontology and Geriatrics*, 51(1), 54-58.

- Roth, T. og Roehrs, T. (2003). Insomnia: Epidemiology, characteristics, and consequences. *Clinical Cornerstone*, 5(3), 5-15. doi:10.1016/S1098-3597(03)90031-7
- Sadowsky, C. H. og Galvin, J. E. (2012). Guidelines for the management of cognitive and behavioral problems in dementia. *Journal of the American Board of Family Medicine, JABFM*, 25(3), 350-366. doi:10.3122/jabfm.2012.03.100183
- Salami, O., Lyketsos, C. og Rao, V. (2011). Treatment of sleep disturbance in Alzheimer's dementia. *International Journal of Geriatric Psychiatry*, 26(8), 771-782.
- Samuelsson, L., Malmberg, B. og Hansson, J. (1998). Daycare for elderly people in Sweden: A national survey. *Scandinavian Journal of Social Welfare*, 7(4), 310-319.
- Shin, H-Y., Han, H.J., Shin, D-J., Park, H-M., Lee, Y-B. og Park, K.H. (2014). Sleep problems associated with behavioral and psychological symptoms as well as cognitive functions in Alzheimer's disease. *Journal of Clinical Neurology*, 10(3), 203-209. doi:10.3988/jcn.2014.10.3.203
- Sigurdardottir, S. H., Sundstrom, G., Malmberg, B. og Bravell, M. E. (2012). Needs and care of older people living at home in Iceland. *Scandinavian Journal of Public Health*, 40(1), 1-9. doi:10.1177/1403494811421976
- Sigurður Kristinsson. (2013). Siðfræði rannsókna og siðanefndir. Í Sigríður Halldórsdóttir (ritstj.), *Handbók í aðferðafræði rannsókna* (1.útg.) (bls 71-88). Akureyri: Háskólinn á Akureyri.
- Singer, C. og Bahr, A. (2005). Assessing and treating sleep disturbances in patients with Alzheimer's disease. *Psychiatric Times*, 22(13), 37-40.
- Smári Pálsson og Ella Björt Teague. (2007). Taugasálfræðileg langtímarannsókn á systkinum Alzheimers-sjúklinga. *Öldrun*, 25(1), 36-41.

- Smith, M. og Buckwalter, K. (2005). Behaviors associated with dementia: Whether resisting care or exhibiting apathy, an older adult with dementia is attempting communication. nurses and other caregivers must learn to 'hear' this language. *AJN the American Journal of Nursing*, 105(7), 40-52.
- Tombaugh, T. N. og McIntyre, N. J. (1992). The mini-mental state examination: A comprehensive review. *Journal of the American Geriatrics Society*, 40(9), 922-935.
- Tractenberg, R. E., Singer, C. M. og Kaye, J. A. (2006). Characterizing sleep problems in persons with Alzheimer's disease and normal elderly. *Journal of Sleep Research*, 15(1), 97-103.
- Tschanz, J. T., Piercy, K., Corcoran, C. D., Fauth, E., Norton, M. C., Rabins, P. V., . . . Smith, C. (2013). Caregiver coping strategies predict cognitive and functional decline in dementia: The Cache county dementia progression study. *The American Journal of Geriatric Psychiatry*, 21(1), 57-66.
- Velferðarráðuneytið. (e.d.). *Fjöldi hjúkrunar-, dvalar- og dagvistarryma*. Sótt af http://www.velferdarraduneyti.is/media/oldrunarrymi/Fjoldi_oldrunarryma_04032015.pdf
- Vitiello, M. V. og Borson, S. (2001). Sleep disturbances in patients with Alzheimer's disease. *CNS Drugs*, 15(10), 777-796.
- Willette-Murphy, K., Todero, C. og Yeaworth, R. (2006). Mental health and sleep of older wife caregivers for spouses with Alzheimer's disease and related disorders. *Issues in Mental Health Nursing*, 27(8), 837-852.
- Wolkove, N., Elkholly, O., Baltzan, M. og Palayew, M. (2007). Sleep and aging: 1. sleep disorders commonly found in older people. *CMAJ : Canadian Medical Association Journal = Journal De l'Association Medicale Canadienne*, 176(9), 1299-1304. doi:10.1503/cmaj.061299
- World Health Organization, WHO. (2015). Dementia. Sótt af www.who.int/mediacentre/factsheets/fs362/en

- Yaffe, K., Laffan, A. M., Harrison, S. L., Redline, S., Spira, A. P., Ensrud, K. E., . . . Stone, K. L. (2011). Sleep-disordered breathing, hypoxia, and risk of mild cognitive impairment and dementia in older women. *Jama*, 306(6), 613-619.
- Yesavage, J. A., Friedman, L., Ancoli-Israel, S., Bliwise, D., Singer, C., Vitiello, M. V., . . . Lebowitz, B. (2003). Development of diagnostic criteria for defining sleep disturbance in Alzheimer's disease. *Journal of Geriatric Psychiatry and Neurology*, 16(3), 131-139.
- Zisberg, A., Gur-Yaish, N. og Shochat, T. (2010). Contribution of routine to sleep quality in community elderly. *Sleep*, 33(4), 509-514.