

Heimildaskrá

- Bamm, E. L. og Rosenbaum, P. (2008). Family-centered theory: Origins, development, barriers and supports to implementation in rehabilitation medicine. *Archives of Physical Medicine and Rehabilitation*, 89, 1618-1624.
- Björk Pálsdóttir, Hjördís Jónsdóttir, Ingibjörg Sig Kolbeins, Kalla Malmquis, Magnús Pálsson, Sigríður Magnúsdóttir ... Tryggvi Sigurðsson. (1999). *Stefnumótun í endurhæfingu: Þverfagleg sýn*. Reykjavík: Höfundar
- Brown, S. M., Humphry, R. og Taylor, E. (1996). A model of the nature of family-therapist relationships: Implications for education. *The American Journal of Occupational Therapy*, 51(7), 597-693.
- Buhl, I. og Pallesen, H. (2015). Early rehabilitation of patients with severe acquired brain injury: Strategies to promote participation. *Scandinavian Journal of occupational Therapy*, 22(3), 181-195. doi: 10.3109/11038128.2015.1008567
- Bylgja Scheving, Erna Magnúsdóttir, Gísli Einarsson, G. Þóra Andréasdóttir, Kolbrún Einarsdóttir, Kristín Magnúsdóttir, ... Svanhvít Björgvinsdóttir. (2000). *Heilablóðfall, bráðastig & endurhæfing*. Reykjavík: Heilablóðfallsteymi Landspítalans.
- Coco, K., Tossavainen, K., Jääskeläinen, J. E. og Turunen, H. (2013). The provision of emotional support to the families of traumatic brain injury patients: perspectives of Finnish nurses. *Journal of Clinical Nursing*, 22, 1467-1476. doi: 10.1111/jocn.12136
- Creasy, K. R., Lutz, B. J., Young, M. E., og Stacciarini, J. R. (2015). Clinical implications of family-centered care in stroke rehabilitation. *Rehabilitation Nursing*, 40(6), 349-359. doi: 10.1002/rnj.188
- Cullen, N., Vimalesan, K. og Taggart, C. (2013). Efficacy of a functionally-based neurorehabilitation programme: A retrospective case-matched study of rehabilitation outcomes following traumatic brain injury. *Brain injury*, 27(7), 799-806.

doi: 10.3109/02699052.2013.775488

- Degeneffe, C. E., Gagne, L. M. og Tucker, M. (2013). Family systems changes following traumatic brain injury: Adult sibling perspectives. *Journal of Applied Rehabilitation Counseling*, 44(3), 32-41.
- Dikmen, S. S., Machamer, J. E., Powell, J. M. og Temkin, N. R. (2003). Outcome 3 to 5 years after moderate to severe traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 84, 1449-1457. doi: 10.1016/s0003-9993(03)00287-9
- Engström, A., Lexell, J. og Lund, M. L. (2010). Difficulties in using everyday technology after acquired brain injury: a qualitative analysis. *Scandinavian Journal of Occupational Therapy*. 17, 233–243.
- Foley, G. og Timonen, V. (2015). Using grounded theory method to capture and analyze health care experiences. *Health services research*, 50(4), 1195-1210. doi: 10.1111/1475-6773.12275
- Foy, C. M. L. og Somers, J. S. (2013). Increase in functional abilities following a residential educational and neurorehabilitation programme in young adults with acquired brain injury. *Neurorehabilitation* 32(3), 671-678. doi: 10.3233/NRE-130890
- Foster, A. M., Armstrong, J., Buckley, A., Sherry, J., Young, T., Foliaki, S ... McPherson, K. M. (2012). Encouraging family engagement in the rehabilitation process: a rehabilitation provider's development of support strategies for family members of people with traumatic brain injury. *Disability & Rehabilitation*, 34(22), 1855-1862.
- Gill, S. D., Dunning, T., McKinnon, F., Cook, D. og Bourke, J. (2014). Understanging the experience of inpatient rehabilitation: insights into patient-centred care from patients and family members. *Scandinavian Journal of Caring Sciences*, 28, 264-272.
doi: 10.1111/scs.12055

Grensásdeild. (e.d.a). *Sagan*. Sótt af

<http://www.landspitali.is/grensasdeild/forsida/um-deildina/sagan/>

Grensásdeild. (e.d.b). *Starfsemin í tolum*. Sótt af

<http://www.landspitali.is/grensasdeild/forsida/um-deildina/starfsemin-i-tolum/>

Grensásdeild. (e.d.c). *Viðmið fyrir þjónustu*. Sótt af

<http://www.landspitali.is/grensasdeild/forsida/starfsemi/vidmid-fyrir-thjonustu/>

Grensásdeild. (e.d.d). *Um deildina*. Sótt af

<http://www.landspitali.is/grensasdeild/forsida/um-deildina/>

Grensásdeild. (e.d.e). *Gott að vita*. Sótt af <http://www.landspitali.is/grensasdeild/forsida/gott-ad-vita/#281dc321-c216-11e2-a3c5-005056be0005>

Grensásdeild. (e.d.f). *Starfsemi*. Sótt af

<http://www.landspitali.is/grensasdeild/forsida/starfsemi/#598554b8-bd52-11e2-a3c5-005056be0005>

Guðrún Árnadóttir. (2000). *A-One: Árnadóttir OT-ADL Neurobehavioral Evaluation:*

Fræðilegur bakgrunnur: Íslensk þýðing hugtaka. Reykjavík: Guðrún Árnadóttir.

Guðrún Pálmadóttir og Snæfríður Þóra Egilson. (2011). Skjólstæðingsmiðað starf með einstaklingum og fjölskyldum. Í Guðrún Pálmadóttir og Snæfríður Þóra Egilson (ritstjórar), *Iðja, heilsa og velferð: Iðjuþjálfun í íslensku samfélagi* (bls. 105-120). Akureyri: Háskólinn á Akureyri.

Guinevere, W. og Audrey, D. (2007). Including children in family-focused acquired brain injury rehabilitation: a national survey of rehabilitation staff practice. *Clinical Rehabilitation*, 21(12), 1097-1108.

Heilbrigðis- og tryggingamálaráðuneytíð. (2001). *Heilbrigðisáætlun til ársins 2010:*

Langtíma markmið í heilbrigðismálum. Reykjavík: Heilbrigðis og tryggingarmálaráðuneytíð.

Helga Jónsdóttir. (2013). Viðtöl í eigindlegum og meginlegum rannsóknum. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls. 137-153). Akureyri: Ásprent Stíll ehf.

Katrín Blöndal og Sigríður Halldórsdóttir. (2013). Úrtök og úrtaksaðferðir í eigindlegum rannsóknum. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls 113-128). Akureyri: Ásprent Stíll ehf.

de Koning, M. E., Spikman, J. M., Coers, A., Schönherr, M. C. og van der Nalt, J. (2014). Pathways of care the first year after moderate and severe traumatic brain injury—Discharge destinations and outpatient follow-up. *Brain Injury* 29(4), 1-7.
doi: 10.3109/02699052.2014.982188

Lawrence, M. og Kinn, S. (2013). Needs, priorities, and desired rehabilitation outcomes of family members of young adults who have had a stroke: findings from a phenomenological study. *Disability & Rehabilitation* 35(7), 586-595.
doi: 10.3109/09638288.2012.711895

Lefebvre, H. og Levert, M. J. (2012). The close relatives of people who have had a traumatic brain injury and their special needs. *Brain injury*, 26(9), 1084-1097.
doi: 10.3109/02699052.2012.666364

León-Carrión, J., Machuca-Murga, F., Solís-Marcos, I., León-Domínguez, U. og Domínguez-Morales, M. del Rosario. (2013). The sooner patients begin neurorehabilitation, the better their functional outcome. *Brain Injury*, 27(10), 1119-1123.
doi:10.3109/02699052.2013.804204

Leplege, A., Gzil, F., Cammelli, M., Lefeve, C., Pachoud, B. og Ville, I. (2007). Person-centredness: Conceptual and historical perspectives. *Disability and Rehabilitation*, 29, 1555-1565. doi: 10.1080/09638280701618661

Litchfield, R. og MacDougall, C. (2002). Professional issues for physiotherapists in family-centered and community-based settings. *Australian Journal of Physiotherapy* 48(2), 105-112. doi:10.1016/S0004-9514(14)60204-X

Lög um heilbrigðisstarfsmenn nr. 34/2012

Lög um réttindi sjúklinga nr. 74/1997

Lög um vísindarannsóknir á heilbrigðissviði nr. 44/2014

Maas, A. I. R., Stocchetti, N. og Bullock, R. (2008). Moderate and severe traumatic brain injury in adults. *The Lancet Neurology*, 7(8), 728-741.

doi: 10.1016/S1474-4422(08)70164-9

Majdan, M., Mauritz, W., Brazinova, A., Rusnak, M., Leitgeb, J., Janciak, I. og Wilbacher, I. (2011). Severity and outcome of traumatic brain injuries (TBI) with different causes of injury. *Brain Injury*, 25(9), 797-805. doi: 10.3109/02699052.2011.581642

Malia, Kit. (2014). What ‘works’ in cognitive rehabilitation: Opinion paper.

NeuroRehabilitation, 34, 3–13 doi:10.3233/NRE-131018

Margrét Sigurðardóttir og Valerie Harris. (2011). Iðjuþjálfun fullorðinna I: Líkamleg heilsa og hugarstarf. Í Guðrún Pálmadóttir og Snæfriður Þóra Egilson (ritstjórar), *Iðja, heilsa og velferð: Iðjuþjálfun í íslensku samfélagi* (bls. 159-173). Akureyri: Háskólinn á Akureyri.

Miklos, Z., Mychailyszyn, M. og Parente, R. (2015). The efficacy of cognitive rehabilitation therapy: A meta-analytic review of traumatic brain injury and stroke cognitive language rehabilitation literature. *American Journal of Psychiatry and Neuroscience*, 3(2), 15-22. doi: 10.11648/j.ajpn.20150302.11

Norup, A., Perrin, P. B., Cuberos-Urbano, G., Anke, A., Andelic, N., Doyle, S. T., og ...

Arango-Lasprilla, J. C. (2015). Family needs after brain injury: A cross cultural study. *Neurorehabilitation*, 36(2), 203-214. doi: 10.3233/NRE-151208

- Norup, A., Siert, L. og Mortensen, E. L. (2010). Emotional distress and quality of life in relatives of patients with severe brain injury: the first month after injury. *Brain Injury*, 24(2), 81-88. doi: 10.3109/02699050903508200
- Rogers, C. (1945). The nondirective method as a technique for social research. *The American Journal of Sociology*, 50(4), 279-283.
- Rogers, C. (1950). A current formulation of client-centered therapy. *Social Service Review*, 24(4), 442-450.
- Rogers, C. (1965). *Client-centered therapy: its current practice, implications, and theory*. Boston: Houghton Mifflin company.
- Sander, A. M., Caroselli, J. S., High Jr., W. M., Becker, C., Neese, L. og Scheibel, R. (2002). Relationship of family functioning to progress in a post-acute rehabilitation programme following traumatic brain injury. *Brain Injury*, 16(8), 649-657. doi: 10.1080/02699050210128889
- Sigríður Halldórsdóttir. (2013). Yfirlit yfir eiginlegar rannsóknaraðferðir. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls. 239-250). Akureyri: Ásprent Stíll ehf.
- Sigríður Halldórsdóttir og Sigurlína Davíðsdóttir. (2013). Réttmæti og áreiðanleiki í meginlegum og eiginlegum rannsóknum. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls. 211-228). Akureyri: Ásprent Stíll ehf.
- Sigríður K. Gísladóttir og Þóra Leósdóttir. (2011). Hlutverk og starfsvettvangur. Í Guðrún Pálmadóttir og Snæfríður Þóra Egilson (ritstjórar). *Iðja, heilsa og velferð: iðjuþjálfun í íslensku samfélagi* (bls. 55-66). Akureyri: Háskólinn á Akureyri.
- Sigrún Júlúsdóttir. (2001). *Fjölskyldur við aldahvörf. Nán tengsl og uppedisskilyrði barna*. Reykjavík: Háskólaútgáfan.

- Sigurður Kristinsson. (2013). Siðfræði rannsókna og siðanefndir. Í Sigriður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls 76-88). Akureyri: Ásprent Stíll ehf.
- Sigurlína Davísdóttir. (2013). Eigindlegar eða megindlegar rannsóknaraðferðir? Í Sigriður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls. 229-238). Akureyri: Ásprent Stíll ehf.
- Spencer-Cavaliere, N., Bowtell, D. og Langager, M. L. (2014). Informing therapeutic practice through the walking program experiences of rehabilitation clients with stroke and traumatic brain injury. *Therapeutic Recreation Journal*, 48(3), 247-261.
- Stejskal, T. M. (2012). Removing barriers to rehabilitation: Theory-based family intervention in community settings after brain injury. *NeuroRehabilitation* 31(1) 75-83.
doi: 10.3233/NRE-2012-0776
- Thompson, H. S. og Ryan, A. (2009). The impact of stroke consequences on spousal relationships from the perspective of the person with stroke. *Journal of Clinical Nursing* 18(12), 1803-1811. doi: 10.1111/j.1365-2702.2008.02694.x.
- Tuckman, L. I. (1996). Team dynamics and communication. Í P. Rosin, A. Whitehead, L. Tuckman, G. Jessien, A. L. Begun og L. Irwin (ritstjórar), *Partnership in family-centered care* (bls. 145-185). Baltimore: Paul H. Brookes Publishing.
- Unnur Guðrún Óttarsdóttir. (2013). Grunduð kenning og teiknaðar skýringarmyndir. Í Sigriður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (bls. 361-375). Akureyri: Ásprent Stíll ehf.
- Valentine, M. A., Nemphard, I. M. og Edmondson, A. C. (2013). Measuring teamwork in health care settings: a review of survey instruments. *Medical Care* 53(4) 16-30.
doi: 10.1097/MLR.0b013e31827feef6.

Velferðarráðuneytið. (e.d.). *Endurhæfingarstarfsemi og meðferðarstofnanir*. Sótt af <https://www.velferdarraduneyti.is/heilbrigdisthjonusta/endurhaefingarstarfsemi-og-medferdarstofnanir/>

Visser-Meily, A., Post, M., Gorter, J. W., Berlekom, S. B. V., Van, D. B. og Lindeman, E. (2006). Rehabilitation of stroke patients needs a family-centred approach. *Disability and Rehabilitation*, 28(24), 1557-1561.

Vísindasjónaneftirföld (e.d.) *Leyfisskylda*. sótt af: <http://www.vsn.is/is/content/leyfisskylda>
Wade, D. T. (2005). Describing rehabilitation interventions. *Clinical Rehabilitation*, 19(8), 811-818.

Webster, G. og Daisley, A. (2007). Including children in family-focused acquired brain injury rehabilitation: a national survey of rehabilitation staff practice. *Clinical Rehabilitation*, 21(12), 1097-1108. doi: 10.1177/0269215507079833

World Health Organization. (e.d.a). *Rehabilitation*. Sótt af <http://www.who.int/topics/rehabilitation/en/>

World Health Organization. (e.d.b). *Rehabilitation*. Sótt af <http://www.who.int/disabilities/care/en/>

Xyrichis, A. og Ream, E. (2008). Teamwork: A concept analysis. *Journal of Advanced Nursing*, 61(2), 232-241.