

7. Heimildir

- Ardévol, A., Adán, C., Franco, L., García-Lorda, P., Rubio, F., Remesar, X. o.fl. (1998). During intense exercise, obese women rely more than lean women on aerobic energy. *Pflügers Archiv – European Journal of Physiology*, 435, 495-502.
- Arner, P., Kriegholm, E., Engfeldt, P. og Bolinder, J. (1990). Adrenergic regulation of lipolysis in situ at rest and during exercise. *Journal of Clinical Investigation*, 85, 893-898.
- Asztalos, M., Wijndaele, K., Bourdeaudhuij, I. D., Philippaerts, R., Matton, L., Duvigneud, N. o.fl. (2008). Specific associations between types of physical activity and components of mental health. *Journal of Science and Medicine in Sport*, doi:10.1016/j.jsams.2008.06.009.
- Aucott, L., Poobalan, A., Smith, W. C., Avenell, A., Jung, R. og Broom, J. (2005). Effects of weight loss in overweight/obese individuals and long-term hypertension outcomes: A systematic review. *Hypertension*, 6, 1035-1041.
- van Baal, P. H. M., Polder, J. J., de Wit, G. A., Hoogenveen, R. T., Feenstra, T. L., Boshuizen, H. C. o.fl. (2008). Lifetime medical cost of obesity: Prevention no cure for increasing health expenditure. *Public Library of Science Medicine*, 5, 242-249.
- Barba, C., Cavalli-Sforza, T., Cutter, J., Deurenberg, P., Deurenberg-Yap, M., Gill, T. o.fl. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*, 363, 157-163.
- Bergström, A., Pisani, P., Tenet, V., Wolk, A. og Adami, H. O. (2001). Overweight as an avoidable cause of cancer in Europe. *International Journal of Cancer*, 91, 421-430.
- Bianchini, F., Kaaks, R. og Vainio, H. (2002). Weight control and physical activity in cancer prevention. *Obesity Reviews*, 3, 5-8.
- Blair, S. N. og Brodney S. (1999). Effects of physical inactivity and obesity on morbidity and mortality: Current evidence and research issues. *Medicine and Science in Sports and Exercise*, 31, S646-S662.
- Blundell, J. E., Stubbs, R. J., Hughes, D. A., Whybrow, S. og King, N. A. (2003). Cross talk between physical activity and appetite control: Does physical activity stimulate appetite? *Proceedings of the Nutrition Society*, 62, 651-661.
- Bouchard, C., Blair, S. N. og Haskell W. (2007). Why study physical activity and health? Í C. Bouchard, Blair, S. N. og Haskell, W, L. (ritstjórar), *Physical activity and health* (bls 3-19). Champaign: Human Kinetics.

- Boyce, R. W., Boone, E. L., Cioci, B. W. og Lee, A. H. (2008). Physical activity, weight gain and occupational health among call centre employees. *Occupational Medicine*, 58, 238-244.
- Branca, F., Nikogosian, H. og Lobstein, T. (ritsjórar). (2007). *The challenge of obesity in the WHO European Region and the strategies for response*. Kaupmannahöfn: World Health Organization Regional Office for Europe.
- Buckworth, J. og Dishman R. K. (2002). *Exercise psychology*. Champaign: Human Kinetics.
- Buckworth, J., Dishman R. K. og Cureton K.J. (1994). Autonomic responses of women with parental hypertension. Effects of physical activity and fitness. *Hypertension*, 24, 576-584.
- Chrousos, G. P. (1998). Stressors, stress and neuroendocrine integration of the adaptive response. The 1997 Hans Selye Memorial Lecture. *Annals New York Academy of Sciences*, 851, 311-335.
- Coe, C. L. og Lubach, G. R. (2003). Critical periods of special health relevance for psychoneuroimmunology. *Brain, Behavior and Immunity*, 17, 3-12.
- Cohen, S., Frank, E., Doyle, W. J., Skoner, D. P., Rabin, B. S. og Gwaltney, J. M. Jr. (1998). Types of stressors that increase susceptibility to the common cold in healthy adults. *Health Psychology*, 17(3), 214-223.
- Cordain, L., Gotshall, R. W., Eaton S. B. og Eaton III, S. (1998). Physical activity, energy expenditure and fitness: An evolutionary perspective. *International Journal of Sports Medicine*, 19, 328-335.
- Cordain, L., Latin, R. W. og Behnke, J. J. (1986). The effects of an aerobic running program on bowel transit time. *Journal of Sports Medicine and Physical Fitness*, 26, 101-104.
- Courneya, K. S. og Friedenreich C. M. (2007). Physical activity and cancer control. *Seminars in Oncology Nursing*, 23(4), 242-252.
- Department for Transport. (2004). *National travel survey: 2003 Final results*. London: Office of National Statistics.
- Department of Health, Physical Activity, Health Improvement and Prevention. (2004). *At least five a week: Evidence on the impact of physical activity and its relationship to health. A report from the Chief Medical Officer*. London: Department of Health.

- Deurenberg-Yap, M., og Deurenberg, P. (2003). Is a re-evaluation of WHO body mass index cut-off values needed? The case of Asians in Singapore. *Nutrition Reviews*, 61, 80-87.
- Deuster, P. A., Petrides, J. S., Singh, A., Lucci, E. B., Chrouzos G. P. og Gold, P. W. (1998). High intensity exercise promotes escape of adrenocorticotropin and cortisol from suppression by dexamethasone: Sexually dimorphic responses. *Journal of Clinical Endocrinology and Metabolism*, 8, 3332-3338.
- Dubbert, P. M. (2002). Physical activity and exercise: Recent advances and current challenges. *Journal of Consulting and Clinical Psychology*, 70(3), 526-536.
- Eckel, R. H., Grundy, S. M. og Zimmet, P. Z. (2005). The metabolic syndrome. *Lancet*, 365, 1415-1428.
- Egger, G., Donovan, R. J., Giles-Corti, B., Bull, F. og Swinburn, B. (2001). Developing national physical activity guidelines for Australians. *Australian and New Zealand Journal of Public Health*, 25, 561-563.
- Fleishman, J. A. (1984). Personality characteristics and coping patterns. *Journal of Health and Social Behavior*, 25, 229-244.
- Fogelholm, M. og Vaino, H. (2002). Weight control, physical activity and cancer – strong links. *Obesity Reviews*, 3, 1-3.
- Folkins, C. H. og Sime, W. E. (1981). Physical fitness training and mental health. *American Psychologist*, 36(4), 373-389.
- Foster, G. D., Wadden, T. A., Kendrick, Z. V., Letizia, K. A., Lander, D. P. og Conill, A. L. (1995). The energy cost of walking before and after significant weight loss. *Medicine and Science in Sports and Exercise*, 27, 888-894.
- Fox, K. R. og Hillsdon, M. (2007). Physical activity and obesity. *Obesity Reviews*, 8, 115-121.
- Frankis, J., Milligan, C. D. og Reid, C. (1998). A review of relationships between active living and determinants of health. *Social Science and Medicine*, 47(3), 287-301.
- Friedenreich, C. M. og Orenstein, M. R. (2002). Physical activity and cancer prevention: Etiologic evidence and biological mechanisms. *The Journal of Nutrition*, 132, 3456S-3464S.
- Galliven, E. A., Singh, A., Michelson, D. A., Bina, S., Gold, P. W og Deuster P. A. (1997). Hormonal and metabolic responses to exercise across time of day and menstrual cycle phase. *Journal of Applied Physiology*, 83, 1822-1831.

- Gorber, S. C., Tremblay, M., Moher, D. og Gorber, B. (2007). A comparison of direct vs. self-report measures for assessing height, weight and body mass index: A systematic review. *Obesity Reviews*, 8, 307-326.
- Grundy, S. M., Hansen, B., Smith, S. C., Cleeman, J. I. og Kahn, R. A. (2004). Clinical management of metabolic syndrome. Report of the American Heart Association/National Heart, Lung, and Blood Institute/American Diabetes Association conference on scientific issues related to management. *Circulation*, 109, 551-556.
- Haskell, W. L., Lee, I., Pate, R. R., Powell, K. E., Blair, S. N., Franklin, B. A. og fleiri. (2007). Physical activity and public health: Updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine and Science in Sports and Exercise*, 39, 1423-1434.
- Hassink, S. G., Zapalla, F., Falini, L. og Datto, G. (2008). Exercise and the obese child. *Progress in Pediatric Cardiology*, 25, 153-157.
- Hill, J. M. og Wyatt, H. R. (2005). Role of physical activity in preventing and treating obesity. *Journal of Applied Physiology*, 99, 765-770.
- Holdstock, D. J., Misiewicz, J. J., Smith, T. og Rowlands, E. N. (1970). Propulsion mass movements in the human colon and its relationship to meals and somatic activity. *Gut*, 11, 91-99.
- Hólmfríður Þorgeirsdóttir, Laufey Steingrímsdóttir, Örn Ólafsson og Vilmundur Guðnason. (2001). Próun ofþyngdar og offitu meðal 45-64 ára Reykvíkinga á árunum 1975-1994. *Læknablaðið*, 87, 699-704.
- Hubert, H. B., Feinleib, M., McNamara, P. M. og Castelli, W. P. (1983). Obesity as an independent risk factor for cardiovascular disease: A 26-year follow-up of participants in the Framingham Heart Study, *Circulation*, 67, 968-977.
- Hulens, M., Vansant, G., Lysens, R., Claessens, A. L. og Muls, E. (2001). Exercise capacity in lean versus obese women. *Scandinavian Journal of Medicene & Science in Sports*, 11, 305-309.
- Jeffery, R. W., Drewnowski, A., Epstein, L. H., Stunkard, A. J., Wilson, G. T., Wing, R. R. o.fl. (2000). Long-term maintenance of weight loss: Current status. *Health Psychology*, 19(1), 5-16.
- Jeffery, R. W. og Utter, J. (2003). The changing environment and population obesity in the United States. *Obesity Research*, 11(Suppl), 12S-22S.
- Jones, L. W. og Courneya, K. S. (2002). Exercise counseling and programming preferences of cancer survivors. *Cancer Practice*, 10(4), 208-215.

- Kanaley, J. A., Weltman, J. Y., Pieper, K. S., Weltman, A. og Hartman M. L. (2001). Cortisol and growth hormone responses to exercise at different times of day. *The Journal of Clinical Endocrinology and Metabolism*, 86(6), 2881-2889.
- Kelishadi, R., Alikhani, S., Delavari, A., Alaeddini, F., Safaie, A. og Hojatzadeh, E. (2008). Obesity and associated lifestyle behaviours in Iran: Findings from the first national non-communicable disease risk factor surveillance. *Public Health Nutrition*, 11, 246-251.
- Kiecolt-Glaser, J. K. og Glaser R. (2001). Stress and immunity: Age enhances the risk. *Current Directions in Psychological Science*, 10(1), 18-21.
- Kopelman, P. (2000). Obesity as a medical problem. *Nature*, 404, 635-643.
- Kopelman, P. (2007). Health risks associated with overweight and obesity. *Obesity Reviews*, 8, 13-17.
- Larsen, I. K., Grotmol, T., Almendingen, K. og Hoff, G. (2006). Lifestyle as a predictor for colonic neoplasia in asymptomatic individuals. *BMC Gastroenterology*, 6, 5.
- Laufey Steingrímsdóttir, Hólmfríður Þorgeirsdóttir, Anna S. Ólafsdóttir. (2003). *Hvað borða Íslendingar? Könnun á mataráði Íslendinga 2002. Helstu niðurstöður*. Reykjavík: Lýðheilsustöð.
- Lee, I. (2007). Physical activity, fitness and cancer. Í C. Bouchard, Blair, S, N. og Haskell, W, L. (ritstjórar), *Physical activity and health* (bls 205-218). Champaign: Human Kinetics.
- Lýðheilsustöð. (2008). *Ráðleggingar um hreyfingu*. Reykjavík: Lýðheilsustöð.
- Macera, C. A., Hootman, J. M. og Sniezek, J. E. (2003). Major public health benefits of physical activity. *Arthritis & Rheumatism*, 49, 122-128.
- Martin-Moreno, J. M., Soerjomataram, I. og Magnusson, G. (2008). Cancer causes and prevention: A condensed appraisal in Europe in 2008. *European Journal of Cancer*, 44, 1390-1403.
- McArdle, W. D., Katch, F. I. og Katch, V. L. (2001). *Exercise physiology: energy, nutrition, and human performance* (5. útgáfa). Baltimore: Lippincott Williams & Wilkins.
- Matsuzawa, Y., Shimomura, I., Kihara, S. og Funahashi, T. (2003). Importance of adipocytokines in obesity-related diseases. *Hormone Research*, 60(suppl 3), 56-59.

- Miller, G. E., Chen, E. og Zhou, E. S. (2007). If it goes up, must it come down? Chronic stress and the hypothalamic-pituitary-adrenocortical axis in humans. *Psychological Bulletin*, 133(1), 25-45.
- Murtaugh, M. A., Jacobs Jr, D. R., Moran, A., Steinberger, J. og Siniako, A. R. (2003). Relation of birth weight to fasting insulin, insulin resistance, and body size in adolescence. *Diabetes Care*, 26(1), 187-92.
- National Audit Office. (2001). *Tackling obesity in England*. London: The Stationery Office.
- National Institutes of Health National Heart Lung and Blood Institute North American Association for the study of obesity. (2000). *The practical guide identification, evaluation, and treatment of overweight and obesity in adults*. NIH Publication No. 00-4084.
- Office for National Statistics. (2006). *UK 2005 Time use survey*. London: Office for National Statistics.
- Oldervoll, L. M., Loge, J. H., Paltiel, H., Asp, M. B., Vidvei, U., Wiken, A. N. o.fl. (2006). The effect of a physical exercise program in palliative care: A phase II study. *Journal of Pain and Symptom Management*, 31(5), 421-430.
- Pacak, K., Palkovits, M., Yadid, G., Kvetnansky, R., Kopin, I. J. og Goldstein D. S. (1998). Heterogenous neurochemical responses to different stressors: a test of Selye's doctrine of nonspecificity, *The American Journal of Physiology – Regulatory, Integrative and Comparative Physiology*, 275, 1247-1255.
- Pacak, K. og Palkovits, M. (2001). Stressor specificity of central neuroendocrine responses: Implications for stress-related disorders. *Endocrine Review*, 22, 502-548.
- Pietrowski, R., Meyrer, R., Kern, W., Born, J. og Fehm H. L. Effects of diurnal sleep on the secretion of cortisol, luteinizing hormone and growth hormone in man. *The Journal of Clinical Endocrinology and Metabolism*, 78, 683-687.
- Pisani, P., Bray, F. og Parkin, M. D. (2002). Estimates of the world-wide prevalence of cancer for 25 sites in the adult population. *International Journal of Cancer*, 97, 72-81.
- Plante, T. G. (1999). Could the perception of fitness account for many of the mental and physical health benefits of exercise? *Advances in Mind-Body Medicine*, 15(4), 291-301.
- Plante, T. G, Coscarelli, L., Caputo, D. og Oppezzo, M. (2000). Perceived fitness predicts daily coping better than physical activity or aerobic fitness. *International Journal of Stress Management*, 7(3), 181-192.

- Plante, T. G., LeCaptain, S. E. og McLain, H. C. (2000). Perceived fitness predicts daily coping better than physical activity. *Journal of Applied Biobehavioral Research*, 5(1), 66-79.
- Plante, T. G. og Rodin, J. (1990). Physical fitness and enhanced psychological health. *Current Psychology: Research and Reviews*, 9, 1-22.
- Plante, T. G., Coscarelli, L. og Ford, M. (2001). Does exercising with another enhance the stress-reducing benefits of exercise? *International Journal of Stress Management*, 8(3), 201-213.
- Poobalan, A. S., Aucott, L. S., Smith, W. C., Avenell, A., Jung, R. og Broom, J. (2007). Long-term weight loss effects on all cause mortality in overweight/obese populations. *Obesity Reviews*, 8, 503-513.
- Pritzlaff, C. J., Wideman, L., Weltman, J. Y., Abbot, R. D., Gutgesell, M. E., Hartman, M. L. o.fl. (1999). Impact of acute exercise intensity on pulsatile growth hormone release in men. *Journal of Applied Physiology*, 87, 498-504.
- Ross, R. og Janssen, I. (2001). Physical activity, total and regional obesity: Dose-response considerations. *Medicine and Science in Sports and Exercise*, 33, S521-S527.
- Ross, R. og Janssen, I. (2007). Physical activity, fitness and obesity. Í C. Bouchard, Blair, S. N. og Haskell, W. L. (ritstjórar), *Physical activity and health* (bls 173-189). Champaign: Human Kinetics.
- Rozanski, A., Blumenthal, J. A. og Kaplan, J. (1999). Impact of psychological factors on the pathogenesis of cardiovascular disease and implications for therapy. *Journal of the American Heart Association*, 99, 2192-2217.
- Salmon, P. (2001). Effects of physical exercise on anxiety, depression, and sensitivity to stress: A unifying theory. *Clinical Psychology Review*, 21(1), 33-61.
- Salvadori, A., Fanari, P., Fontana, M., Buontempi, L., Saezza, A., Baudo, S. o.fl. (1999). Oxygen uptake and cardiac performance in obese and normal subjects during exercise. *Respiration*, 66, 25-33.
- Salvadori, A., Fanari, P., Mazza, P., Agosti, R. og Longhini, E. (1992). Work capacity and cardiopulmonary adaptation of the obese subject during exercise testing. *Chest*, 101, 674-679.
- Samad A. K. A., Taylor, R. S., Marshall, T. og Chapmann, M. A. S. (2005). A meta-analysis of the association of physical activity with reduced risk of colorectal cancer. *Colorectal Disease*, 7, 204-213.

- Sandberg, S., Järvenpää, S., Penttinen, A., Paton, J. Y. og McCann, D. C. (2004). Asthma exacerbations in children immediately following stressful life events: A Cox's hierarchical regression. *Thorax*, 59, 1046-1051.
- Saris, W. H. M., Blair, S. N., van Baak, M. A., Eaton, S. B., Davies, P. S. W., Di Pietro, L., Fogenholm, M. o.fl. (2003). How much physical activity is enough to prevent unhealthy weight gain? Outcome of the IASO 1st Stock Conference and consensus statement. *Obesity Reviews*, 4, 101-114.
- Schnohr, P., Kristensen, T. S., Prescott, E. og Sharling, H. (2005). Stress and life dissatisfaction are inversely associated with jogging and other types of physical activity in leisure time – The Copenhagen City Heart Study. *Scandinavian Journal of Medicine and Science in Sports*, 15, 107-112.
- Scully, D., Kremer, J., Meade, M. M., Graham, R. og Dudgeon, K. (1998). Physical exercise and psychological well being: A critical review. *British Journal of Sports Medicine*, 32, 111-120.
- Sigurður Thorlacius, Sigurjón B. Stefánsson og Laufey Steingrímsdóttir. (2006). Algengi offitugreiningar hjá öryrkjum á Íslandi 1992-2004. *Læknablaðið*, 92, 525-529.
- Sigríður L. Guðmundsdóttir, Díana Óskarsdóttir, Leifur Franzson, Ólafur S. Indriðason og Gunnar Sigurðsson. (2004). Samband líkamlegrar þjálfunar við þyngdarstuðul, fitumassa og gripstyrk í íslensku þýði. *Læknablaðið*, 90, 479-486.
- Sinoyr, D., Schwartz, S. G., Peronnet, F., Brisson, G. og Seraganian, P. (1983). Aerobic fitness level and reactivity to psychosocial stress: Physiological, biochemical, and subjective measures. *Psychosomatic Medicine*, 45(3), 205-217.
- Spalding, T. W., Jeffers, L. S., Porges S. W., Hatfield B. D. (2000). Vagal and cardiac reactivity to psychological stressors in trained and untrained men. *Medicine and Science in Sports and Exercise*, 32, 581-591.
- Stampfer, M. J., Maclure, K. M., Colditz, G. A., Manson, J. E. og Willet, W. C. (1992). Risk of symptomatic gallstones in women with severe obesity. *American Journal of Clinical Nutrition*, 55, 652-658.
- Steptoe, A., Kimbell, J. og Basford, P. (1998). Exercise and the experience and appraisal of daily stressors: A naturalistic study. *Journal of Behavioral Medicine*, 21(4), 363-374.
- Tortora, G. J. og Grabowski, S. R. (2004). *Introduction to the human body* (6. útgáfa). Hoboken: John Wiley & Sons, Inc.

- U.S. Department of Health and Human Services. (1996) *Physical activity and health: A report of the surgeon general*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- Watkins, M. L., Rasmussen, S. A., Honein, M. A., Botto, L. D. og Moore, C. A. (2003). Maternal obesity and risk for birth defects. *Pediatrics*, 111, 1152-1158.
- Wei, M., Kampert, J. B., Barlow, C. E., Nichaman, M. Z., Gibbons, L. W., Paffenbarger Jr, R. S. o.fl. (1999). Relationship between low cardiorespiratory fitness and mortality in normal-weight, overweight and obese men. *Journal of the American Medical Association*, 282, 1547-1553.
- Whitaker, R. C. (2004). Predicting preschooler obesity at birth: The role of maternal obesity in early pregnancy. *Pediatrics*, 114, e29-e36.
- Widmaier, E. P., Raff, H. og Strang K. T. (2004). *Vander, Sherman, Luciano's Human physiology: The mechanisms of body function* (9. útgáfa). New York: McGraw-Hill.
- Wijndaele, K., Matton, L., Duvigneaud, N., Lefevre, J., Bourdeaudhuij, I. D., Duquet, W. o.fl. (2007). Association between leisure time physical activity and stress, social support and coping: A cluster analytical approach. *Psychology of Sport and Exercise*, 8, 425-440.
- Wilding, J. P. H. (2006). Pathophysiology and aetiology of obesity. *Medicine*, 34(12), 501-505.
- Williamson, D. F., Kahn, H. S., Remington, P. L. og Anda, R. F. (1990). The 10-year incidence of overweight and major weight gain in US adults. *Archives of Internal Medicine*, 150, 665-672.
- Wing, R. R. og Jeffery, R. W. (1999). Benefits of recruiting participants with friends and increasing social support for weight loss and maintenance. *Journal of Consulting and Clinical Psychology*, 67(1), 132-138.
- Woods, J. A., Davis, J. M., Smith, J. A. og Nieman, D. C. (1999). Exercise and cellular innate immune function. *Medicine and Science in Sports and Exercise*, 31, 57-66.
- Wright, R. J., Rodriguez, M. og Cohen, S. (1998). Review of psychosocial stress and asthma: an integrated biopsychosocial approach. *Thorax*, 53, 1066-1074.
- Yeung, R. R. (1996). The acute effects of exercise on mood state. *Journal of Psychosomatic Research*, 40(2), 123-141.

Yu, H. og Rohan, T. (2000). Role of the insulin-like growth factor family in cancer development and progression. *Journal of the National Cancer Institute*, 92(18), 1472-1489.

Yusuf, S., Hawken, S., Ounpuu, S., Bautista, L., Franzosi, M. G., Commerford, P. o.fl. (2005). Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: A case-control study. *Lancet*, 366, 1640-1649.

Anna Björg Aradóttir og Sigurður Guðmundsson. (2000). *Er hreyfing heilsubót? Er hægt að hlaupa af sér hornin?* Sótt 25. september 2008 af
<http://www.landlaeknir.is/Pages/1055?NewsID=1104>

Krabbameinsskrá Krabbameinsfélags Íslands (2009).

Tölfræði krabbameina á Íslandi. Sótt 27. febrúar 2009 af

<http://krabbameinsskra.is/?id=a>

Aldur við greiningu krabbameins 2002-2006. Sótt 27. febrúar 2009 af

<http://krabbameinsskra.is/index.jsp?id=1-1>

Fjöldi dauðsfalla 1957-2006, karlar. Sótt 27. febrúar 2009 af

<http://krabbameinsskra.is/tables.jsp?id=7&page=t>

Fjöldi dauðsfalla 1957-2006, konur. Sótt 27. febrúar 2009 af

<http://krabbameinsskra.is/tables.jsp?id=9&page=t>

Ristílkrabbamein. Sótt 1. mars 2009 af

<http://krabbameinsskra.is/index.jsp?icd=C18>

WHO – Move for health. Sótt 1. október 2008 af

<http://www.who.int/moveforhealth/en/>

WHO – Physical inactivity: A global public health problem. Sótt 1. október 2008 af

http://www.who.int/dietphysicalactivity/factsheet_inactivity/en/index.html

WHO (2000). Obesity: Preventing and managing the global epidemic. Sótt 25. september 2008 af

<http://www.who.int/nutrition/publications/obesity/en/index.html>