

Heimildir

- Abernethy, K. (2008). How the menopause affects the cardiovascular health of women. *Primary Health Care, 18*(6), 42-47.
- Avis, N. E., Brockwell, S. og Colvin, A. (2005). A universal menopausal syndrome? *American Journal of Medicine, 118*, 37-46. doi:10.1016/j.amjmed.2005.09.057
- Bauld, R. og Brown, R. F. (2009). Stress, psychological distress, psychosocial factors, menopause symptoms and physical health in women. *Maturitas, 62*(2), 160-165. doi:10.1016/j.maturitas.2008.12.004
- Bahri, N., Yoshany, N., Morowatisharifabad, M. A., Noghabi, A. D. og Sajjadi, M. (2016). The effects of menopausal health training for spouses on women's quality of life during menopause transitional period. *Menopause, 23*(2), 183-188. doi: 10.1097/GME.0000000000000588
- Bjelland, E. K., Wilkosz, P., Tanbo, T. G. og Eskild, A. (2014). Is unilateral oophorectomy associated with age at menopause? A population study (the HUNT2 survey). *Human Reproduction (Oxford, England), 29*(4), 835. doi:10.1093/humrep/deu026
- Brinkmann, S. og Kvale, S. (2015). *Interviews: Learning the craft of qualitative research interviewing*. USA: SAGE Publication, Inc.
- Brown, J. P., Gallicchio, L., Flaws, J. A. og Tracy, J. K. (2009). Relations among menopausal symptoms, sleep disturbance and depressive symptoms in midlife. *Maturitas, 62*(2), 184-189. doi:10.1016/j.maturitas.2008.11.019
- Brown, L., Bryant, C., Brown, V., Bei, B. og Judd, F. (2015). Investigating how menopausal factors and self-compassion shape well-being: An exploratory path analysis. *Maturitas, 81*(2), 293-299. doi:10.1016/j.maturitas.2015.03.001
- Bryant, C., Judd, F. K. og Hickey, M. (2012). Anxiety during the menopausal transition: a systematic review. *Journal of Affective Disorders, 139*(2), 141-148. doi:10.1016/j.jad.2011.06.055
- Bryndís Benediktsdóttir, Kristinn Tómasson og Þórarinn Gíslason. (2000). Einkenni breytingaskeiðs og meðferð þeirra hjá 50 ára íslenskum konum. *Læknablaðið, 86*(7-8), 501-507.
- Burbos, N. og Morris, E. P. (2011). Menopausal symptoms. *BMJ Clinical Evidence, 2011*, 0804. PMID: PMC3275139
- Cater, J. K. (2011). Skype: a cost-effective method for qualitative research. *Rehabilitation Counselors & Educators Journals, 4*(2), 10-17.
- CEMCOR: Centre for Menstrual Cycle and Ovulation Research. (e.d.). Life phase information. Sótt af <http://www.cemcor.ubc.ca/life-phase-information>
- Daley, A., Stokes-Lampard, H. og Macarthur, C. (2011). Exercise for vasomotor menopausal symptoms. *Cochrane Database of Systematic Reviews, 2011*(5). ID: CD006108. doi:10.1002/14651858.CD006108.pub3
- Deakin, H. og Wakefield, K. (2014). Skype interviewing: Reflections of two PhD researchers. *Qualitative Research, 14*(5), 603-616. doi:10.1177/1468794113488126

- De Bruin, J. P., Bovenhuis, H., Van Noord, P. A. H., Pearson, P. L., Van Arendonk, J. A. M., Te Velde, E. R., ... Dorland, M. (2001). The role of genetic factors in age at natural menopause. *Human Reproduction*, *16*(9), 2014-2018. doi:10.1093/humrep/16.9.2014
- Dennerstein, L., Dudley, E. C., Hopper, J. L., Guthrie, J. R. og Burger, H. G. (2000). A prospective population-based study of menopausal symptoms. *Mechanisms of Development*, *96*(2), 351-358. doi: 10.1016/S0029-7844(00)00930-3
- Depypere, H., Pintiaux, A., Desreux, J., Hendrickx, M., Neven, P., Marchowicz, E., ... Rozenberg, S. (2016). Coping with menopausal symptoms: An internet survey of Belgian postmenopausal women. *Maturitas*, *90*(8), 24-30. doi:10.1016/j.maturitas.2016.04.018
- Edwards, D. og Panay, N. (2016). Treating vulvovaginal atrophy/genitourinary syndrome of menopause: How important is vaginal lubricant and moisturizer composition? *Climacteric*, *19*(2), 151-161. doi:10.3109/13697137.2015.1124259
- Elavsky, S. (2009). Physical activity, menopause, and quality of life: The role of affect and self-worth across time. *Menopause*, *16*(2), 265-271. <http://doi.org/10.1097/gme.0b013e31818c0284>
- Embætti landlæknis (e.d. a). Heilsa og líðan. Sótt af <http://www.landlaeknir.is/heilsa-og-lidan/>
- Embætti landlæknis (e.d. b). Valdar aðgerðir framkvæmdar á sjúkrahúsum 2000-2009. Sótt af <http://www.landlaeknir.is/leitarnidurstodur/?q=legnam>
- Farquhar, C. M., Sadler, L., Harvey, S. A. og Stewart, A. W. (2005). The association of hysterectomy and menopause:a prospective cohort study. *International Journal of Obstetrics and Gynaecology*, *112*(7), 956-962. doi: 10.1111/j.1471-0528.2005.00696.x
- Faubion, S. S., Sood, R., Thielen, J. M. og Shuster, L. T. (2015). Caffeine and menopausal symptoms: What is the association? *Menopause*, *22*(2), 155-158. doi:10.1097/GME.0000000000000301
- Freeman, E. W., Sammel, M. D., Liu, L., Gracia, C. R., Nelson, D. B. og Hollander, L. (2004). Hormones and menopausal status as predictors of depression in women in transition to menopause. *Archives of General Psychiatry*, *61*(1), 62-70. doi: 10.1001/archpsyc.61.1.62
- Freeman, E. W., Sammel, M. D., Lin, H. og Nelson, D. B. (2006). Associations of hormones and menopausal status with depressed mood in women with no history of depression. *Archives of General Psychiatry*, *63*(4), 375-382. doi: 10.1001/archpsyc.63.4.375
- Gibson, C., Matthews, K. og Thurston, R. (2014). Daily physical activity and hot flashes in the study of women's health across the nation (SWAN) flashes study. *Fertility & Sterility*, *101*(4), 1110-1116. doi:10.1016/j.fertnstert.2013.12.029
- Gold, E. B., Crawford, S. L., Avis, N. E., Crandall, C. J., Matthews, K. A., Waetjen, L. E., ... Harlow, S. D. (2013). Factors related to age at natural menopause: Longitudinal analyses from SWAN. *American Journal of Epidemiology*, *178*(1), 70-83. doi:10.1093/aje/kws421
- Greendale, G. A., Lee, N. P. og Arriola, E. R. (1999). The menopause. *Lancet*, *353*(9152), 571-580. doi:10.1016/S0140-6736(98)05352-5
- Guidozzi, F. (2013). Sleep and sleep disorders in menopausal women. *Climacteric*, *16*(2), 214-219. doi:10.3109/13697137.2012.753873
- Hamilton, R. og Bowers, B. (2006). Internet recruitment and e-mail interviews in qualitative studies. *Qualitative Health Research*, *16*(6), 821-835. doi: 10.1177/1049732306287599

- Hakimi, S., Simbar, M., Ramezani T. F., Zaiery, F. og Khatami, S. (2016). Women's perspectives toward menopause: A phenomenological study in Iran. *Journal of Women & Aging*, 28(1), 80-89. doi:10.1080/08952841.2014.954502
- Hayatbakhsh, M., Clavarino, A., Williams, G., Sina, M. og Najman, J. (2012). Cigarette smoking and age of menopause: A large prospective study. *Maturitas*, 72(4), 346-352. doi:10.1016/j.maturitas.2012.05.004
- Helga Jónsdóttir. (2013). Viðtöl í eigindlegum og meginlegum rannsóknum. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (1. útgáfa) (bls. 137-153). Akureyri: Ásprent Stíll ehf.
- Herber-Gast, G. M. og Mishra, G. D. (2013). Fruit, mediterranean-style, and high-fat and -sugar diets are associated with the risk of night sweats and hot flushes in midlife: Results from a prospective cohort study. *American Journal of Clinical Nutrition*, 97(5), 1092-1099. doi:10.3945/ajcn.112.049965
- Herdís Sveinsdóttir. (2002). Breytingaskeið kvenna og hormóna, meðferð. *Timarit hjúkrunarfræðinga*, 78(5), 265-271.
- Herdís Sveinsdóttir. (2005). Tekist á við tíðahvörf: Um líðan og afstöðu 47 til 53 ára kvenna til tíðahvarfa og notkunar tíðahvarfahormóna. *Timarit hjúkrunarfræðinga* 81(4), 6-17.
- Hidiroglu, S., Tanriover, O., Ay, P. og Karavus, M. (2014). A qualitative study on menopause described from the man's perspective. *JPMA - The Journal of the Pakistan Medical Association*, 64(9), 1031-1036.
- Huang, A. J., Moore, E. E., Boyko, E. J., Scholes, D., Lin, F., Vittinghoff, E., og Fihn, S. D. (2010). Vaginal symptoms in postmenopausal women: Self-reported severity, natural history, and risk factors. *Menopause*, 17(1), 121-126. doi:10.1097/gme.0b013e3181acb9ed
- Hunter, M. og Rendall, M. (2007). *Best Practice & Research Clinical Obstetrics & Gynaecology*, 21(2), 261-274. doi:10.1016/j.bpobgyn.2006.11.001
- Hvas, L. (2001). Positive aspects of menopause: a qualitative study. *Maturitas*, 39(1), 11-17. doi:10.1016/S0378-5122(01)00184-0
- Hvas, L. (2006). Menopausal women's positive experience of growing older. *Maturitas*, 54(3), 245-251. doi:10.1016/j.maturitas.2005.11.006
- Joffe, H., Hall, J. E., Soares, C. N., Hennen, J., Reilly, C. J., Carlson, K. og Cohen, L. S. (2002). Vasomotor symptoms are associated with depression in perimenopausal women seeking primary care. *Menopause*, 9(6), 392-398. PMID:12439097
- Katrín Blöndal og Sigríður Halldórsdóttir. (2013). Úrtök og úrtaksaðferðir í eigindlegum rannsóknum. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (1. útgáfa) (bls. 129-136). Akureyri: Ásprent Stíll ehf.
- Kishida, M. og Elavsky, S. (2015). Daily physical activity enhances resilient resources for symptom management in middle-aged women. *Health Psychology*, 34(7), 756-764. doi:10.1037/hea0000190
- Kroenke, C. H., Caan, B. J., Stefanick, M. L., Anderson, G., Brzyski, R., Johnson, K. C., ... Wallace, R. (2012). Effects of a dietary intervention and weight change on vasomotor symptoms in the women's health initiative. *Menopause*, 19(9), 980-988. doi: 10.1097/gme.0b013e31824f606e
- Leach, M. og Moore, V. (2012). Black cohosh (*Cimicifuga* spp.) for menopausal symptoms. *Cochrane Database of Systematic Reviews*, 2012(9). doi:10.1002/14651858.CD007244.pub2
- Lee, M. S., Shin, B. C., Yang, E. J., Lim, H. J. og Ernst, E. (2011). Maca (*Lepidium meyenii*) for treatment of menopausal symptoms: A systematic review. *Maturitas*, 70(3), 227-233. doi:10.1016/j.maturitas.2011.07.017

- Llaneza, P., García-Portilla, M. P., Llaneza-Suárez, D., Armott, B. og Pérez-López, F. R. (2012). Depressive disorders and the menopause transition. *Maturitas*, 71(2), 120-130. doi:10.1016/j.maturitas.2011.11.017
- Marnocha, S. K., Bergstrom, M. og Dempsey, L. F. (2011). The lived experience of perimenopause and menopause. *Contemporary Nurse: A Journal for the Australian Nursing Profession*, 37(2), 229-240. doi: 10.5172/conu.2011.37.2.229
- Mohamed, H. A. E., Lamadah, S. M. og Zamil, L. G. A. (2014). Quality of life among menopausal women. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 3(3), 552-561. doi: 10.5455/2320-1770.ijrcog.20140906
- Morris, D. H., Jones, M. E., Schoemaker, M. J., Ashworth, A. og Swerdlow, A. J. (2011). Familial concordance for age at natural menopause: Results from the Breakthrough Generations study. *Menopause*, 18(9), 956-961. doi: 10.1097/gme.0b013e31820ed6d2
- Morrison, L. A., Brown, D. E., Sievert, L. L., Reza, A., Rahberg, N., Mills, P. og Goodloe, A. (2014). Voices from the hilo women's health study: Talking story about menopause. *Health Care for Women International*, 35(5), 529-548. doi:10.1080/07399332.2013.829067
- Nappi, R. E. og Lachowsky, M. (2009). Menopause and sexuality: Prevalence of symptoms and impact on quality of life. *Maturitas*, 63(2), 138-141. doi:10.1016/j.maturitas.2009.03.021
- Newhart, M. R. (2013). Menopause matters: The implications of menopause research for studies of midlife health. *Health Sociology Review*, 22(4), 365-376. doi:10.5172/hesr.2013.22.4.365
- North American Menopause Society. (e.d.). Staying healthy at menopause and beyond. Sótt af <https://www.menopause.org/for-women/menopauseflashes/women's-health-and-menopause/staying-healthy-at-menopause-and-beyond>
- Nosek, M., Kennedy, H. P., Beyene, Y., Taylor, D., Gilliss, C. og Lee, K. (2010). The effects of perceived stress and attitudes toward menopause and aging on symptoms of menopause. *Journal of Midwifery & Women's Health*, 55(4), 328-334. doi:10.1016/j.jmwh.2009.09.005
- Nosek, M., Kennedy, H. P. og Gudmundsdottir, M. (2012). "Chaos, resititution and quest": one woman's journey through menopause. *Sociology of Health & Illness*, 34(7), 994-1009. doi:10.1111/j.1467-9566.2011.01453.x
- Oboni, J. B., Marques-Vidal, P., Bastardot, F., Vollenweider, P. og Waeber, G. (2016). Impact of smoking on fertility and age of menopause: a population-based assessment. *BMJ Open*, 6(11). doi:10.1136/bmjopen-2016-012015
- Palacios, S., Henderson, V. W., Siseles, N., Tan, D. og Villaseca, P. (2010). Age of menopause and impact of climacteric symptoms by geographical region. *Climacteric*, 13(5), 419-428. doi:10.3109/13697137.2010.507886
- Parazzini, F. (2007). Determinants of age at menopause in women attending menopause clinics in Italy. *Maturitas*, 56(3), 280-287. doi:10.1016/j.maturitas.2006.09.003
- Pimenta, F., Leal, I., Maroco, J. og Ramos, C. (2011). Perceived control, lifestyle, health, socio-demographic factors and menopause: Impact on flashes and night sweats. *Maturitas*, 69(4), 338-342. doi:10.1016/j.maturitas.2011.05.005
- Pitken, J. (2010). Cultural issues and the menopause. *Menopause International*, 16(4), 156-161. doi: 10.1258/mi.2010.010032

- Ragnheiður Kristín Björnsdóttir, Steinunn Birna Svavarsdóttir og Þorbjörg Þorkelsdóttir. (2005). „Ég var skapstygg, svefnlaus og meyr.“: Rannsókn á upplifun kvenna af tíðahvörfum. Óbirt B.S.-verkefni í hjúkrunafræði við Háskólann á Akureyri, Heilbrigðisvísindadeild. <http://hdl.handle.net/1946/159>
- Reynolds, R. F. og Obermeyer, C. M. (2003). Correlates of the age at natural menopause in Morocco. *Annals of Human Biology*, 30(1), 97-108. doi: 10.1080/03014460210165908
- Rotem, M., Kushnir, T., Levine, R. og Ehrenfeld, M. (2005). A psycho-educational program for improving women's attitudes and coping with menopause symptoms. *JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing*, 34(2), 233-240. doi:10.1177/0884217504274417
- Satoh, T. og Ohashi, K. (2005). Quality-of-life assessment in community-dwelling, middle-aged, healthy women in Japan. *Climacteric*, 8(2), 146-153. doi:10.1080/13697130500117961
- Sánchez-Borrego, R., Mendoza, N. og Llana, P. (2015). A prospective study of DT56a (Femarelle) for the treatment of menopause symptoms. *Climacteric*, 18(6), 813-816. doi:10.3109/13697137.2015.1065247
- Sehhatie, F., Mirghafourvand, M. og Jafari, M. (2014). Effect of education through support-group on early symptoms of menopause: a randomized controlled trial. *Scandinavian Journal of Caring Sciences*, 3(4), 247-256. doi:10.5681/jcs.2014.027
- Shuster, L. T., Rhodes, D. J., Gostout, B. S., Grossardt, B. R., og Rocca, W. A. (2010). Premature menopause or early menopause: Long-term health consequences. *Maturitas*, 65(2), 161-166. doi:10.1016/j.maturitas.2009.08.003
- Sigríður Halldórsdóttir. (2013). Fyrirbærafræði sem rannsóknaraðferð. Í Sigríður Halldórsdóttir (ritstj.), *Handbók í aðferðafræði rannsókna* (1. útgáfa) (bls. 281-297). Akureyri: Ásprent Stíll.
- Sigríður Halldórsdóttir og Sigurlína Davíðsdóttir. (2013). Réttmæti og áreiðanleiki í megindlegum og eigindlegum rannsóknum. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (1. útgáfa) (bls. 211-228). Akureyri: Ásprent Stíll ehf.
- Sigurður Kristinsson. (2013). Siðfræði rannsókna og siðanefndir. Í Sigríður Halldórsdóttir (ritstjóri), *Handbók í aðferðafræði rannsókna* (1. útgáfa) (bls. 71-88). Akureyri: Ásprent Stíll ehf.
- Snieder, H., MacGregor, A. J. og Spector, T. D. (1998). Genes control the cessation of a woman's reproductive life: A twin study of hysterectomy and age at menopause. *Journal of Clinical Endocrinology and Metabolism*, 83(6), 1875-1880. doi: 10.1210/jcem.83.6.4890
- Sowers, M., Zheng, H., Tomey, K., Karvonen-Gutierrez, C., Jannausch, M., Li, X., ... Symons, J. (2007). Changes in body composition in women over six years at midlife: ovarian and chronological aging. *The Journal of Clinical Endocrinology and Metabolism*, 92(3), 895-901. doi:10.1210/jc.2006-1393
- Sternfeld, B. og Dugan, S. (2011). Physical activity and health during the menopausal transition. *Obstetrics & Gynecology Clinics of North America*, 38(3), 537-566. doi: 10.1016/j.ogc.2011.05.008
- Sullivan, J. R. (2012). Skype: An appropriate method of data collection for qualitative interviews? *The Hilltop Review*, 6(1), 54-60.
- Swan Study of Women's Health Across the Nation. (e.d.) About SWAN. Sótt af <http://www.swanstudy.org/about/about-swan/>
- Tangen, T. og Mykletun, A. (2008). Depression and anxiety through the climacteric period: An epidemiological study (HUNT-II). *Journal of Psychosomatic Obstetrics & Gynecology*, 29(2), 125-131. doi:10.1080/01674820701733945

- United States Census Bureau. (2017). International Programs. International Data Base World Population by Age and Sex. Sótt af <https://www.census.gov/population/international/data/idb/worldpop.php>
- Utian, W. H. (2005). Psychosocial and socioeconomic burden of vasomotor symptoms in menopause: A comprehensive review. *Health and Quality of Life Outcomes*, 3(1), 47-57. doi:10.1186/1477-7525-3-47
- van Asselt, K. M., Kok, H. S., Pearson, P. L., Dubas, J. S., Peeters, P. H. M., Velde, E. R. og van Noord, P. A. H. (2004). Heritability of menopausal age in mothers and daughters. *Fertility & Sterility*, 82(5), 1348-1351. doi:10.1016/j.fertnstert.2004.04.047
- van Noord, P. A., Dubias, J. S., Dorland, M., Boersma, H. og Velde, E. (1997). Age at natural menopause in a population-based screening cohort: The role of menarch, fecundity, and lifestyle factors. *Fertility and Sterility*, 68(1), 95-102. doi: 10.1016/S0015-0282(97)81482-3
- Wilson, L. F., Pandeya, N., Byles, J. og Mishra, G. D. (2016). Hot flushes and night sweats symptom profiles over a 17-year period in mid-aged women: The role of hysterectomy with ovarian conservation. *Maturitas*, 91(2016), 1-7. doi:10.1016/j.maturitas.2016.05.011
- Wolfe, D. (2009). *Superfoods*. California: North Atlantic Books.
- Women's Health Initiative. (e.d.). Publications. Sótt af <https://www.nhlbi.nih.gov/whi/index.html>
- Yang, C., Kenney, N. J., Chang, T. og Chang, S. (2016). Sex life and role identity in taiwanese women during menopause: A qualitative study. *Journal of Advanced Nursing*, 72(4), 770-781. doi:10.1111/jan.12866
- Yazdkhasti, M., Keshavarz, M., Khoei, E. S., Hosseini, A. F., Esmaeilzadeh, S., Pebdani, M. og Jafarzadeh, H. (2012). The effect of support group method on quality of life in post-menopausal women. *Iranian Journal of Public Health*, 41(11), 78-84. PMID: PMC3521890
- Yazdkhasti, M., Simbar, M. og Abdi, F. (2015). Empowerment and coping strategies in menopause women: A review. *Iranian Red Crescent Medical Journal*, 17(3), 1-5. doi:10.5812/ircmj.18944
- Zapantis, G. og Santoro, N. (2003). The menopausal transition: Characteristics and management. *Best Practice & Research Clinical Endocrinology & Metabolism*, 17(1), 33-52. doi:10.1016/S1521-690X(02)00081-7
- Zhavoronkov, A. og Litovchenko, M. (2013). Biomedical progress rates as new parameters for models of economic growth in developed countries. *International Journal of Environmental Research and Public Health*, 10(11), 5936-5952. doi: 10.3390/ijerph10115936
- Özdemir, O. og Çöl, M. (2004). The age at menopause and associated factors at the health center area in Ankara, Turkey. *Maturitas*, 49(3), 211-219. doi:10.1016/j.maturitas.2004.01.013