

References

- Able, K. W., & Hagan, S. M. (2000). Effects of Common Reed (*Phragmites australis*) Invasion on Marsh Surface Macrofauna: Response of Fishes and Decapod Crustaceans. *Estuaries* 23 (5), 633-646.
- Able, K. W., & Hagan, S. M. (2003). Impact of Common Reed, *Phragmites australis*, on Essential Fish Habitat: Influence on Reproduction, Embryological Development, and Larval Abundance of Mummichog (*Fundulus heteroclitus*). *Estuaries* 26 (1), 40-50.
- Adrasiunas, V., Razinkovas-Baziukas, A., Ilgine, R., & Morkūnė, R. (2016, December 1). 1. Expert Panel Meeting for Bayesian Belief Network construction. (S. Höfer, Interviewer)
- Arkema, K. K., Verutes, G. M., Wood, S. A., Clarke-Samuels, C., Rosado, S., Canto, M., . . . Guerry, A. D. (2015). Embedding ecosystem services in coastal planning leads to better outcomes for people and nature. *Proceedings of the National Academy of Sciences of the United States of America* 112 (24), 7390-7395.
- Asaeda, T., Rajapakse, L., Manatunge, J., & Sahara, N. (2006). The Effect of Summer Harvesting of *Phragmites australis* on Growth Characteristics and Rhizome Resource Storage. *Hydrobiologia* 533 (1), 327-335.
- Atkins, J. P., Burdon, D., Elliott, M., & Gregory, A. J. (2011). Management of the marine environment : Integrating ecosystem services and societal benefits with the DPSIR framework in a systems approach. *Marine Pollution Bulletin* 62 , 215-226.
- BaltCoast. (n.d.). *BaltCoast Project*. Retrieved from Baltcoast: <http://www.baltcoast.net/>
- Ban, S. S., Pressey, R. L., & Graham, N. A. (2014). Assessing interactiosn of multiple stressors when dat are limited: A Bayesian belief network applied to coral reefs. *Global Environmental Change* 27 (1), 64-72.
- Ban, S. S., Pressey, R. L., & Graham, N. A. (2015). Assessing the effectiveness of local management of coral reefs using expert opinion and spatial Bayesian modeling. *PloS One* 10 (8).
- BayesFusion, LLC. (2016). *BayesFusion Documentation*. Retrieved September 20, 2016, from BAYESFUSION,LLC: DAta Analytics, Mathematical Modeling, Decision Support: <http://support.bayesfusion.com/docs/>

- Bennett, E. M., Peterson, G. D., & Gordon, L. J. (2009). Understanding relationships among multiple ecosystem services. *Ecology Letters* 12 (12), 1394-1404.
- Breber, P., Povilanskas, R., & Armaitienė, A. (2008). Recent evolution of fishery and land reclamation in Curonian and Lesina lagoons. *Hydrobiologia* 611 (1), 105-114.
- Bromley, J. (2005). *Guidelines for the use of Bayesian networks as a participatory tool for Water Resource Management*. Wallingford : Centre for Ecology and Hydrology.
- Carpenter, S. R., Bennett, E. M., & Peterson, G. D. (2006). Scenarios for Ecosystem Services: An Overview. *Ecology and Society* 11 (1), 29.
- Chen, S. H., & Pollino, C. A. (2012). Good practice in Bayesian network modelling. *Environmental Modelling and Software* 37, 134-145.
- CICES. (2016). *Structure of CICES*. Retrieved March 14, 2016a, from CICES: Towards a common classification of ecosystem services: <http://cices.eu/cices-structure/>
- Costanza, R., d'Arge, R., de Groot, R., Farber, S., Grasso, M., Hannon, B., . . . van den Belt, M. (1997). The value of the world ' s ecosystem services and natural capital. *Nature* 387 (May) , 253-260.
- Darwiche, A. (2010). Retrieved October 5, 2016, from SamIam - Sensitivity Analysis, Modeling, Inference And More: <http://reasoning.cs.ucla.edu/samiam/index.php>
- Dinkelaker, N. V. (2013, June 19 - 20). Objectives of developing joint approaches to creation of a Russian-Lithuanian plan for the Curonian Lagoon managment. Kalinigrad, Russia .
- Douglas, S. J., & Newton, A. C. (2014). Evaluation of Bayesian networks for modelling habitat suitability and management of a protected area. *Journal for Nature Conservation* .
- Dudley, N. (2008). *Guideline for Applying Proteced Area Managment Catgories* . (N. Dudley, Ed.) Gland , Switzerland : IUCN.
- Eaton, D., & Murphy, K. (2007, June). *BDAGL: Bayesian DAG learning*. Retrieved October 10 , 2016, from <http://www.cs.ubc.ca/~murphyk/Software/BDAGL/>
- ECOPOTENTIAL. (2015). *ECOP*. Retrieved September 2, 2016, from Ecopotential: <http://ecopotential-project.eu/project/mission>
- El Serafy, G., Boon, A., van der Meulen, M., Ziembka , A., Schulz, J., Ziv, G., . . . Stritih, A. (2016, September 19-23). Applying ecosystem services to optimize protected area management. Antwerp, Belgium: European Ecosystem Service Conference.

- Engloner, A. I. (2009). Structure, growthdynamicsandbiomassofreed. *Flora* 204, 331-346.
- European Commission. (n.d.). *What is Horizon 2020?* Retrieved September 5, 2016, from Horizon 2020: The EU Framework Programme for Research and Innovation: <https://ec.europa.eu/programmes/horizon2020/en/what-horizon-2020>
- Findlay, S., Groffman, P., & Dye, S. (2003). Effects of Phragmites australis removal on marsh nutrient cycling. *Wetlands Ecology and Management* 11 (3), 157-165.
- Fisher, B., Turner, R. K., & Morling, P. (2009). Defining and classifying ecosystem services for decision making. *Ecological Economics* 68 (3), 643-653.
- Fogli, S., Brancaleoni, L., Lambertini, C., & Gerdol, R. (2014). Mowing regime has different effects on reed stands in relation to habitat. *Journal of Environmental Management* 134, 56-62.
- Folmer, H., van der Veen, A., & van der Heide, C. M. (2010). *Valuation of functions of the Wadden Area*. Leeuwarden: Waddenacademie.
- Gasiūnaitė, Z. R., Daunys, D., Olenin, S., & Razikovas, A. (2008). The Curonian Lagoon. In U. Schiewer, *Ecology of Baltic Coastal Waters* (pp. 197 - 215). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Gee, K., & Burkhard, B. (2010). Cultural ecosystem services in the context of offshore wind farming: A case study from the west coast of Schleswig-Holstein. *Ecological Complexity* 7 (3), 349-358.
- Gómez-Baggethun, E., Martín-López, B., Barton, D., Braat, L., Kelemen, E., Lorene, M. G., . . . Harrison, P. (2014). *State-of-the-art report on integrated valuation of ecosystem services*. European Commission FP7.
- Google. (n.d.). *Google Maps*. Retrieved March 26, 2017, from Google Maps Lithuania : <https://www.google.nl/maps/@55.349084,15.1445712,4176874m/data=!3m1!1e3?hl=en>
- Groot, R. d., Alkemade, R., Braat, L., Hein, L., & Willemen, L. (2010). Challenges in integrating the concept of ecosystem services and values in landscape planning, management and decision making. *Ecological Complexity* 7 (3), 260-272.
- Grunewald, K., & Bastian, O. (2015). *Ecosystem Services - Concept, Methods and Case Studies*. Berlin Heidelberg: Springer.
- Gylmour, C., Scheines, R., Spirtes, P., & Ramsey, J. (2015). Retrieved October 5, 2016, from The TETRAD Project: Causal Models and Statistical Data: <http://www.phil.cmu.edu/tetrad/>

- Haines-Young, R. (2011). Exploring ecosystem service issues across diverse knowledge domains using Bayesian Belief Networks. *Progress in Physical Geography* 35 (5), 681-699.
- Hall, M., Frank, E., Holmes, G., Pfahringer, B., Reuteman, P., & Witten, I. H. (2009). The WEKA DATA Mining Software: An Update. *SIGKDD Explorations* 11 (1).
- Hamilton (Chen), S. (2012). *Modelling freshwater ecological systems under limited data and knowledge*. Canberra: Australian National University.
- Hamilton, S. H., Pollino, C. A., & Jakeman, A. J. (2015). Habitat suitability modelling of rare species using Bayesian networks: Model evaluation under limited data. *Ecological Modelling* 299, 64-78.
- Heink, U., Hauck, J., Jax, K., & Sukopp, U. (2016). Requirements for the selection of ecosystem service indicators - The case of MAES indicators. *Ecological Indicators* 61, 18-26.
- Huang, M., Sheng, Q., Wu, J., & Pan, X. (2014). Effects of Winter Harvesting and Salinity on the Structure of Regrowing Reed Stands. *American Journal of Plant Sciences* 5 (21), 3250-3257.
- Iital, A., Kask, M. K., Voronova, V., & Cahill, B. (2012). Reed Harvesting. In SUBMARINER, *Compendium: An Assessment of Innovative and Sustainable Uses of Baltic Marine Resources* (pp. 104-125). Gdańsk: Maritime Institute .
- Inácio, M., & Schernewski, G. (2016). Assessing ecosystem services in coastal lagoons. In K. Brownlie, T. tkingt, M. Roelofs, P.-F. Baisnée, K. Erzini, M. Cunha, . . . T. Deprez (Eds), *Second Mares Conference on Marine Ecosystems Health and Conservation: Abstract Book* (p. 78). Olhão.
- Ináco, M., & Schernewski , G. (2014). Coastal water ecosystem services assessment within a Systems Approach Framework.
- InVEST | Natural Capital Project. (n.d.). *InVEST - integrated valuation of ecosystem services adn tradeoffs*. Retrieved from Natural Capital Project: <http://www.naturalcapitalproject.org/invest/>
- Jakeman, A. J., Letcher, R. A., & Norton, J. P. (2006). Ten iterative steps in development and evaluation of environmental models . *Environmental Modelling & Software* 21, 602-614.
- Kallasvuo, M., Lappalainen, A., & Urho, L. (2011). Coastal reed belts as fish reproduction habitats . *Boreal Environment Research* 16, 1-14.

- Kjærulff, U. B., & Madsen, A. L. (2013). *Bayesian Networks and Influence Diagrams: A Guide to Construction and Analysis (Second Edition)*. New York: Springer Science+ Business Media .
- Köbbing, J., Thevs, N., & Zerbe, S. (2013). The utilisation of reed (*Phragmites australis*): a review. *Mires and Peat 13*, 1-14.
- Kuhnert, P. M., Martin, T. G., & Griffiths, S. P. (2010). A guide to eliciting and using expert knowledge in Bayesian ecological models. *Ecology Letters 13*, 900-914.
- Kursiu Nerija National Park. (n.d.). *Kursiu Nerija National Park*. Retrieved from <http://www.nerija.lt/en/text/pirmas>
- Landuyt, D., Broekx, S., D'hondt, R., Engelen, G., Aertsen, J., & Goethals, P. L. (2013). A review of Bayesian belief networks in ecosystem service modelling. *Environmental Modelling and Software 46*, 1-11.
- Ludwig, D. F., Iannuzzi, T. J., & Esposito, A. N. (2003). Phragmites and Environmental Management: A Question of. *Estuaries 26 (2B)*, 624-630.
- Maes, J., Liquete, C., Teller, A., Erhard, M., Paracchini, M. L., Barredo, J. I., . . . Lavalle, C. (2016). An indicator framework for assessing ecosystem services in support of the EU Biodiversity Strategy to 2020. *Ecosystem Services 17*, 14-23.
- Mal, T. K., & Narine, L. (2004). The biology of Canadian weeds. 129. *Phragmites australis* (Cav.) Trin. ex Steud. *Canadian Journal of Plant Science 84 (1)*, 365-396.
- Marcot, B., Steventon, J., Sutherland, G., & McCann, R. (2006). Guidelines for developing and updating Bayesian belief networks applied to ecological modeling and conservation. *Canadian Journal of Forest Research 36*, 3063-3074.
- McKenzie, E., Rosenthal, A., Bnernhard, J., Girvetz, E., Kovacs, K., Olwero, N., & Toft, J. (2012). *Developing Scenarios to Assess Ecosystem Service Tradeoffs: Guidance and Case Studies for InVEST Users*. World Wildlife Fund .
- Millennium Ecosystem Assessment. (2005). *Ecosystems and Human Well-being: Synthesis*. Washington, DC: Island Press.
- Newton, A., Icely, J., Cristina , S., Brito, A., Cardoso, A. C., Colijn, F., . . . Zaldívar, J.-M. (2014). An overview of ecological status, vulnerability and future perspectives. *Estuarine, Coastal and Shelf Science 140*, 95-122.
- Oxford University Press. (2016, April 12). Retrieved from English Oxford Living Dictionaries: <https://en.oxforddictionaries.com/definition/value>

- Pascual, M., Miñana, E. P., & Giacomello, E. (2016). Integrating knowledge on biodiversity and ecosystem services: Mind-mapping and Bayesian Network modelling. *Ecosystem Services* 17, 112-122.
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., . . . Duchesnay, É. (2011). Scikit-learn: Machine Learning in Python. *Journal of Machine Learning Research* 12, 2825-2823.
- Pollino, C. A., & Henderson, C. (2010). *Bayesian networks: A guide for their application in nature resource management and policy*. Caberra: Australian National University.
- Potschin, M., Haines-Young, R., Saarikoski, H., & Jax, K. (2014, January). benefiting from ecosystem services : towards a shared understanding New ways of thinking about nature and the environment Key messages Key concepts. *OpenNESS brief No. 01. Operationalisation of Natural Capital and Ecosystem Services (OpenNESS)*.
- Povilanskas, R., Armaitiene, A., Breber, P., Razinkovas-Baziukas, A., & Taminskas, J. (2012). Integrity of linear littoral habitats of Lesina and Curonian Lagoons. *Hydrobiologia* 699 (1), 99-110.
- Rashleigh, B. (2002). Ecological Endpoint Modeling for TMDLS: Effects of Sediment on Fish Populations. *National TMDL Science and Policy* , 850–858.
- Rashleigh, B., Razinkovas, A., & Pilkaityte, R. (2011). Ecosystem services assessment of the Nemunas River delta. *Transitional Water Bulletin* 5 (2), 75-84.
- Razinkovas-Baziukas, A., Morkūnė, R., Ruginis, T., & Povilanskas, R. (2016, September 9). *NEWSLETTER - Ecopotential Project: Discover a Protected Area: Curonian Lagoon and Spit (Lithuania-Russian Federation)*. Retrieved from ECOPOTENTIAL: Improving Future Ecosystem Benefits through Earth Observation: <http://ecopotential-newsletter.igg.cnr.it/2016/09/discover-a-protected-area-curonian-lagoon-and-spit-lithuania-russian-federation/>
- Reise, K., Baptist, M., Burbridge, P., Dankers, N., Fischer, L., Flemming, B., . . . Smit, C. (2010). The Wadden Sea - A Universally Outstanding Tidal Wetland. *Wadden Sea Ecosystem* 29 (29), 7-24.
- Renooij, S., & Witteman, C. (1999). Talking probabilities: communicating probabilistic information with words and numbers. *International Journal of Approximate Reasoning* 22, 169-194.
- Repečka, R. (2003). The Species Composition of the Ichthyofauna in the. *Acta Zoologica Lituanica* 13 (2), 149-157.
- Republic of Lithuania . (2000, June 27). Law on Fisheries . *Republic of Lithuania Law on Fisheries No VIII-1756*. Lithuania : Republic of Lithuania .

- Rodríguez, J. P., Beard, D. T., Bennett, E. M., Cumming, G. S., Cork, S. J., Agard, J., . . . Peterson, G. D. (2006). Trade-offs across space, time, and ecosystem services. *Ecology and Society* 11 (1), 28.
- Scutari, M. (2016). *bnlearn - an R package for Bayesian network learning and inference*. Retrieved October 5, 2016, from bnlearn: <http://www.bnlearn.com/>
- Speirs-Bridge, A., Fidler, F., McBride, M., Flander, L., Cumming, G., & Burgman, M. (2009). Reducing Overconfidence in the Interval Judgements of Experts . *Society for Risk Analysis*.
- Svobodova, Z., Lloyd, R., Machova, J., & Vykusova, B. (1993). Causes and effects of pollution on fish. In Z. Svobodova, R. Lloyd, & J. Machova, *Water quality and fish health* (pp. 7-20). Rome: Food and Agriculture Organization (FAO).
- TEEB. (2010). *InVEST: A Tool for Integrating Ecosystem Services into Policy and Decision-Making*. Th Natural Capital Project.
- UnBBayes. (2010, March 24). *UnBBayes Overview*. Retrieved October 5, 2016, from UnBBayes - Plugin Framework for Probabilistic Graph Models: <http://unbbayes.sourceforge.net/index.html>
- UNEP-WCMC. (2011). Marine and coastal ecosystem services: Valuation methods and their application. In *UNEP-WCMC Biodiversity Series No. 33* (p. 46 pp.).
- UNEP-WCMC. (2014). *Biodiversity A-Z*. Retrieved from <http://biodiversity-a-z.org/content/protected-area>
- UNESCO. (n.d.). *Curonian Spit*. Retrieved from UNESCO World Heritage Centre: <http://whc.unesco.org/en/list/994>
- Uusitalo, L. (2007). Advantages and challenges of Bayesian networks in environmental modelling. *Ecological Modelling* 203 (3-4), 312-318.
- Valkama, E., Lyytinen, S., & Koricheva, J. (2008). The impact of reed management on wildlife: A meta-analytical review of European studies . *Biological Conservation* 141, 364-374.
- White, G., Self, M., & Blzth, S. (2014). Chapter one: reedbed wildlife - what does it need. In G. White, M. Self, & S. Blzth, *Bringing Reedbeds to Life: creating and managing reedbeds for wildlife* (pp. 7-10). RSPB.
- Worm, B., & Branch, T. A. (2012). The future of fish. *Trends in Ecology & Evolution* 27 (11), 594-599.

Wortelboer, F. G., & Bischof, B. G. (2012). Scenarios as a tool for supporting policy-making for the Wadden Sea. *Ocean and Coastal Management* 68, 189-200.

Žiliukas, V. (2003). Assessment of the Dynamics of Main Ecological Paramters of the Fish Fry Community in the Coastal Zone of the Curonian Lagoon near Ventė Cape. *Acta Zoologica Lituanica* 13 (2), 167-175.

Žiliukas, V., & Žiliukienė, V. (2009). The structure of juvenile fish communities in the lower. *EKologija* 55 (1), 39-47.

Žiliukienė, V., & Žiliukas, V. (2000). Ecological Characteristics of the Ichthyoplankton of. *Acta Zoologica Lituanica* 10 (4), 32-55.

Zolubas, T., Kontautas, A., & Shibaev, S. (2014). Fisheries management in the Curonian Lagoon. In S. & Skor, Fisheries managemetn in coastal waters of the Baltic Sea - AQUAFIMA results of the Szczecin Lagoon, Vistula Lagoon, Curonian Lagoon and Gulf of Riga (pp. 47-69). Coastline Reports 22.